

nature, fish, and the world become CONNECT naturally Connect by Fishing JScompany connects people by fishing! Anyone who loves fishing around the world is aiming to move to a wide world with a wide sea, river, and nature. We are extremely happy to be able to share fishing stories and people's lives with you with the pride of Korean Rod brand. In 2021, staff and al employees will try to become Korea's No. 1 company that constantly challenges and grows together to become a JScompany that listens to the voices of many fishing lovers and understands their hearts.




PROCESS & DEVELOPMENT SYSTEM

JScompany's Product Development Process and Advanced Systems

JScompany introduced a state-of-the-art process focusing on the design and handling of composite materials, the most important material in the production. The process of innovative rod blank development and production is carried out as a

we are supplying products that combine the best performance and design that consumers ⊠ant using long-term kno⊠ ho and data. Let me introduce the world's most competitive product development system and process of JScom-

1 Computer- controlled molding system



2 3D Design Process



5 Fishing rod sensitivity test

3 3D Printing Process

4 Mank Mad Test









SPECIAL TECHNOLOGY of **JSCOMPANY**

JScompany's special technology

JScompany's experts from various fields 🔯 rked head-to-head to create a special and proud fishing rod. 🔯 a result, 🔯 developed our on and diverse technologies and applied them to our products.

we $\boxed{1}$ make more efforts to develop products that can sho $\boxed{1}$ the best performance based on our accumulated technology. we unveil the special and diverse technology of JScompany that the SprId-recognized technology.



HXXXXXX CXNSTXXXXXXX



rear, and inclined directions. Cast- stress. ing power becomes accurate, torque increases, and manipulation becomes possible as desired





casting and precise operation of fishing rods by applying uniform stress to all points of BLANK.



Combines Helical Core and 3D An ultra-high elastic four-axis It is a structure in which scream car- It is a structure that minimizes the The X-WEAVE method is a X-CLOTH-structure, it condenses CLOTH is coupled to the helical bon fiber and 3D CLOTH are com- distortion of the BACK BONE phe- shaped carbon tape wrapped on the omnidirectional force to in- core structure (two-axis). Mini- bined in the 90° direction. By nomenon, which is a disadvantage the surface by minimizing the intercrease torsional rigidity and im- mizing the loss of force and real- reinforcing the transverse strength, it of the stacked structure of com- val. Increased torsional stiffness enizing an even distribution of force is possible to make a high- density posite materials. It is a state-of-the- ables accurate casting and creates in the vertical, horizontal, front, rod blank with excellent bending art method that increases instanta- uniform stress, enabling precise



duces the weight and diameter of resin system. The combination the rod blank and improves the technology of helical core and performance of the rod. Casting nanometrics is the only and best vibration is reduced, so casting abil- existing technology that can man-



ufacture stronger and lighter.



The high compression molding Helix Super Nano Material is JS Compensate for the disconnection Rolling press methods often cause The blank applying the carbon tape process combines the inner cores Company's own technology to of the fastening area, which is the layer separation and spine prob- winding method of construction to of carbon fibers at the same time to cope with external stress and com- weakness of the existing joint. It re- lems. To solve the problem, the the one-way fiber. The density of align and compress high density. It is pression resistance inside the curve, alizes smooth bending and im- surface of the material was high- the laminating structure is ena high-tech method that greatly re- which causes a highly rigid epoxy proves power and sensitivity. pressure taped with carbonyarn. hanced and the force of restitution

Z-CT G⊠®H™C⊠™H




HELIX GRAPHENE **MECHANISM**


Effect of Helix Graphene Mechanism

The graphene-added carbon fiber fabric developed by JScompany is a chemical bond of graphene and carbon fiber dispersed in epoxy resin. This increases the bonding strength bet een the fiber and the resin, and reinforces the rigidity of the fabric by matching the directions bet een the graphene and the carbon fiber. As a [advanced composite material] that increases the breaking strength of fishing rods by strengthening resistance to cracks due to entanglement bet een graphene chains, we applied it to the fishing rod to reduce the Eight of the material by 7% and improve the fracture strength by 10% to realize a light and strong fishing rod. Maddition, De Dere able to get the result of doubling performance and strength by combining Ath Nano technology.

JSCOMPANY







C⊠NNIXT Sith JSC⊠MPSN 05



S-2 GLASS **MATERIAL FEATURES**

Characteristics of S-2 Glass New Materials in JScompany




The S-2 GLASS has the best mechanical properties among glass fibers; Stiffness is 22% greater than the E GLASS commonly used in fishing rods.

Tensile strength and Elongation are 68% and 19% higher. the weight is 4% lighter. Therefore, S-2 GLASS can be used to create a lighter, harder fishing rod than E GLASS. Especially, when mixing with CARBON, flexibility which is a disadvantage is supplemented, and a stronger fishing rod can be manufactured.

Complemented the shortcomings EGLASSandCARBON! S-2 GLASS



In JSCOMPANY, the light weight, high stiffness and high strength properties of S-2 GLASS were used. We are working to develop products that meet the various needs of consumers' taste and durability at the same time by mixing S-2 GLASS alone or S-2 GLASS and CS-2ARBON







Saltwater **Freshwater** BIXOD N B5 CHBIXOD N B4 BIXOD N B3 -VER 2-CHBIXOD N AIR BIXOD B2

BIXOD B1 -2021-

SSOCHIN M5

SSOCHIN M3

SSOCHI N AIR

SSOCHI M2

SSOCHI M1

ASENSE T2

ASENSE T1

DLOOP N

DLOOP2

ASENSE POP2

DLOOP N SWITCH

DLOOP2 SWITCH

DLOOP POP2

DLOOP REEL

SSOCHI POP2

SSOCHI N CLASSIC

NIXX DX NIXX POP2 NIXX BOOSTER2

CH BIX BIX BIX BIX SSOCHI BOOSTER2/BIXOD N STREAM BIXOD STREAM / SSOCHI M1 ASENSE 토너먼트스페셜 CA BIX NIX BIX BIX BIX BIX

CH

CH

CH

BIX

BIX

NIXX ROCKER

CAN30 ROCKER

NIXX POP ROCKER -VER 2-

Etc.

FLO	46	ACCURATE
ARM LIVE RXT / RXE	47	GLOVES
ARM LIVE RXI / RXB	48	SITE MASTER
ARM LIVE H5	49	GREEDY BAIT
ARM LIVE H2/BIXOD N A4	50	SSOPACK
OD N A3 (LUMA)	51	TIEMCO LURES (MALE)
OD A2 -VER 2-	52	GLIMMER(6, 7, 7LIGHT)
X INSHORE	53	TIEMCO LURES (SIGADA)
X POP INSHORE -VER 2-	54	PDL
N30 INSHORE	55	PDL SILICONE SKIRT
ODNS4	56	A3
ODNS3	57	RIVER2SEA
ODS2	58	SLIDER
OD N E4 -VER 2-	59	HAT
OD E2 -ver.2-	60	EGO LANDING NET
X EX / TIP RUN EGING	61	NET / NET HOLDER
X EX INK	62	LIP GRIP / PLIERS / ROAD BAN
X POP EGING -VER.2-	63	MOORING VEST / MOORING S
N30 EGING	64	SELF-INFLATING LIFE JACKET
OD N AJ3	65	
X AJING1	66	COMPACT POUCH
OD N VJ4	67	LOAD CASE
OD VJ2	69	STEALTH
OD N J4	70	SCOTTY
OD N J3	71	HANDLING BRAND
OD J2	72	HANDLE WITH CARE
ARM N BLACK LABEL	73	FULL PRODUCT PRICE LIST
ARM N C4	76	
ARM CXT	78	HOW TO READ ROAD SPECS
ARM CWR	79	
ARM AIR	80	
 ARM AIR (한치)	82	
ARM AIR (외수질, 문어, 갈치)	83	
ARM AIR (갈치텐야)	84	
SLIME	85	
X OCEAN -ver.2-	86	
X POP OCEAN -ver.3-	87	
OD INK	88	
X POP INK	89	
N30 OCFAN	90	
OD N P4 -VER 2-	91	
OD P2 -VER.2-	92	
OD SJ2	93	
OD N R4	94	
OD N R3	95	
OD N R2 -ver.2-	96	
05,111,12,101,2	/////	

CCURATE	10
LOVES	10
TE MASTER	10
REEDY BAIT	10
SOPACK	108
EMCO LURES (MALE)	110
LIMMER(6, 7, 7LIGHT)	11
EMCO LURES (SIGADA)	11
N N N N N N N N N N N N N N N N N N N	///////////////////////////////////////

NE SKIRT NG NET HOLDER LIERS / ROAD BAND ETC. VEST / MOORING SHOES ATING LIFE JACKET JACKET POUCH









Since the launch of BIXOD, which has made a breakthrough in the history of the Korean rod in 2011, BIXOD has continued to produce several versions while maintaining and developing its own identity. BIXOD, which has been introducing advanced technology and amazing designs every time it launches a new version, is now preparing to reach the peak of all of it,

BLANK Material:

40~46TON ultra-high elastic carbon + HELIX SNM 1500 + HEXA **CROSS** method

EOUIPMENT:

Guide: FUJI TITANIUM TORZITE "KR" Guide Spinning reel seat: FUJI TVSTK16

Integratedreelseat: JSCOMPANY SYNAPSE TECHNOLOGY WOVEN 3K Carbon grip

AIR VIBRATION SYSTEM End cap

lew method : Integrated reel seat - Synapse Technology

Synapse Technology delivers a perfect grip and undistorted sensitivity by integrating three things: trigger, reel seat, and grip.

Grip

Synapse Technology has conducted more than two years of field tests and dozens of mold modifications: As a result, no matter what gripping method is used, it provides a perfect grip for Asians with small hands. The part where the little finger touches is thickly processed and comfort is realized.

Carbon grip and air vibration end cap

The vibration delivered from the tip of the rod leads to the carbon grip on an integrated reel seat, and the vibration meets the air vibration system more effectively and comes to the user with a single loud vibrate. The first integrated air vibration end cap in Korea has been adopted, which has the effect of further amplifying sensitivity with beautiful

High Strength Blanks Made by Biaxial + 4-axis Carbon

We used the biaxial helical core method that our company boasts and finished with the four-axis reinforcement method which is most commonly used in the current high-end rod. The combination of the inner two-axis and the outer four-axis reacts flexibly wherever the impact is applied, meeting with the self-developed Helix 1500 prepreg and making it stronger than any other rod, Unsanded blanks reminiscent of musde are approaching with a sharp metal-like feeling and the repulsive power due to external influence is also very good, which gives pleasure to fishing

Simple is Best

The design is completed with beautiful curves, simple gradation, and metal decoration that is a point rather than the straight and colorful designs of existing flagship rods. The design identity of BIXOD N B5 has been realized: Simple is Best; this is the orientation of a new flagship design put forward by BIXOD N B5.

Integrated reel seat(Synapse Technology)



BC72H

- Start with a cover, finish with a cover (Outstanding Power in Heavy Cover)
- Special balance design (intentional balance setting for effective manipulation of the blank's front center of gravity design, hook set success rate increase, and 2oz heavy lure)
- Set as FAST action (EX-FAST's initial responsiveness and ease of casting)

 Specialized in rubber jig, heavy-Texas rig, punch rig, etc.
- (Best match for cover buzzing and Froging)
- 16~20 lb carbon lines, 30~40 lb PE lines setting (with a small caliber guide, easy line control)





S68L-ML | S682L-ML

- Bottomfishing-specificspecialmodels(fittedtothetrendoflongerrods)
- All-in-One products that also digest light weight fishing gear of around 3g
- (Down Shot Rig Neko Rig, small rubber jig)

 L-ML, a Rod power design that didn's existed before. (Tip: Stronger than the existing L Power, Responding flexibly to Big-Bass, Butt: Outperforming the existing ML Power)
- Optimization for 6lb carbon line Small caliber torzatide array, long distance
- and errorless pinspot casting

 The adoption of FUJI's TVS Reel seat, used in Mountain streams; light weight, operationality, and exposed blanks, are excellent in sensitivity.
- The integrated carbon grip is adopted (easy to read floor conditions with fine sensitivity, beautiful design)

BC69M | BC672M

- Standards for the N B5 Bait series (excellent balance and non-metal use); M class (6.9ft, power-overloading longcasting-capable of existing Rod MH)
- More than two years of harsh testing in the tournament (The rod has remarkable performance using bottom fishing gear such as Texas Rig. Free Rig Down Shot Rig as the main. The allowable fishing gear is more diverse than
- Set best for 10 to 14 lb carbon lines (Focusing on manipulation and casting: one-handed manipulating adopting small caliber torzite guides)

BC611MH | BC692MH

- Specialistsspecialisedinheavyweightbottomfishinggear (rubber jig and Texas Rig Free Jig Heavy-Down Shot, Heavy-Neko Rig and others
- Tipdesignforcasting with around 10 gofgear (excellent Rod H power, casting performance and hookset success rate)

 Optimizationforbaitcastreelsoflessthan200g
- (Manipulation and hook set are facilitated with grip length suitable for Koreans)
- Settofit12to16lbcarbonlines
- (Adopting a small calibertor ziteguide, easy line control)



INFORMATION


Item	전장(mm)	절수(本)	Lure Wt (oz)	Line Wt (lb)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
S68L-ML	2,025	1	1/16~1/4	3~8	1.3	9.9	107	99%	Fast	520,000
BC69M	2,055	1	3/16~3/4	8~20	1.7	11.3	131	99%	Fast	510,000
BC611MH	2,105	1	3/16~1	10~25	1.9	11.7	137	99%	Fast	540,000
BC72H	2,180	1	3/8~2	12~30	21	12.5	150	99%	Fast	560,000
S682L-ML	2,025	2	1/16~1/4	3~8	1.5	10.1	109	99%	Fast	550,000
BC672M	2,010	2	1/8~3/4	8~17	1.8	10.7	140	99%	Fast	520,000
BC692MH	2,055	2	1/4~1	10~20	2.0	11.4	143	99%	Fast	560,000

Package: 1pc (high-end interlock cushion jacket packaging), 2pc (hardcase) | Origin: South Korea

To implement all of these conflicting properties, the BIXOD "N" series used state- of-theart design mechanisms using the finest composites. The helical core structure applied inside and outside the blank maximizes the characteristics of the material while binding the opposite materials


together. The internal ultraelastic 65-ton and 46-ton SHEET maximizes strong and cheerfulness and realizes ultra-

high sensitivity that can be clearly felt from a long distance.



S64UI

- A thin soft tip and meticulous power Butt
- Blank, which uses helical core and hexacross, attracts pressured- fish with a strong hookset and soft power with brilliant action.
- Excellentabilitytooperatemid-rollingsuchasJigHead,Neko,and Wacky.
- Excellent operationality of small plugs and finishe fishing



High-quality cork grips imported and processed directly from Portugal are designed to fit the hands of Koreans to enhance grip feeling and become one with the body. The light and strong mechanism of the BIXOD brand is completed in design from "N" and reveals a strong and simple sense using two-tone aluminum anodizing. The reel seat with the aurora ion plating technique increases grip and transmits the vibration

of the blank without attenuating it.

S67L

- Fast Taper: Soft and powerful blank, strong tips and butt. The dense "Helix SNM blank is more resonant than the normal blank, delivering excellent sensitivity, enabling delicate Finesse Fishing.
- Excellent in the brilliant action-direction of Jig Head, Neko, Kaiser and Wacky Gear, Designed to suit all the Finishes fishing: Wacky, No Sinker, Down Shot and

S69ML

- Spinning rod, but Bait rod's power, talk, long casting, hooket ability
- "SNM" Blank delivers the sensitivity of tips.
- The most common Rod to operate all warm lure, small mininow, and spinnerbait in detail at 1/8-3/8 oz
- Momentary power and high torque that can bring excellent range. Strong Butt Power to Make a Perfect Hook Set for a Long-distance Bite

BC66ML

- Moderate Fast Taper: Soft and strong blanks with helical core and hexacross structures are suitable for long-term tweaking, Jerking, and casting
- Minnow, Topwater is available. Natural Hook set is possible, such as jighead dragging or Texas retrieve of Softbait
- Titalum "K" Double-foot Guide
- PE Line twists and break prevention at the momentary Hook set; maximizing distance)
- It prevents breakage of carbon fibers that may occur during long-term use. (Good for using high weight bait)

BC67M

- Fast Taper: The most widely used general-purpose Rod with both the power of the Bait rod and the delicateness of the spinning rod.
- Soft tips: shallow crankbait, jerkbait, light-weight spinnerbait, softbait Gear (Jighead, Wacky, Neko) available.
- Light Drop shot rig, Texas rig and other various lures can be dealt with

BC610MH

- Fast Taper: It's a general-purpose rod that Bass anglers must have at least one. High-density blanks have a feeling of metal and ultra-high sensitivity. (Best advantage for bottom fishing)
- Riverbed shape, and fine Bite can be detected. Powerful hookset capabilities from long levers
- Breakthrough Range: Down Shot Rig, Texas Rig, Rubber jig, etc. Powerful torque even in buzzing fishing using high-weight swimbait

BC74XH

- Rod with powerful torque, operability and high sensitivityAdvantageous for Big Bass games
- Operations include a swim bait, big bait, Frog, and Punch Rig within 4oz Alabama Rig is also available

BC68MH

- "SNM" Blank's power and torque allow instantaneous reactions. By combining the hexacross structure, the casting distance is increased to overcome the disadvantages of wire bait
- High elasticity sensitivity is delivered to improve the sensitivity of the bite
- High sensitivity and fast reaction rate from Modernate-Fast taper maximize the crackbait Wobbling and search capability of the middle range

BC71H

- Fast Taper: Powerful performance to easily suppress and catch any obstacle
- The rod, equipped with Helix SNM, was lightweight and manipulative enough to be able to fish for a long time such as tournament.



INFORMATION

Item	전장(mm)	절수(本)	Lure Wt (oz)	Line Wt (lb)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
S64UL	1,930	1	1/32~1/4	2~6	1.1	9.7	83	99%	Fast	460,000
S67L	2,010	1	1/16~1/4	3~8	1.2	10.4	86	99%	Fast	470,000
S69ML	2,060	1	1/16~3/8	4~12	1.4	11.7	99	99%	Fast	490,000
BC66ML	1,980	1	1/8~1/2	6~14	1.5	11.1	99	99%	Mod-Fast	480,000
BC67M	2,010	1	1/8~3/4	8~16	1.6	11.5	115	99%	Fast	490,000
BC68MH	2,030	1	1/4~3/4	8~20	1.7	121	119	99%	Mod-Fast	500,000
BC610MH	2,080	1	1/4~1	10~20	1.7	12.6	114	99%	Fast	500,000
BC71H	2,160	1	3/8~2	12~30	1.9	13.4	129	99%	Fast	540,000
BC74XH	2,230	1	3/4~4	14~50	2.2	14.9	149	99%	Fast	540,000

Package: High-end interlock cushion jacket packaging | Origin: South Korea

NEW



B3 -Ver.2-



BLANK:

40~46TON High elasticity CARBON + Helix graphene + Helical core + 5DS CROSS (BC682M-R, BC7102MH-R, BC682XH-H: + S2 GLASS)

FUJI GUIDE: Titanium "KR" Concept SIC GUIDE

SPINNING REEL SEAT: JSCOMPANY'S NEW Spinning REEL SEAT
BAIT REEL SEAT: JSCOMPANY'S NEW baitcasting REEL SEATREEL SEAT


COLOR Spray

GRIP: Three concept grips (1. "AAA" Class CORK GRIP / 2. BLACK rigid EVA

GRIP / 3. Octagonal CARBON GRIP)Octagonal CARBON GRIP : Anti-skid RUBBER Spray

AL BUTT CAP: Aluminum Application of Air Vibration System for Improving

Sensitivity BiteGraphene Hexagonal Cutting Process



S672UL-L

A spinning model that can induce Bite with light lure without heterogeneity.
 Excellent for mid strolling and small rubber jig operations. (Available for a variety of Rigs, including Neko, Dropshot, etc)

S682L-ML | S68L-ML(1피스)

All Rigs on the Spinning tackle can be operated professionally. Especially Wacky,
 Drop shot, and Neko Rig

S702ML-M

- It deals with heavy spinning tackles: from deep dam depths togeneral depths of water
- Strong power and strong torque. Stable landing is possible

BC702ML

- Universal Bait rod: Hardbait's Delicacy & Softbait's meticulousness. Good for boating and walking fishing with excellent distance
- $\ \ \, \ \ \,$ Excellent for lightweight Rig operation such as Light Free and Small rubber

BC692M-X

- $\ \ \, \ \ \, \ \ \,$ Bottom fishing rod specialized in the typical 1/4 to 3/8oz Jig
- Maximum Bite sensitivity, Overwhelming distance

BC712MH | BC70MH(1 piece)

The most common modelBottom fishing using free, downshot, Texas, and rubber jig as well as Hardbait operation based on 7:3 action

BC702MH-X

- You can react sensitively to extreme bottom fishingBased on the 9:1 action, you can feel the sensitivity of the extreme
- UnderRig, including Free, Downshot, and Rubber, is professionally operated

BC722H-X

 8:2 action, bottom fishing model that maximizes sensitivity. Specialized in Under Rig use, such as Heavy Free, Punch, Texas, etc

BC732H

- The universal specification of the 7:3 action. All-weather and all-round specs that can run from the Harvey Free Rig to the Light Big bait Buzzing
- Great Butt Power and Flexible Action

BC682M-R

The hardbate operation of 6:4 action is used professionallyOperate crankbait, mininow, spinnerbait, etcA specialized model that can lead to stable landing

BC682XH-H

- Based on the 6:4 action blank, large hardbaits from big-bait to punching and large-swimbait are professionally operated
- A professional specialized model that eliminates heterogeneity as much as possible and shows stable taper
- It has the specifications suitable for running various big-baits

BC7102MH-R

- Lure(Spinnerbait, Top water, Swimbait, etc) and Hardbaits(Deep crank, Minnow, etc) can be operated professionally
- Long, flexible Tips show natural hooking~landing











Spinning split handle | Self-designed "NEW SPINNING REEL SEAT"



Bait split handle | Self-designed "NEW BAIT REEL SEAT"













Cork full grip



INFORMATION I Some of the specs may be changed because the test is currently underway.

ltem .	전장(mm)	절수(本)	접은길이(mm)	Lure Wt(oz)	Line Wt(lb)	선경(mm)	원경(mm)	GRIP TYPE	카본함유량	Taper	가격(원)
S672UL-L (초 경량지그) 7:3액션	2,000	2	1,025	1/32~1/4	3~6	1.2	10	CARBON	99%	Fast	미정
S682L-ML (경량지그) 7:3액션	2,025	2	1,040	1/16~1/4	4~8	1.4	10.5	CARBON	99%	Fast	미정
S702ML-M (경량 프리리그/드랍샷) 8:2액션	2,130	2	1,100	1/8~1/2	6~10	1.5	10.3	CARBON	99%	Fast	미정
S68L-ML (경량지그) 8:2 액션 (1PC)	2,030	1	2,030	1/16~1/4	4~8	1.3	10.0	CARBON	99%	Fast	미정
BC702ML (베이트 피네스) 9:1액션	2,130	2	1,095	1/8~1/2	6~12	1.5	10.4	CARBON	99%	Fast	미정
BC692M-X (라이트 바텀전용) 8:2액션	2,050	2	1,055	3/16~3/4	8~16	1.5	10.5	CARBON	99%	Fast	미정
BC702MH-X (바텀전용/프리리그) 8:2액션	2,130	2	1,095	1/4~1	10~20	1.6	11.2	CARBON	99%	Fast	미정
BC722H-X (바텀전용) 8:2액션	2,185	2	1,125	3/8~2	15~25	1.9	12.2	CARBON	99%	Fast	미정
BC70MH (바텀전용) 8:2액션 (1PC)	2,130	1	2,130	1/4~1	10~20	1.8	11.0	CARBON	99%	Fast	미정
BC712MH (범용/와이어 베이트) 7:3액션	2,155	2	1,105	1/4~1	10~20	1.8	11.3	CARBON	99%	Fast	미정
BC732H (범용/펀칭, 프로그) 7:3액션	2,210	2	1,135	3/8~11/2	15~25	1.9	12.5	CARBON	99%	Fast	미정
BC682M-R (미노우/탑워터) S2 GLASS 6:4액션	2,025	2	1,040	1/4~1/2	8~16	1.7	11.0	CARBON	CARBON 7/S2 GLASS 3	REGULAR	미정
BC7102MH-R (크랑크베이트) S2 GLASS 6:4액션	2,380	2	1,220	1/4~1 1/2	10~25	1.8	14.2	CORK	CARBON 6/S2 GLASS 4	REGULAR	미정
BC682XH-H (빅베이트/중량 탑워터) S2 GLASS 6:4액션	2,025	2	1,040	2~4	PE 2~4호	21	13.9	CORK	CARBON 6/S2 GLASS 4	REGULAR	미정

Package: Triangular CODURA TUBE | Origin: South Korea



BIXOD MA



Lighter and lighter.
HELIX SNP + GRAPHENE
BIXOD N AIR.

Weight, strength, and sensitivity, the three factors that determine the completeness of the fishing rod. A product that satisfies all three factors has been born. Blank, which blends graphene into HELIX SNM, boasts guaranteed strength and ultralight. In addition, the high-density Blank maximizes the vibration width along with the air vibration system, giving the sensitivity that was not before

Practical design considering the operability of the Bass rod; employing full cork grips to reflect consumer needs; and nevertheless, it succeeded in developing ultra-light rods. With 7.5:2.5 tapers reflecting the trend, you can feel the repulsive power of graphene when casting. During landing, you can control the rod with torque from thin blanks and ideal taper

The highest satisfaction during the three-year test period. Light weight, ideal balance, accurate information delivery ability. I pride myself on being the most advanced BIXOD Rod series that has shown what to do for Angler."

JScompany pro-staff, Korea Sportfishing Association Ryu Yeong-ju Pro



BLANK Material:

40TON High elasticity CARBON + HELIX SNM Graphene Helical core +

FUJI GUIDE : Titanium "KR" Concept SIC GUIDE FUJI SPINNING REEL SEAT : VSS16 REEL SEAT FUJI BAIT REEL SEAT : ACS16 REEL SEAT FUJI REEL SEAT HOOD : KDPS16GM/ASH HOOD

REEL SEAT SILVER Mirror spray

SPINNING GRIP: "AAA" Class CORK GRIP (Split-grip Handle)
BAIT GRIP: "AAA" Class CORK GRIP (FULL CORK GRIP)

AL BUTT CAP: Air vibration applied

S652UL-L

 Ultralight Rod specialized in ultralight jigs of 1/32oz Excellent to operate Finnesse Gear, including midstrolling

BC672M

 Excellent for lure operations in the Zig-Minnow familyof 1/4~3/8oz. Basic Model of Baitcast Rod

S672L-ML

 Spinning models that can operate most lightweight Gears, including Neko, Kaiser and Jighead, at 1/16-1/8oz. Easy manipulation and suppression with delicately reactingtips and strong Butt power

BC692MH


It is excellent for Jig Wire bait lure operation of 3/8~1/2oz.lt boasts strong Butt power and overwhelming sensitivity

BC702H

 Excellent for Jig and Frog operations over 1/2oz. The ultra-light blanks blended with helix SNM and graphene give incredible torque

BC702ML(베이트 피네스)

 Excellent for Bait finesse jig and light weight Minnow series of Lure operation at 1/8-1/4oz



INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt(oz)	Line Wt(lb)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
S652UL-L (미드스트롤링/스몰러버)	1,955	2	1,005	1/32~1/4	3~6	1.2	9.7	74	99%	Fast	300,000
S672L-ML (롱 캐스팅/올라운드/드랍샷)	1,995	2	1,025	1/16~1/4	4~8	1.4	10.1	82	99%	Fast	320,000
BC672M (스피너베이트/올라운드/프리리그)	1,995	2	1,025	1/8~3/4	8~16	1.7	10.6	93	99%	Fast	300,000
BC692MH (프리리그/웜/범용)	2,050	2	1,055	1/4~1	10~20	1.8	11.2	103	99%	Fast	310,000
BC702H (지그/바텀/스윔베이트)	2,130	2	1,095	3/8~11/2	15~25	2.0	126	111	99%	Fast	330,000
BC702ML (베이트 피네스)	2,130	2	1,095	1/8~1/2	6~12	1.6	10.5	92	99%	Fast	300,000

Package: Triangular CODURA TUBE | Origin: South Korea



BIXOD B2



Lighter Stronger THE BIXOD B2

"Light and strong." With the launch of 2011, the BIXOD B2 bass rod, which was the standard for bass rods, changed everything. We have a lineup of functional and design-specific specifications to satisfy intermediate users who understand Bass fishing and can use various techniques freely

In addition, the combination of high-sensitivity touch type reel seat and asymmetric cork grips of ergonomic design, which are first introduced in Korea, guarantees comfort-grip and usability that have not been felt before

BLANK material:

30~40TON BASE + HELICAL CORE CONSTRUCTION

FUJI Guide: FUJI "KR" Concept SIC GUIDE

SPINNING Reel seat : Latest touch TYPE REEL SEAT (ALPS)
BAIT Real seat : Latest Touch TYPE REEL SEAT (ALPS)
Reel seat COLOR : 2TON COLOR Spray (RED / BLACK)
SPINNING GRIP : "AAA" Class CORK GRIP
BAIT GRIP : "AAA" Class Full CORK GRIP

BC592M (VERSATILE HANDLE SEPARATION TYPE)

• Rods that can be used universally in balley boats or kayak fishing Designed with a short, repulsive force that is as free as possible from obstacle constraints. You can freely cast one hand casting pitching, skipping, etc., and cast it accurately at the desired point.

BC672M (VERSATILE)

- Rod with the action of M power which is the standard of Bait. Designed to operate from delicate Gears such as No sinker to Gears of 10g or more.
 Touch Type Reel Seat, Sharp Butt, Smart Landing.
- > Use : Jig weighing more than 7g

S632UL-L, S65UL-L (LIGHT PERFOMANCE)

 Slim, soft, but not weak. It has a flexible tip that responds immediately to delicate movements. Complementing tremors during casting which is a disadvantage of flexible rods, and designing Butt to favor hooksets.
 Use: Mid-strolling jig, 1/32 ~ 1/8

S672L-ML, S67L-ML (LIGHT PERFOMANCE)

- Sharp blanks that react immediately to a jig Gear of about 1/8oz.Designed to perform all-weather fishing with ML butt action. Delicate Pin spot operation of the hardbait is possible.
- > Use : 1/8~3/8oz jig, small hardbait about 6cm

BC662ML (HARD BAIT)

- Mod-Fast type hardbait-only rod. A flexible Tip Top delivers the correct action to the far cast Lure. Helical Core Butt with strong pressure.
- > Use: 3/8oz Hardbait, small spinnerbait around 10cm, shallow crankbait

BC692MH (WORM & JIG)

Rod adapts well to various field changes during the four seasons of Korea. Strong
Butt, touch-type Reel seat. The riverbed structure and fine Bite can be detected
during long cast and dragging Design to operate high-weight Gear in all weather.
 > Jig and Spinnerbait over 3/8oz

BC712H (WORM & JIG)

- It escapes the dull and heavy feature of the conventional heavy Rod and it lights and it strongs. It is easy to suppress obstacles in any heavy cover.
 Buzzing, Rubber, and Punch Rig can be used for accurate hookset and fast landing.
- > Use : Jig more than 1/2oz, 1oz spinnerbait

BC742XH (BIG BAIT & BUZZING)

- Hardcore torque and power that can be landed in any heavy cover. Extra Heavy, but not rugged. Flexible casting is possible. Big bait, Buzzing, SwimBait, Alabama Rig available for more than an ounce
- > Use: Big Bait and Alabama Lig of 1oz or more

BC762XXH (SUPER POWER FISHING HANDLE SEPARATION)

It is designed strongly for heavy cover field enthusiasts to operate under bad conditions. A handle detachable model capable of snakehead fishing through lure operation and frogging of 2oz or more.

BC67M-MH (WORM & JIG)

- A reference model for the Bait one-piece Rod. A wide range of operations are available, including the characteristics of existing MHs in a typical M spec. Designed slightly more flexible and smooth than conventional MH.
-) Use: 1ig more than 10g, 3/8oz spinnerbait and crankbait less than 14g

BC66L-ML (LIGHT PERFORMANCE)

Designed to allow a bait casting of light jigs of 7g or less. Focused on small Jigs including Micro Rubber, Kaiser, Neko, Jighead and more. Designed for a Surf Casting Reel of less than 150g, which is released these days.

> Use : Jig less than 7g (Micro rubber Jig, small swimbait)

BC69MH-H (WORM & JIG)

- A model specialised in high-weight Gear with MH Tip and H Butt. Flexibly cope with seasonally changing fields, Operable with Bottom fishing and high weight Jig and spinnerbait.
-) Use : Jig less than 1oz, spinnerbait more than 1/2oz



INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt (oz)	Line Wt (lb)	선경 (mm)	원경 (mm)	무게 (g)	카본함유량	Taper	가격(원)
S65UL-L (LIGHT PERFORMANCE)	1,955	1	1,955	1/32~1/4	2~8	1.1	9.6	87	99%	Fast	250,000
S67L-ML (LIGHT PERFORMANCE)	2,010	1	2,010	1/16~3/8	3~10	1.3	10.9	91	99%	Fast	260,000
BC66L-ML (LIGHT PERFORMANCE)	1,980	1	1,980	1/16~1/2	4~12	1.4	11.0	102	99%	Fast	270,000
BC67M-MH (WORM & JIG)	2,010	1	2,010	1/8~1	8~20	1.6	121	116	99%	Fast	280,000
BC69MH-H (WORM & JIG)	2,060	1	2,060	3/16~1 1/4	10~25	1.8	13.0	126	99%	Fast	280,000
S632UL-L (LIGHT PERFORMANCE)	1,910	2	985	1/32~1/4	2~6	1.2	10.3	90	99%	Fast	260,000
S672L-ML (LIGHT PERFORMANCE)	2,010	2	1,035	1/16~3/8	3~8	1.4	11.3	93	99%	Fast	280,000
BC662ML (HARD BAIT)	1,980	2	1,020	1/8~1/2	6~14	1.6	10.4	105	99%	Mod-Fast	260,000
BC592M (VERSATILE)	1,750	2	1,475	1/8~3/4	8~16	1.7	12.0	107	99%	Fast	250,000
BC672M (VERSATILE)	2,010	2	1,035	1/8~3/4	8~16	1.7	12.0	118	99%	Fast	280,000
BC692MH (WORM & JIG)	2,060	2	1,060	1/4~1	10~20	1.8	12.7	129	99%	Fast	290,000
BC712H (WORM & JIG)	2,165	2	1,115	3/8~11/2	12~25	1.9	14.4	139	99%	Fast	300,000
BC742XH (BIG BAIT & BUZZING)	2,240	2	1,150	1/2~3	12~45	2.0	15.0	160	99%	Fast	320,000
BC762XXH (SWIMBAIT & FROGGING)	2,295	2	1,800	5/8~4	PE 2~6	23	16.1	219	99%	Fast	330,000

Packaging: 1 section and detachable handle type: PP road jacket / 2 sections: high-quality hard case | Country of origin: Korea

B1 has returned with a lighter weight.

Since its launch in 2011, the BIXOD Bass Rod series, which has received full support from Bass angler, has been released as an entry model to repay your love. The technique and lure of Bass fishing are more diverse and more advanced than any other genre. In order to resolve the thirst of anglers, we have expanded the range of choices by applying various patterns of blanks and matching combinationspatterns.

Type-F

- 7:3 Fast Center Cut Footover Combination
- Special rod blank that reflects the identity that has been goin

S652UL

- Suitable for the shaking action of the small jig Gear including midstrolling. Delicate, soft tips, Easy to cast a light luer from a distance. Flexible Butt that doesn't miss hooked targets. Evenwith 3~4 lb thin line, it is easy to suppress the powerful target
- > Use : midstrolling, small jigs, etc

S662L

- The most common spinning model. The most ideal choice for fishing with just one rod
- > Use : Neco, Wacky, Small Hardbait, etc

BC682M

- Standard of Rod of M PowerSoft tips reduce foreign body sensation to the target, and withdelicate operability, they are excellent for software as well as hardbait(Jerk, Shallow crankbait) operation
- > Use : Free rig, Dropshot, Jerk, Shallow crankbait and more

BC692MH

- The most general model of the Bait castingThe most ideal choice for fishing with just one rod
- > Use: Free Rig, 1/2oz of wire bait, etc

BC712H

- It most flexibly deals with the various field situation. Excellent for heavy lure operations around 1oz
- > Use : Jig, wire bait, buzzing, swim bait and etc. around 1oz

BLANK material

40TON High Elastic Carbon +Helical Core Method + X WEAVE

FUJI Guide: FUJI ALCONITE "KR" Guide SPINNING Reel seat: FUJI VSS16 + KDPS16P/ASHBAIT

Reel seat: FUJI PTSMPK17Portuguese cork grip application Blank with three

concepts. (Three in one Be One)

Type-X

S692ML-X

- Powerful Spinning Models that are essential for harsh fieldsituations
- Longcasting and powerful hooksets are possible at close to 7ft long. It had a light weight and delicate operationality
- > Use : Bait tackles from Jig, Dropshot, Wacky and others

BC702M-X

- With special design and balance adjustment, the worm & jig exclusive rod boasts the high sensitivity and powerful Butt needed in Bottom fishing
- Delicacy and powerful force that connects even fine Bite to a Hook set > Use : Free rig, Texas, drop shots, jigs, bait Neko and more

BC712MH-X

- A worm & jig-only rod based on light weight and strong Butt. Using all worm gears, including Free, Texas, Heavy Dropshots, and Rubber, with a Sinker around 14g Excellent sensitivity, best hook set performance
- > Use : Jigs, Free Rigs, Texas Rig, etc., around 1/2oz

BC722H-X

- Power Fishing, which requires strong pressure on heavycover, boasts excellent performance (Texas Rig, Punch, Frog)
- Not only the light weight, but also the delicate operability that was not seen in the H Power Rod
- > Use : Jig, Texas Rig, Frog, etc, around 1oz

Type-R

- 6:4 Mod-Fast(Regular) 6:4 Cut Foot-in Combination
- Butt is flexible, Tip is strongly designed to suit fast moving

BC6102MH-R

- From tips to Butt, it has flexible but powerful torque. Excellent for fast moving fishing using more than 1/2oz spinner · chatterbait etc
- It can easily handle the high weight lure more than 1oz which was difficult to operate in MH power
- > Use : Spinner, chatterbait more than 1/2oz, swimbait, top water etc more than 1oz

BC652M-R

- Top water, stick bait, Long Bill, short bill jerk bait around 1/2oz requiring fast and accurate action. Fast moving models such aslipless crankbait, metal vibe, chatterbait, etc. that require long-distance casting and colorful action) Use: Top water, Stick, Jerk, Spinner, Chatter bait and more around

BC742H-R

- A special Rod that can handle even the 3oz-class lure thatseemed impossible in H Power with Double-foot Guideadoption and special blank design
-) Use : Heavy Spinner bait over 1 oz, Alabama, Big, Swim bait etc. over 2oz





6:4 cut foot-in

1/2oz

|스피닝|









INFORMATION | The design may be partially changed to improve the merchantability

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt (oz)	Line Wt (lb)	선경 (mm)	원경 (mm)	무게 (g)	카본함유량	Taper	Action	가격(원)
S652UL센터컷 풋오버	1.955	2	1.005	1/32~1/8	3~5	1.2	10.2	-	99%	Fast	H용	170.000
S662L센터컷 푸오버	1,985	2	1.020	1/16~1/4	4~6	1.3	10.9	-	99%	Fast	범용	170,000
BC682M 센터컷 풋오버	2,030	2	1,045	1/8~3/4	8~16	1.7	12.3	-	99%	Fast	범용	180,000
BC692MH 센터컷 풋오버	2,055	2	1,055	1/4~1	10~20	1.8	128	-	99%	Fast	범용	190,000
BC712H 센터컷 풋오버	2,160	2	1,110	3/8~2	14~25	2	14.1	-	99%	Fast	범용	200,000
S692ML-X 센터컷 풋인	2,055	2	1,060	1/16~3/8	5~7	1.4	11.5	-	99%	EX-Fast	바텀전용	180,000
BC702M-X 센터컷 풋인	2,135	2	1,100	3/16~3/4	8~16	1.5	11.9	-	99%	EX-Fast	바텀전용	180,000
BC712MH-X 센터컷 풋인	2,160	2	1,110	1/4~1	10~20	1.6	12.6	-	99%	EX-Fast	바텀전용	190,000
BC722H-X 센터컷 풋인	2,180	2	1,120	3/8~11/2	14~25	1.7	12.9	-	99%	EX-Fast	바텀전용	200,000
BC652M-R 6:4컷 풋인	1,955	2	1,130	1/8~3/4	8~16	1.8	11.5	-	99%	Mod-Fast	무빙전용	170,000
BC6102MH-R 6:4컷 풋인	2,080	2	1,300	1/4~1 1/2	10~25	20	11.2	-	99%	Mod-Fast	무빙전용	190,000
BC742H-R 6:4컷 풋인	2,235	2	1,395	3/8~4	PE 3~5	2.2	13.1	-	99%	Mod-Fast	무빙전용	210,000









Sports fishing is a dynamic genre, especially walking games. Find points that might have a target, and inspire vitality to the throw-in Lure. Fishing where all actions flow according to my will. It is the ideal of NIXX DX to pursue this dynamic fishing style.

BLANK Materials: High elastic pure carbon (30t + 40t)

- · Increase the density of carbon fibers to increase lightness and power Blank mechanism:
- ZCT CONSTRUCTION (carbon tape winding)
- SHD (Super micro High Density carbon) method
- **EQUIPMENT**
- Hard GREY E.V.A Grip
- Spinning rod((VSS rubber painting) & Bait rod(ACS rubber painting)
- Aluminum anodizing technique from Korea

S642UL

- Jighead, Neko, Wacky, Midstrolling
- Minimize blank moving of Butt to provide optimal balance for tip management

S662L

- Fast taper. Soft and strong blank power
- Spinning tackle. outstanding in general.(All fields such as stream, river, reservoir, etc)

 Suitable for Bottom fishing (Downshot, Texas, Rubber Jig, etc)





S672ML

- For long-cast, and search are mainly possible with one tackle
- Minimize the vibration of the blank, producing accurate casting and high-sensitivity
- The integrated Hard EVA grip improves sensitivity delivery and enables stable lure operation

BF662L | BF662ML

- Strong Butt, which will be the standard for two-piece BaitFinesse fishing
- Long-distance casting, excellent operability and hookset ability. Use small rubber, Jighead, Neko, Kaiser, Wacky Gear

BC672M

- Fast Taper (two-piece, but keep the taper of the one-piece to the fullest)
- Bait tackle, High-pitched, delicate operation
- KIGAN "Z" Guide (strong bait and delicate spinning, the greatest generality)

BC682MH

- Walking anglers prefer it the most (Strong and tough blank mechanism)

BC702H

• Have the power, taper, and torque of One-Piece Rod. It can cast and manipulate a swimbait, a big bait, frog, punch rig within 2 oz

BC712XH

- Two-piece model boasts powerful torque for cover fishing enthusiast
- Apply the optimal design system to satisfy both portability and functionality





INFORMATION

	TIT / \	TIA(+)	TIO7101()	1 1467	1: 146.01	1474 / \			31H-103k		7174(0)
ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt (oz)	Line Wt (lb)	선경 (mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
S642UL	1,930	2	990	1/32~1/4	2~6	1.2	10.5	97	99%	Fast	135,000
S662L	1,985	2	1,020	1/16~1/4	4~8	1.4	11.0	98	99%	Fast	145000
S672ML	2,005	2	1,030	1/8~1/2	5~12	1.5	120	99	99%	Fast	145,000
BF662L	1,985	2	1,020	1/16~3/8	2~10	1.3	11.1	113	99%	Fast	145,000
BF662ML	1,985	2	1,020	1/8~1/2	4~12	1.5	11.3	115	99%	Fast	145,000
BC672M	2,005	2	1,030	1/8~3/4	8~17	1.7	12.3	116	99%	Fast	150,000
BC682MH	2,035	2	1,045	1/4~1	10~20	1.8	12.8	127	99%	Fast	160,000
BC702H	2,135	2	1,095	3/8~11/2	12~25	1.9	14.3	136	99%	Fast	165,000
BC712XH	2,160	2	1,110	3/4~2	14~30	2.2	14.6	159	99%	Fast	180,000

Package: High quality Hardcases | Origin: South Korea





It inherited the reputation of NIXX POP; beyond the entry-level, introductory level, it completed the best rod of its class with highperformance, rational and emotional design design. It is a high-cost product that upgrades blank power further by improving sensitivity, optimal balance design and high-strength compression carbon through new method using high-elastic carbon.

BLANK Materials: High Elastic + High Strength Compressive Carbon BLANK mechanism:

ZCT CONSTRUCTION(Carbon tape winding method)

- The broken situation by the repetitive external stress is minimized (Powerful casting, fierce fighting, etc). Winding carbon tapes on blank surfaces
- SHD (Super micro High Density carbon) Remove unnecessary space between layers from the laminating structure of the composites materialsand reduce unnecessary resin to increase lightness and power and enhance line sensitivity

Guide:

- FUJI latest "O" CONCEPT Guide; light weight realization Minimize the deviation and breakage of the guide ringthrough the DEEP PRESSED
- Designs to enhance grip feeling by choosingPortuguese natural cork

S632UL

Specialised in jigs from 1/32 to 1/16; with a soft Tip. The Butt part is excellent for

S642L

Spinning Rod Operations-focused model. Tips that react delicately; immediate

response to the fine movement of the light Jig series of about 1/16 to 1/4oz

casting and operation of midstrolling by minimizing blank moving

- Two-tone aluminum anodizing technique
- Use rubber painting Reel seat (to enhance grip and relieve fatigue)

S662ML

 Use small hardbates and jigs around 1/8-1/4oz. Long-range cast capability and strong Butt make it easy to control the target. The efficient operation in the pinspot fishing

BC652MR

• A dancey, rhythmic operational ability. All-round modelsthat can cover small and medium-sized Jerk, Crank, Spinner, and lipless crankbait

BC672M

Using 7 to 10 g jigs including No singker, Light Texas, Free rig, Downshot, etc. Basic Bait rod model

BC692MHF(Full Handle)

• In Korea, where four seasons are clear, the large range of allowed lure is a great advantage. It boasts overwhelming action and sensitivity with strong Butt and flexibility. Target is suppressed with a wide range of response capabilities from jig to buzzing in 8~15g zones

BC712HF(Full Handle)

Overpower the monster class with a strong Butt in the heavy cover. (the operation of the Rubber, Heavy Texas, Punch, Buzzing, Frog, medium-sized Alabama rig possibles)

BC742XHF(Full Handle)

 It boasts a powerful torque for cover fishing enthusiasts. Apply the optimal design to satisfy both portability and functionality at the same time



INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt (oz)	Line Wt (lb)	선경 (mm)	원경 (mm)	무게(g)	카본함유량	Taper	가격(원)
S632UL	1,905	2	980	1/32~3/16	2~6	1.3	9.2	90	99%	Fast	105,000
S642L	1,925	2	990	1/32~1/4	3~8	1.4	10.6	99	99%	Fast	105,000
S662ML	1,975	2	1,015	1/16~3/8	4~10	1.6	11.2	102	99%	Fast	105,000
BC652MR	1,945	2	1,000	3/16~5/8	8~17	1.6	11.0	109	99%	Mod-Fast	105,000
BC672M	2,005	2	1,030	3/16~3/4	8~17	1.7	12.4	118	99%	Fast	105,000
BC692MHF	2,060	2	1,060	1/4~1	10~20	1.9	126	130	99%	Fast	110,000
BC712HF	2,155	2	1,110	3/8~11/2	12~25	2.1	13.8	136	99%	Fast	110,000
BC742XHF	2.235	2	1.150	1/2~3	12~45	22	15.5	173	99%	Fast	120,000

Package: High quality Hardcases | Origin: Chinese local factories

S642L

It is convenient to use the lure of various uses most widely when using one spinning rod.(Available in a wide range, including Jighead, Downshot, and Plug)

S662ML

- Power Finance; Multipurpose products that can use variouslures and rigs beyond the concept of spinning rods
- The high-weight lure's long-distance cast ability is excellent, and it is loved by many walking anglers because it has excellent hookset ability in Bite from afar

BC662M

- Standard model considering both length, power, and action
- One can operate a number of lures. High-performance Rod, which is the most basic and diverse in walking fishing

BC682MH

• Use free rig, rubber jig, Texas rig, It has generality and power to digest and respond to heavy-weight lures

BC702H

- It is essential for enthusiasts who like No sinker buzzing fishing and structure fishing in heavy covers.
- (The strong, tough musculartissue overpowers all Big Bass)
- Soft tips help Rubber jig's delicate operation and natural inhalation to ensure successful landing



INFORMATION

Item	전장(mm)	절수(本)	접은길이(mm)	Lure Wt (oz)	Line Wt (lb)	선경 (mm)	원경 (mm)	무게(g)	카본함유량	Taper	가격(원)
S642L	1,920	2	990	1/16~1/4	4~8	1.4	10.1	81	99%	Fast	65,000
S662ML	1,975	2	1,015	1/8~1/2	5~12	1.7	10.7	94	99%	Fast	65,000
BC662M	1,985	2	1,015	1/8~3/4	7~17	1.9	11.3	109	99%	Fast	65,000
BC682MH	2,025	2	1,040	1/4~1	10~20	21	120	123	99%	Fast	65,000
BC702H	2,135	2	1,095	3/8~11/2	12~25	2.2	12.2	129	99%	Fast	65,000

Package: PET CASE + CLOTH BAG | Origin: Chinese local factories

SSOCHI M5





"Master's Spirit With SSOGARI (Leopard mandarin fish) ROD" It is an advanced mandarin fish rod that combines the D.N.A of mandarin fish and demonstrates its luxurious and more excellent ability. Future-oriented designs are applied for long use. Starting with the desire to develop the most ideal Rod, there will be no more perfect mandarin fish rods.

BLANK material: HELIX SNM + ultra-high elastic carbon (40+46t)

• Develop and select the most complete materials for light weight, lightness, strength, power, etc., to increase the resilience of the blank and to make a great power with less power

BLANK mechanism:

- HEXA CROSS CONSTRUCTION (6axis) + HELICALCORE CONSTRUCTION+
- The ideal carbon fiber arrangement was achieved. Helical core is applied to the inside, and hexacross is applied to the outside to realize power performance. (SHD was applied simultaneously to achieve light weight and high sensitivity)

- FUJI Newly Developed Ceramic Titanium Frame TORZITE Guide. High-performance Rod, Reel, Line. The ideal guide that realizes ultra-high strength, ultra-thin, ultra-light, ultra-low friction to the limit.
- Butt Guide KR ø25 is employed; long-distance cast capability equal to normal ø30 size
- FUJI's New 3D TANGLE FREE ARONA Top Guide; Perfect line twist
- The ultimate Rod with the most ideal blank + Guide that can maximize it

FUJI's New touch type "TVS" reel seat is mounted. Upgraded the grip that enables accurate casting without loss of sensitivity delivered from blank. The future-oriented titanium mirror painting method was applied for the first time in Korea, making it attached for a long time.

S582L (JERK MASTER) | SSOGARI Minnowing

• It is equipped with an innovative carbon fiber arrangement and structured blank for its lightweight Mandarinfish lure operation ability, casting ability, and strength to overcome strong valley water

S662UL (JIG HEAD GAME)

- The appropriate taper because of its lighter weight and blank. Ideal power to target Mandarinfish. The most ideal UL Rod
- Ultra-elastic but definite Bite ability

S672L (VERSATILE) | All round general purpose

- Directing the perfect Fast action, it is light and resilient
- The right power setting, and the sensitivity that can feel the weak movement of the Grub worm

S702LF (LONG CAST) | Surfcasting Game Rod (F Action)

Surfcasting ability is basic, and it has the detail to make Bait dead warm up

S641L (VERSATILE) | All round general purpose (1PC)

It has all the advantages of a one-piece. The best weapon to cover all the terrain in Korea, such as dams and reservoirs







INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt (oz)	Line Wt (lb)	선경 (mm)	원경 (mm)	무게(g)	카본함유량	Taper	비고	가격(원)
S582L	1,730	2	890	4~18	3~10	1.3	8.6	86	99%	Fast	Jerk Master	530,000
S662UL	1,975	2	1,015	2~10	2~6	1.2	8.0	82	99%	Fast	Jig Head	520,000
S672L	2,005	2	1,030	3~14	3~8	1.3	8.5	84	99%	Fast	Versatile	550,000
S702LF	2,130	2	1,095	3~17	3~10	1.3	9.2	88	99%	Fast	Long Cast	560,000
S641I	1925	1	1925	4~14	3~8	12	86	92	99%	Fast	Versatile	520,000

Package: Fishing rod part 1: High quality hardcase + Cushion CLOTH BAG / Fishing rod part 2: High Quality Aluminum Case + Cushion CLOTH BAG | Origin: South Korea

SSOGARI | COREOPERCA HERZI | TROUT | TRIBOLODON HAKONENSIS

Ssochi N Classic



40TON + 46TON High Elastic Carbon + HELIX SNM 1500 + HEXA CROSS Method

EOUIPMENT:

- FUJI TITANIUM TORZITE KR. K Guide
- Natural BLACK Strengthening Wood Reel seat body + Cork + Aluminum Reel seat Hood
- Portugal's finest "AAAA" Grade Cork Grip
- JOINT SHD method apply
- Classic reel seat, the lightest in the class

S632UL | Jig Head (KR Guide)

 JScompany's own model dedicated to worms. Developed to match the weight of the most used jig head. Fast action and high elastic blank close to perfection. Send a fine bite and deliver it quickly

S652L | Universal (KR Guide)

- The most versatile model. It can be used from lightweightjigheads to highweight jigheads. Rod, which incorporatesJS's technology that has been verified for
- a representative Mandarinfish mainstream rod designed to easily identify and respond to weak bites coming from the deep bottom

S5102UL | Minnow (K Guide)

Operation of small, medium minnows of all kinds, from tributary Mandarinfish fields to masu salmon, Rainbow Trout Mountain stream fields. A resilient blank design that perfectly harmonizes softness and strength. Flipping, Twiching, Jerking, Shaking, etc. All-weather stream fish minnow game-only Rod that can be used comfortably and can reach easy pinpoints as well as excellent distance

S622L | Minnow (KR Guide)

 Powerful butt action and balanced tip adoption for all Mandarinfish fields, rangingfrom midstream, main stream, and rapids. Control freely from small-sized Sinking Minnow to medium and large-sized suspend Minnow. Definitely succeed in the desired action and realize a fantastic distance. Mandarinfish Minnow Game exclusive Rod that can satisfy all beginners to experts

S641L | Strong rapids / Universal (KR Guide)

• Inclemente model that covers strong water flow and deep swamp. It is designed to maximize the sense of operation in the rapids that flow strongly with an all-field type model and respond to fighting with large fish

MS512UL | Mountain stream (K Guide)

- Korea's first small Minnow game Mountain Stream SpinningModel. Target is masu salmon and Rainbow Trout ofheadwaters~midstream~
- 5'1" Regular type action, short blank design. Even in the extreme field environment of Mountain Stream, flip casting and continuous switching techniques using only wrist snap can be freely used





Item	전장(mm)	절수(本)	접은길이(mm)	Lure Wt (oz)	Line Wt (lb)	선경(mm)	원경 (mm)	무게(g)	카본함유량	Taper	비고	가격(원)
S632UL	1,910	2	977	2~6	2~5	1.3	7.6	80	99%	Fast	웜전용	410,000
S652L	1,950	2	997	3~10	3~6	1.3	8.4	91	99%	Fast	범용	450,000
S5102UL	1,780	2	912	2~6	3~6	1.3	8.0	76.3	99%	Fast	미노우용	420,000
S622L	1,880	2	962	4~10	3~6	1.4	8.5	81	99%	Fast	미노우용	430,000
S641L1PC	1,925	1	1,925	4~14	3~6	1.3	8.6	83.7	99%	Fast	범용(강한여울)	460,000
MS512UL	1,550	2	790	25~5	2~5	1.2	6.8	61	99%	Fast	마운틴 스트림용	390,000

Package: High quality Hardcases | Origin: South Korea

INFORMATION

SSOCHI M3





BLANK material:

HELIX SNM + ultra-high elastic carbon (40t)

- · We have worked on material research and development over the years, and finally we have completed our own materials and structures
- HELIX SNM: New materials based on silica nanometrics that are resistant to shock, tensile, torsion, and elastic to make light and strong blanks

BLANK mechanism:

• 5DS CROSS CONSTRUCTION

The internal helical core structure enhances the restitative force of blank and makes the long distance Cast possible with the little power, the target is easily suppressed in the deep depth of water and strong Rapids

• The external 3-axis winding structure has excellent ability to cope with externalstress. The bending direction remains constant to enable accurate cast and counter torsion external stress

- Super micro High Density carbon (SHD)
- Sensitivity is a very important factor in Mandarinfish fishing, which is mainly aimed at the riverbed, Designed close to pure carbon: eliminate unnecessary space between layers from the laminating structure of composite materials, reduce unnecessary resin, increase lightness and SensitivityFuji

Fuji Titanium KR Guide Concept:

- "KR" guide system with titanium frame which improves the PE line twist prevention, accurate casting and long range casting ability
- Equipped with a Ø25 butt KR guide; Same surfcasting ability as a normal Ø30 • FUJI's new blank touch type "TVS" reel seat is mounted
- Reel seat : Sensitivity is delivered without loss, and accurate casting is possible. An upgraded grip
- CastingRod: FUJI SKTS Reel seat rubber Paint finish

S592L | Jerking action-only Rod

• Maximize Minnow's distance with soft tip action. It is possible to produce a soft retrive Jerking action rather than a strong jucking action form thought in bass fishing. Soft tips not only facilitate casting, but also help you overcome Short

S622UL

Birth of a new concept UL Rod: Changed the standard of universal Mandarinfish Rod, Most of the weight of Jighead, which was previously operated between UL and L power, can be used. Minnow fishing is also possible in the licked area. It's perfect for exploration fishing

S662L

• It is not a soft-feeling general-purpose Mandarinfish Rod, but a model suitable for a somewhat heavy jighead or spoon. A model that shows excellent performance in river fishing with high precipitation and fast flow rate. Feeling the flow of water and reacting accurately

BC662L

• The biggest difference between the Spinning 662 and Bait Casting 662 models is in the process of directing the action. The spinning rod of pulling action directing and the bait rod of the form of lifting up are clearly different in delicate action directing. In the case of BC662 model, the mandarin fish's Bite can be obtained through the underwater structure exploration or slow action production process. If you want to seduce Mandarinf fish who is not interested in bait, choose



INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt (oz)	Line Wt (lb)	선경 (mm)	원경 (mm)	무게(g)	카본함유량	Taper	비고	가격(원)
S592L	1,750	2	900	4~18	3~10	1.3	8.8	80	99%	Fast	Jerk Master	340,000
S622UL	1,880	2	965	1.5~8	1~5	1.2	8.2	79	99%	Fast	Jig Head	340,000
S662L	1,975	2	1,015	2~8	3~6	1.3	8.9	85	99%	Fast	Alround	350,000
BC662I	1975	2	1.015	2~10	3~6	13	95	83	99%	Fast	Rait Finess	340,000

Package: High quality Hardcases | Origin: South Korea

SSOGARI | COREOPERCA HERZI | TROUT | TRIBOLODON HAKONENSIS







Lighter and lighter. SSOCHI N AIR born from the use of new materials HELIX SNM + GRAPHENE.It meets all three factors that determine the completeness of the Rod: weight, strength, and sensitivity. Blank, which blends graphene on Helix SNM, boasts high strength and ultra-light. The light weight leads to lightness and sensitivity improvement, maximizing the fun of fishing with casting and operation. You can enjoy the continuous response of the lure in the water like a rhythm.

BLANK:

40~46TON high-elasticity CARBON + helix graphene + helical core + SHD

FUJI GUIDE: FUJI titanium "KR" concept SIC GUIDEFUJI

REEL SEAT: VSS16 + KDPS16GM/ASH REEL SEAT BODY SILVER mirror spray GRIP: "AAA" Class GRADE (FULL GRIP)

Combination method: high-elasticity CARBON JOINT (X-JOINT) AL BUTT CAP: Application of Air Vibration System for Improving

Bite Sensitivity

S632UL | Worm

• With a perfect balance, you can enjoy light fishing even after long use. The water environment can be effectively inferred through the delicate sensitivity and the more Finish Jighead operation is possible

S632L | Universal

- The most standard model, which is not lacking in the use of various techniques as well as the digestion of all lures used in Mandarinfish fishing
- Excellent performance can be expected in river fishing with high precipitation and high flow rate. A model that can feel the flow of water through delicate sensitivity and accurately produce the intention of an angler

S652L | Universal

- Models with the strongest Butt and Power of the Universal Series
- It exhibits true value in fields with high precipitation and strong flow rate, such as deep depth dams and downstream dams
- Lightweight to high-weight luer is available, and it is never pushed back by the fighting of the large-class Mandarinfish met at strong rapids

S602L | Minnow

- We lightened the entire Rod for the Mandarinfish Minnow game in tributary and main stream, powerful rod-work
- It uses 3 to 8 grams of small, medium, and large minnow. Medium Fast / Moderate action to relieve fatigue when used for a long time. Everyone can enjoy the Mandarinfish Minnow game easilyand coolly









INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt (oz)	Line Wt (lb)	선경 (mm)	원경 (mm)	카본함유량	Taper	가격(원)
S632UL (Worm)	1,905	2	975	2~6	2~6	1.1	7.0	99%	Fast	미정
S632L (Universal)	1,905	2	975	3~10	3~6	1.2	7.3	99%	Fast	미정
S652L (Universal)	1,955	2	1,000	3~10	3~6	1.2	7.2	99%	Fast	미정
S602L (Minnow)	1820	2	930	3~8	3~6	12	73	99%	Fact	미저

Package: Triangular CODURA TUBE | Origin: South Korea



SSOGARI | COREOPERCA HERZI | TROUT | TRIBOLODON HAKONENSIS

SSOCHI M2



Under the proposition of inheriting the legitimacy of mandarin fish fishing, we can enjoy stable fishing based on the design of an integrated cork grip. Paradoxically, a new technique was needed to introduce a design to express legitimacy in mandarin fish fishing that exists only in Korea. This allows you to introduce new but traditional rod designs.

Bank material:

30~40TON BASE + helical core method application

FUJI GUIDE: titanium "KR" concept SIC GUIDE

FUJI reel sheat: FUJI VSS16 REEL SEAT + KDPS 16 IC/ASH HOOD Reel seat COLOR: Mirror SILVER + DARK RED spray

REEL SEAT SILVER: mirror spray application

#1번대와 #2번대 결합방식: CARBON JOINT combination method

Two-tone Aluminum Anodizing

Grip: "AAA" Class CORK GRIP Application (FULL GRIP)

S562L | MINOW (Butt separable)

- Rods with short lengths for fishermen who prefer fishing inthe water wearing Wader. While directing the action that blows life into Minnow all day long, it does not feel fatigue. Design that minimizes interference with vests
- It is easy to increase the distance with one hand casting. By using the soft tip, the flying distance is securedOptimized form for Hardbait between 5~9g If use a 12g's Spoon Lure, get explosive distance
- Designed to have technical operationality

S652UL | Jig head

 Rod optimized for jighead fishing, 1/8-1/16oz Jighead is used and the underwater topography can be effectively inferred. Rod optimized for UL specs in m2 series. You can feel small changes such as thetexture of the riverbed and the change of the water speed. Fast overcoming difficulties in any field

S662L | VERSATILE

• Designed to become the basis of the Mandarinfish fishing rod in Korea after inheriting the reputation of SSOCHI. Various lures can be used effectively and there is no shortage of Mandarin fish lure fishing based on classical design. It has excellent casting distance in operating about 7g of lure and is easy to fish in strong rapids or deep dams. The standard Rod of Korea is L

S662L | SOLID TIP

- The specification differentiated from the L rod by taking advantage of the solid. Designs are made by utilizing the unique curve of the spinning rod compared to the basic L-rod. Light and sleek tipseffectively operate lighter lure than conventional L-Rod
- If you have suffered a lot of trouble in a short Bite time, you can easily meet the target by using solid tips













INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt (oz)	Line Wt (lb)	선경 (mm)	원경 (mm)	무게(g)	카본함유량	Taper	가격(원)
S562L (MINOW)	1,675	2	1,480	4~18	3~10	1.3	7.9	74	99%	Fast	250,000
S652UL (JIG HEAD)	1,950	2	1,000	2~8	2~6	1.2	7.2	78	99%	Fast	250,000
S662L (VERSATILE)	1,980	2	1,015	3~14	3~8	1.3	8.5	85	99%	Fast	260,000
S662L (SOLID TIP)	1.980	2	1.015	3~14	3~8	0.9	8.7	84	99%	Fast	270.000

Package: High quality Hardcases | Origin: South Korea

SSOGARI | TROUT | COREOPERCA HERZI | SKYGAGER







We released a series of mandarinfish exclusive rod rods with various specifications to match the mountain stream with different characteristics in each region. The various fish species can be attacked and the various lure can be selected. The momentary power and repulsive force have long been verified by the engineers of JScompany. Designed with low-resin, pure carbon close to 100%, and multi-structure layer.

RI ANK Materials:

High-elastic pure carbon (30 ton low resin composites)

- the finest blanks using the best material Blank mechanism: ZCT CONSTRUCTION (carbon tape winding method)
- The toughness of Mandarinfish sometimes causes the break of the fishing rod. The SSOCHI M1 series is designed to minimize this situation. Maximize blank power: wind carbon tapes around the surface to strengthen external stress, and increase torque.
- SHD (Super micro High Density carbon)Eliminate unnecessary space between layers from the laminating structure of composite materials, reduce unnecessary resin, increase lightness, power and line sensitivity

EQUIPMENT:

- KIGAN 3D ZERO TANGLE GUIDE mount: Improve sensitivity and casting ability, overcome line troubles, and improve fishing rod balance
- Portuguese Natural CORK Grip Aluminum anodizing technique from Korea
- \bullet Increase grip and line sensitivity using rubber painted SKSS reel seat

BC632L

S642UL

• It is suitable for most river terrain in Korea, where the depth is less than 2M and

the rapids are not strong. It targets various fish such as mandarin fish, Trout,

S662L

Designed by ZCT method, it has excellent overpowering and operating ability

and long casting ability in strong rapids. Hardbait(Minnow, Spoon, etc) and

• The unique short breaking Bite during the test process is impressive, an

perch, redfin, etc. Optimal for using Jighead of about 3g.

innovative weight of mid-80g

Jighead (Worm gear, etc) are available.

Do not feel tired even during the long test process.

- It has a guide arrangement and a taper suitable for Mandarinfish fishing using the lightest Gear. Products that can produce dynamic fishing techniques with fast search and superior distance.
- The line anti-twist guide is equipped and the danger of the backlash is minimized.

SC522SUL | Aucha perch

- Considering the characteristics of perch fishing, where Casting and Retrieve are quickly repeated. Maximize operational efficiency with short and concise blank length and grip design
- Strong Butt and soft Taper secure enough distance to castlight Gear

SM602L | Minnow

- Korea's first Jerk bait Mandarinfish rod
- Spec for the Mandarinfish Minnow game. Soft, resilient tips to increase Bite probability. Strong torque Butt. Resisting strong currentsand free to operate Lure
- Short, light, soft, and powerful. Products suitable for long-term Jerking



INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt (oz)	Line Wt (lb)	선경 (mm)	원경 (mm)	무게(g)	카본함유량	Taper	가격(원)
SM602L(MINOW)	1,835	2	945	4~18	3~10	1.2	9.7	89	99%	Fast	159,000
S642UL	1,935	2	995	2~8	2~6	1.2	8.3	87	99%	Fast	159,000
S662L	1,980	2	1,020	3~16	3~10	1.3	9.0	89	99%	Fast	159,000
BC632L	1,905	2	980	3~16	3~10	1.2	9.7	90	99%	Fast	159,000
SC522SUL(Aucha perch)	1,580	2	820	1~7	1~4	1.1	7.1	75	99%	Fast	145,000

Package: High quality Hardcases | Origin: Chinese local factories



A rod that understands the stream topography of Korea well. It is the strongest model in its class that has excellent situation coping ability and does not inconvenience selecting various fish species(Leopard mandarin fish, Trout, Skygager, Korean aucha perch) and lures of the river. It has a momentary force and a repulsive force that seems to bounce. It's designed with a low resin, 100% pure carbon multi-structured layer, long verified by JScompany engineers. We adopted the Korea 3D SIC guide to reduce slip and fatigue by using high-density cork grip and rubber-painted reel seat with good grip and durability

S632ULL

- Designed to make it easy for anyone to enjoy stream lure fishing Considering the hands and body shape of Koreans. Easy to operate and carry
- It can target various targets(Leopard mandarin fish, Trout, Korean aucha perch, Big-scaled redfin, etc). High-intensity blanks and innovative balances make it easier to operate fishing rods
- Enjoy both the momentary power and the thrill at hand

S662L

- The ability to cast long distances, and the excellent Hookset ability by soft and strong Butt
- Excellent suppression ability in the wading or the rapids
- Rods that can digest a variety of lures, including Hardbait in Spoon and Minnow and Worm gear operation in Jighead

S702L

- A product with excellent power and movement so that there are no points that can not reach and no fish speciesthat can not be overpowered.
- Specification for anglers who want light power for long casting.

BLANK material:

High elastic pure carbon (30+40t)

- Highest-end blanks with the best materials Blank mechanism : multilayer method
- One-way fibers have the advantage of increasing vertical strength, but they have weaknesses in bending blanks due to weak horizontal strength. The weak point is supplemented to the multi layer structure of laminating the carbon sheet thin with high density

EOUIPMENT:

- Apply the best "Z" guide system in existence to maximize sensitivity, casting ability, line trouble overcoming, balance improvement, blank movement
- High-end Portuguese Natural Cork Grip Aluminum anodizing technique from Korea
- Reel seat : Shimmery painting to make the grip feel better











INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt (oz)	Line Wt (lb)	선경 (mm)	원경 (mm)	무게(g)	카본함유량	Taper	가격(원)
S632ULL	1,900	2	975	2~10	2~6	1.1	8.3	82	99%	Fast	100,000
S662L	1,980	2	1,015	4~16	3~10	1.2	8.8	88	99%	Fast	100,000
S702L	2,130	2	1,090	4~17	3~10	1.3	9.6	92	99%	Fast	100,000

Package: High quality Hardcases | Origin: Chinese local factories





JScompany has been leading the expansion and popularization of Korean Mandarinfish fishing. We are launching the highest specifications of low-end rods so that anyone can easily access and enjoy mooring lure fishing by inheriting high-end products.

Specification:

Realizing high elasticity and light weight of blank using heavy elastic carbon with increased density of carbon fiber

FOLIPMENT:

 The SSOCHI BOOSTER series is equipped with the latest guide system that minimizes string twists to increase distance and improve sensitivity

Hard E.V.A Grip

Rising gripping sensation using rubber painting Reel seat

S642UL

- Focus on lighter weight, throw light lure away
- High-intensity blanks to target various fish species along the river.
- The most suitable specification for 4lb line and 4g of jighead gear
- BUTT GUIDE 25 ∮

S662L

- It is suitable for longcasting in tough fields with wide widths and fast flow
- Highest universality: Hardbait (Metal spoon, minnow, etc), Jighead (worm, etc)
- Lightweight that reduce fatigue in fishing for a long time
- BUTT GUIDE 25∮



INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt (oz)	Line Wt (lb)	선경 (mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
S642UL	1,930	2	990	2~8	2~6	4.3	8.4	86	99%	Fast	65,000
S662L	1,980	2	1,015	3~16	2~10	1.4	9.2	92	99%	Fast	65,000

포장품 : PET CASE + CLOTH BAG | 원산지 : 중국현지공장







COREOPERCA HERZI | SANCHEONEO



It is designed with a light blank to match the perch fishing of $5 \sim 20$ cm, maximizing the fun of manipulation and fishing. It has strong Butt power and is free from the constraints of various structures in the valley, and can suppress in areas with fast flow. The soft Tip operates inline spinners and jigheads of 1/32 to 1/8oz, making it easy to identify weak Bites. It is easy to carry by providing a hard case equipped with shoulder straps as a basic.

BLANK mechanism:

HEXA CROSS + HELIX SNM 1500 BASE

FUJI GUIDE : FUJI torzite Guide (T-KGTT / T-KTTG / T-ATTG)
Reel seat : Applying the Aluminum Reel seat + Natural wood body
Grip : Applying the Highest Class "AAA" Class CORK GRIP

S472XUL | S451XXUL

- Models that focus on blank and grip design to maximize concise operability
- High Elastic Nanomaterial Fabrics, Light Casting and Clear Bite Sensitivity
- Use lures of various weights, such as inline spinners, jigheads, etc. Impact butt design and soft, resilient tips



INFORMATION

	ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt (oz)	Line Wt (lb)	선경 (mm)	원경 (mm)	무게(g)	카본함유량	Taper	가격(원)
9	5472XUL	1,400	2	720	0.6~2	1~3	1.05	5	68	99%	Mod-Fast	360000
9	5451XXUL	1,350	1	1,350	0.4~2	1~3	1.1	6	64	99%	Regular	360,000

Package: High quality Hardcases | Origin: South Korea






Minimum space, minimal movement.

Flipcasting exclusive for masu salmon mininow games.

BLANK: high elastic CARBON + helical core method FUJI GUIDE: "SIC" K GUIDE Application REEL SEAT BODY: natural WOOD BODYGRIP: Portuguese CORK "AAA" GRADE Aluminum REEL SEAT Combination method: CARBON JOINT (X-JOINT)

BF432 | MOUNTAIN STREAM

- A short-length Bait Finesse casting rod. Models with optimal balance to use a concise flip cast in wooded sections
- Responding to large masu salmon and rainbow trout using instantaneous force with strong torque blank



INFORMATION				
	INIE		ATION	
	IIVIE	UKIVI		

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt (oz)	Line Wt (lb)	선경 (mm)	원경 (mm)	카본함유량	Taper	가격(원)
BIXOD MOUNTAIN STREAM BF432 (Minnow flipcasting)	1300	2	670	2~6	2~6	1.1	6.4	99%	Fast	230.000

Package: Triangular CODURA TUBE | Origin: South Korea





blank mechanism: 30TON BASE + Z-CT Method Application GUIDE line antitwist SIC GUIDE (KIGAN) Reel seat: FUJI STYLE VSS16 REEL SEAT + "IC" COLOR HOOD (China)"

Reel seat color : antislip BLACK RUBBER Spray Two-tone Aluminum Anodizing

Grip: "AA" Class CORK GRIP (FULL GRIP)"

SC522SUL | Aucha perch

- Considering the characteristics of perch fishing, where Casting and Retrieve are quickly repeated. Maximize operational efficiency with short and concise blank length and grip design
- Strong Butt and soft Taper secure enough distance to cast light Gear



Package: High quality Hardcases with shoulder strap | Origin: Chinese local factories

SSOGARI | TROUT | COREOPERCA HERZI





Tournament Special







By professional tournament. For the professional tournament, Aerial Trout Fishing Rod.

"Make sure take the bait" "We must catch". Ariel Trout Fishing rod born as a wish of professional anglers. The Ariel tournament, as tournament pro anglers say: "First, we have to overcome the short Bite caused by the high stress of the fish. Also, a rod is needed to be able to land quickly and stably while the control is simple" So we introduce the first trout area-only rod with solid tips to meet the needs of professionals through the new Asense Tournament Special Series. The Asense Tournament Special was made with 30-ton carbon solid tips and a 40-ton high elastic power carbon of HELIX graphene to implement fast tapered power.

The advantage of solid tip.

The longer the tip bending, the softer and less foreign body feel, but the more often the hookset fails. (On the contrary, the shorter the tip, the better the hooksets are for faster hooksets and hard areas.)We can increase the length of the tip to make it smooth, but we focused on the short and soft bending of the tip to suit the aggressive tournament situation. As a result, the automatic hookset was possible with the elasticity of gently bending and returning from the short tip.

From tip to Valley, it leads to Fast Taper, butt lowers power to realize soft Taper. Even when landing many fishes, fatigue is minimized and convenience is improved. To broaden the spectrum of lure to tournament-loving anglers, apply the FUJI SIC KR titanium concept guide. It is usable from the monoline to the carbon, PE, ester line. It was manufactured after about a year of testing to have elements optimized for Korean area



BLANK: Application of 40TON High Elastic + HELIX Graphene

FUJI GUIDE: FUJI titanium "SIC" KR concept guide REEL SEAT : Aluminum HOOD + WOOD BODY

(glaze MAPLE BURL immersion)

GRIP: Applying the best "AAAA"-class CORK

SS602UL-F

- 6' long, most preferred by the tournament anglers. Delicacy,compactness and agility that can not be compared to any rod
- Improve the ease of operation of ultra-light spoons given in a typical UL action by using solid tips. Optimal for Finesse Spooning(Standard, Slow, Dead slow

SS622L-F

From various weight spoons to mininow crankbait, softbaitseries, wide range of lure use(digital, Standard, Slow, Deadslow Retrieve / midstroling, shaking)

SS622ML-F

- Plan to enable all hardbait lures
- Fits a situation where you use Hardbait to navigate a widerange (Minnow, Crankbait, lipless crankbait)
- Different Tlp-Valley sections accurately detect Wobblingand Wiggling of Lure(Standard, Slow, Digital Retrieve / Jerking, Twitching)

SS622M-F

- It is suitable for use in situations where bottom hopping and speedy fishing are required. It has the shortest solid tip and has fast and accurate hook set ability.
- It is a powerful Rod with Fast Tip, but it is effective and fastlanding with regular taper of Valley ~ Butt section(bottom hopping, Digital Standard Slow Retrieve,













INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt (oz)	Line Wt	선경 (mm)	원경 (mm)	무게(g)	카본함유량	Taper	가격(원)
SS602UL-F (CARBON SOLID TIP)	1,825	2	935	0.5~2.5	1~3 (lb) / 0.1~0.3 (PE)	0.75	6.7	72	99%	Fast	360,000
SS622L-F (CARBON SOLID TIP)	1,875	2	960	0.7~3.5	1~3 (lb) / 0.1~0.3 (PE)	0.65	7.0	72	99%	Fast	360,000
SS622ML-F (CARBON SOLID TIP)	1,875	2	960	0.9~4.0	1.5~4 (lb) / 0.2~0.4 (PE)	0.9	6.7	72	99%	Fast	370,000
SS622M-F (CARBON SOLID TIP)	1.875	2	960	1.2~5.5	1.5~4 (lb) / 0.2~0.4 (PE)	0.95	7.0	75	99%	Fast	370.000

Package: Triangular CODURA TUBE | Origin: South Korea

TROUT | COREOPERCA HERZI









BLANK: 30~40TON High Elastic CARBON + Helical Core

S622ML-F BLANK: 30~40T High Elastic CARBON + S2-GLASS + Helical Core

FUJI GUIDE: FUJI "SIC" KR concept guide REEL SEAT : aluminum HOOD + WOOD BODY GRIP: "AAA" class CORK GRIP + BLACK EVA

Combination Method: High Elastic CARBON JOINT (X-JOINT)

S602UL

- It has the most standard action of the Ultra Light series, making it suitable for use of various weight spoons and small crankbait (SR, surface crankbait)
- The soft taper to Butt-Valley, the delicate taper of Valley-Tip, is very effective in responding to short Bite.



- Optimize guide caliber and setting to ester lines.
- When using the ester line, it shows the best performance according to the
- Strong resilient Butt and relatively soft and delicate Valley-Tip make it the furthest, most accurate casting possible
- Carbon, monofilament, and PE line use are also irrelevant and models with the most overwhelming sensitivity of the Asense T2 series.

S612L

- The model best suited for softbait (midstrolling, rubber jigs, etc). Delivering light, delicate action to Lure is the mostimportant, so use strong butt-valley and soft
- Shaking, midstrolling, etc, available regardless of the weight of the lure. Even in tough situations, the sensitive Bite oftrout is grasped and it is very effective for hookset, landing

S622ML

- Wobbling, wiggling and Rolling action.
- The resistance of the deep dive Crankbait is minimized withthe strong and soft
- It makes long-distance casting and strike range as much aspossible, and hook set-landing connection is possible for Bite from a long distance.

S622M

- It is the strongest power rod in the series, but you can feel the movement of the lure even when using the small lipless crankbait.
- Light ~ high weight lipless crankbait can be used and designed to clearly feel the movement of lure. When manipulating short, minute lures, they show true value (bottom hopping, digital retrieve, etc.)

S612UL-E

- Best for MR~DR crankbait. You can also feel the sensitive vibrations of
- taper and the fatigue is effectively reduced

- 30TON CARBON BASE + HELICAL CORE CONSTRUCTION
- GUIDE: KIGAN's SIC Anti-twist guide **EQUIPMENT:**
- China DPS16 Style REEL SEAT HOOD + WOOD BODY
- "AA" Class CORK GRIP

Specification:

• Fluorescent Fishing Line for Visualization



S572XUL

- Optimized for micro spoonShorter than the ex-model and is superior in
- Easy to operate a spoon of less than 1g. Respond quickly and strongly to frequent short Bite of trout, Shorts, but has the powerful Butt: excellents overpressure

S622SUL

Operate Hardbait and various sizes of Crankbait Spoon. The most outstanding distance in the seriesInduction of Bite against Weak Wobling

S632UL | 범용

• Universal model : From Hardbait, Down shot, Split shot Rig, which is somewhat heavy in trout fishing, to Rubber Jig, which is small size. Recommended to initiators of midstrolling Easy to produce the shaking and rolling action of the jig and rubber jig, and it is a grip type that is not tired in long use


BC622UL

- The longest time tested model, Universal Rod to operate various Gears. When using a dedicated Reel: From hard bates in the early and mid-1g range to Jig and Rubber Jig in the range of 2-4g range
- Easy to control trout quickly between obstacles along the waterside of the fishing spot
- Recommended to users who want to increase Finesse fishing skills













INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt (oz)	Line Wt (lb)	선경 (mm)	원경 (mm)	무게(g)	카본함유량	Taper	가격(원)
S572XUL	1,700	2	872	0.6~2.5	1.5~3	1.1	5.3	59	99%	Fast	160,000
S622SUL	1,890	2	967	1.5~3.5	1.5~3	1.15	6.5	61	99%	Fast	160,000
S632UL	1,910	2	977	25~5	2~4	1.2	7.1	63	99%	Fast	160,000
BC622UL	1.890	2	967	25~5	2~4	1.2	7.2	66	99%	Fast	165.000

Package: High quality Hardcases | Origin: Chinese local factories

INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt (g)	Line Wt (lb)	선경 (mm)	원경 (mm)	카본함유량	Taper	가격(원)
S602UL	1,825	2	935	0.4~2.5	1~3	1.0	6.5	99%	미정	미정
S612UL-E	1,855	2	950	0.5~2.8	PE-0.25~0.6호	1.0	6.6	99%	미정	미정
S612L	1,855	2	950	0.4~3.5	1.5~4	1.1	6.8	99%	미정	미정
S622ML	1,875	2	960	0.8~4.0	2~4	1.2	6.7	CARBON: 85% S2 GLASS: 15%	미정	미정
S622M	1,875	2	960	1.2~6.0	2~4(PE 0.2~0.5)	1.2	6.8	99%	미정	미정

Package: Triangular CODURA TUBE | Origin: South Korea

TROUT | COREOPERCA HERZI





JScompany has been leading the expansion and popularization of Korean trout fishing. We are launching the highest specifications of low-end rods so that anyone can easily access and enjoy mooring lure fishing by inheriting high-end products

S632SUL

- Operate Micro Spoon, Plug, etc
- Throw a light luer far away easily. Models focused on casting ability and lure operations. Most suitable for line of 3lb or so, and lure operation of about 3g.

S662UL

- Delicate operation of micro rubber jig and small soft plastic bait. It has a soft tip and a Butt power that minimizes moving for accurate casting, so it has excellent ability to grasp riverbed terrain and Bite
- The Line of 4lb and Lure of 4g are operated

Product specification:

Realizing Resistance and Lightweight of Blank Using Mid-elastic Carbon

EQUIPMENT:

- Line twisting in trout fishing greatly reduces pleasure. The Asense POP Trout series uses the latest guide system that minimizes string twists to increase distance and improve sensitivity
- Harmoniously employing CORK and E.V.A on the grip













ASENSE POP 2

Z



INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt (oz)	Line Wt (lb)	선경 (mm)	원경 (mm)	무게(g)	카본함유량	Taper	가격(원)
S632SUL	1,900	2	975	1~6	2~5	1.2	6.9	70	93%	Mod-Fast	69,000
S662UL	1,980	2	1,015	3~8	2~6	1.2	8.1	80	93%	Fast	69,000

Package: PET Case + Cloth Bag | Origin: Chinese local factories





It is a product that summarizes the know-how of JS Company to make the best fly rod. It is completed with handmade using the finest raw materials such as Helix SNM and subsidiary materials and implemented progressive action









INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Line Wt (lb)	선경 (mm)	원경(mm)	무게(g)	FLEX	카본함유량	대상어	가격(원)
1279-4	2,370	4	625	#1/2	1.3	7.2	50	Moderate	99%	피라미, 산천어, 갈겨니	300,000
382-4	2,490	4	655	#3	1.3	7.2	51	Moderate	99%	산천어, TRIBOLODON HAKONEVSIS	330,000
490-4	2,750	4	730	#4	1.4	9.0	86	Fast	99%	끄리, 블루길	360,000
693-4	2,810	4	745	#6	1.4	9.5	89	Fast	99%	TROUT, SKYGAGER, VENUS FISH	370,000
3100-4	3,050	4	805	#3	1.4	9.5	88	Fast	99%	산천어, TROUT, 님프	390,000
DOUBLE HANDLE 7132-4	4.020	4	1.050	#7	1.9	145	205	Mod-Fast	99%	SKYGAGER SALMON	520.000

Package: Aluminum Cases | Origin: South Korea





It is a product that summarizes the know-how of JS Company to make the best fly rod. It is completed with handmade using the finest raw materials such as Helix SNM and subsidiary materials and implemented progressive action.





INFORMATION

Item	전장(mm)	절수(本)	접은길이(mm)	Line Wt (lb)	선경(mm)	원경 (mm)	무게(g)	FLEX	카본함유량	대상어	가격(원)
SWITCH 4110-4	3,350	4	880	#4	1.5	10.1	137.5	Fast	99%	끄리, 잉어, TROUT, 블루길	440,000
SWITCH 6110-4	3,350	4	880	#6	1.6	10.5	141.8	Fast	99%	VENUS FISH, SKYGAGER, TROUT	440,000
SWITCH 8110-4	3,350	4	880	#8	1.7	11.5	149.5	Fast	99%	BASS, SALMON	440,000

Package: Aluminum Cases | Origin: South Korea



X: GRAIN SWITCH 4110-4:120~200GR SWITCH 6110-4:160~280GR SWITCH 8110-4: 210~360GR








Fly Fishing's famous JS Company is launching ambitiously. The DLoop Fly rod has been upgraded based on new logos, rod designs, and user environment analysis













INFORMATION

Item	전장(mm)	절수(本)	접은길이(mm)	Line Wt (lb)	선경 (mm)	원경 (mm)	무게(g)	FLEX	카본함유량	대상어	가격(원)
278-3	2,230	3	815	#2	1.2	7.5	55	Moderate	95%	피라미, SANCHEONEO, 갈겨니	190,000
388-3	2,640	3	915	#3	1.3	8.0	61	Mod-Fast	99%	SANCHEONEO	190,000
490-4	2,750	4	730	#4	1.4	8.5	88	Fast	99%	<u> 기</u> 리	210,000
690-4	2,750	4	730	#6	1.5	9.1	90	Fast	99%	TROUT, SKYGAGER, VENUS FISH	210,000
890-4	2,750	4	730	#8	1.6	9.7	104	Fast	99%	BASS,SALMON	220,000
3100-4	3,050	4	805	#3	1.3	9.0	93	Fast	99%	님프	220,000
5100-4	3.050	4	805	#5	14	95	93	Fast	99%	있어	220,000

Package: Hardcases | Origin: South Korea

TLOOP 2 Switch

The DLoop Switch rod is a high-end rod designed to suit the body shape of Korean field and Koreans based on the technology and accumulated know-how that developed and produced more than 100 switch rods of leading overseas brands from the moment it was first introduced to the world market over 6 years ago

Simple erationality

It's an 11ft Rod but it has a 9ft's weight
Handle position and size design considering Korean body shape
Easy to use as a single hand as well as a double hand

Understands the fly line Hardchromium Snake Guide is more durable than Single-foot Guide Large caliber and wide distance from blanks to minimize line troubles Advantageous for long-distance and accurate casting

Blank excellence

Blank action, which combines the repulsive power of ultra-high elastic fabric and helical core method, has less moving increasing accuracy and power to enable long-range casting

long-standing know-how Apply a joint locking system to prevent the separation of the rod during two-hand casting

The locking system is applied to the extension handle to ensure complete fixation of the BUTT GRIP

In addition, high quality Portuguese natural corks grip is used to have a good grip and less deformation for long fishing













INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Line Wt (lb)	선경 (mm)	원경 (mm)	무게(g)	카본함유량	Taper	대상어	가격(원)
Switch 5/6110-4	3,350	4	880	#5/6	1.6	12.0	133	99%	Fast	TROUT, SKYGAGER, VENUS FISH	290,000
Switch 7/8110-4	3,350	4	880	#7/8	1.7	12.0	138	99%	Fast	BASS, SALMON	290,000

Package: Hardcases + Cotton cloth bag $\c Origin$: South Korea





Fly fishing is not difficult, and it is a popular fishing genre that anyone can easily learn and enjoy. JScompany releases a reasonable priced DLoop Pop series for the popularization of fly fishing

Employ a hard chrome snake guide and a SIC stripping guide Line does not wear out well, and it improves the distance by reducing the friction during casting

Blank with strong impact and compressive strength. It doesn't break when you catch external shocks and big fish.

High-quality Portuguese cork grips are employed Titanium anodizing reel sheets: combine with luxurious black reinforced wood

We compared the soft and beautiful melody to fly fishing and marked blank taper as Tempo signature

3480 - 4 | 8'0" #3/44

- Andantino(a little slow) Taper: Casts easily, gently settling the Fly and forming a soft loop
- Among the fish of low mountain streams, mainly Sharp-snouted lenok, masu salmon, etc. are targeted. Stream Fly rod that can digest various patterns such as dry fly fishing, Nymphing, and Wet Fly fishing

5690 - 4 | 9'0" #5/6 4

- Allegretto(a little fast)-Taper: It has a taper that novice can easily cast, so it has good long-distance casting ability and excellent line control such as underhand casting and roll casting Mainly targeted at Squaliobarbus curriculus, Skygager, and Trout, and sometimes covers Bass.
- Fly fishing introductory, Multipurpose model











INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt (oz)	Line Wt (lb)	선경 (mm)	원경 (mm)	무게(g)	카본함유량	Taper	가격(원)
S472XUL	1,400	2	720	0.6~2	1~3	1.05	5	68	99%	Mod-Fast	360000
S451XXUL	1,350	1	1,350	0.4~2	1~3	1.1	6	64	99%	Regular	360,000

INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt (oz)	Line Wt (lb)	선경 (mm)	원경 (mm)	무게(g)	카본함유량	Taper	가격(원)
S472XUL	1,400	2	720	0.6~2	1~3	1.05	5	68	99%	Mod-Fast	360000
S451XXUL	1,350	1	1,350	0.4~2	1~3	1.1	6	64	99%	Regular	360,000

Package: High quality Hardcases | Origin: Chinese local factories



Machine-cut Reel

- Perforation Design forLightweight
 Carbon Washer
- Waterproofing Use One way clutch bearing



Diecast Reel

- · Heat-dispersing carbon disc drag
- Large-arbor design ensures faster line retrieve
- Cast-aluminum construction for excellent strengthto-weight ratio













ltem	스풀사이즈	무게(g)	가격(원)
DLOOP LIGHTWEIGHT REEL #3/4	3,3574.5 x 250	105	240,000
DLOOP LIGHTWEIGHT REEL #5/6	83.5 x 28	112	260,000
DLOOD LICUTA/FICUT DEEL #7/0	005,20	120	200,000

Package: High quality neoprene soft cases $\c Origin$: South Korea









INFORMATION

ltem	즈에사풀스	무게(g)	가격(원)
DLOOP DIECAST REEL #3/4	76.6 x 26	120	95,000
DLOOP DIECAST REEL #5/6	86.6 x 28	130	95,000
DLOOP DIECAST REEL #7/8	96.6 x 30	160	95,000
DLOOP DIECAST REEL #9/11	111.6 x 32	235	95,000

Origin: South Korea











Surfcasting Rod, which has undergone long-term harsh tests in various fields and rough environments in the West, East and South Sea. AIRFLO has allowed it to respond to coastal fishing species such as Righteye flounder, hexagrammidae, and Korean Rockfish as well as Japanse black pork and Japanese seabream. Minimize the symptoms of distortion during casting and focus on balance; focus on precise aiming ability, and feel light with high repulsiveness of high elastic carbon

Blank material: high elastic CARBON helical core FUJI GUIDE: KM + KWM SIC Guide

REEL SEAT : China KPS 22
Rear GRIP : RUBBER GRIP apply

5-500H

- Specializing in those who enjoy a simple and sharp Surfcasting
- The simple and clean casting is made possible in thebreakwater Surfcasting And the inconvenience due to thefishing rod length is minimized.

5-530

- 'Standard' Model of Japanese black porgy Surfcasting
- Suitable for use in flat fields such as the East Sea white sand beach, the West Sea, and the South Sea
- Responding to sensitive bites, focusing on delicate tips and balances to minimize foreign body sensations

6-530

- 'All-round' model with the widest generality
- Used for Japanese black porgy Surfcasting in situations where waves are strong It can also be used in reefs and strong currents in the West Sea and South Sea

7-530

- Designed to respond to large Japanese black pigments aswell as large Japanese seabreams
- Strong butts can also overpower large fish, and heavy sinkers to cope with strong tide can be cast stably and accurately

Red Color



INFORMATION

ltem	전장(m)	절수(本)	접은길이(mm)	호	Line wt	추부하(호)	그립 길이(cm)	선경(mm)	원경(mm)	Taper	카본 함유량	가격(원)
5-500H (Black Color)	5	5	1,160	5		25~33	65	1.8	23	Fast	99%	미정
5-530 (Red Color)	5.3	5	1,225	5	나일론	25~30	71	1.9	23	Fast	99%	미정
6-530 (Red Color)	5.3	5	1,225	6	2~8호	30~35	71	1.9	23	Fast	99%	미정
7-530 (Red Color)	53	5	1225	7		30~40	71	2	23	Fast	99%	미저

Package: High quality Hardcases | Origin: South Korea

CHARM LIFE

RXT



The Helical Core method and DuPont's Kevlar material are used, and the model is the best series that can feel the lightness and the best sensitivity of the design that was not before. Any equipment, such as Electric Reel, Round Baitcasting Reel, etc., can be firmly mounted. By adopting the FUJI anti-twist guide, stable line control is possible even with frequent hooking

Blank material:

High-elasticity CARBON + HELICAL CORE CONSTRUCTION + DuPont Kevlar

FUJI Guide : FUJI line twist prevention SIC Guide FUJI NEW REEL SEAT : FUJI PULS Reel seat

Reel seat spray

DuPont's Kevlar Carbon PIPE Application for HOLDER Position

GRIP: Hard EVA GRIP







ltem	전장(mm)	절수(本)	접은길이(mm)	추부하(호)	Line wt(PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
RXT - 210	2,100	2	1,090	40~100	4~8	1.9	14.2	204	99%	Fast	360,000
RTX - 230	2,300	2	1,190	60~120	6~10	1.9	14.9	215	99%	Fast	370,000

Package: High quality Hardcases | Origin: South Korea

CHARM LILE



It is a model with excellent sensitivity to target the West Sea sunken vessel (fish shelter), suitable taper, and you can see the tip moving smoothly based on No. 100(375g) sinker, and detect weak bite size. The 210 model has a Butt that is more powerful than the 230 model and uses the Spigot ferrule method compared to the previous model, so it has a thin, strong, and beautiful design

Blank material:

CARBON + HELICAL CORE CONSTRUCTION + 3 DS CROSS method

FUJI Guide : FUJI Anti-twist Guide ALCONITE Guide FUJI REEL SEAT : Touch type PLS18 REEL SEAT Anti-slip reel seat with Black rubber spray

GRIP : Hard EVA GRIP







INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	추부하(호)	Line wt(PE)	선경(mm)	원경(mm)	무게(g)	키본함유량	Taper	가격(원)
RXE - 210	2,100	2	1,090	40~100	4~8	20	14.2	210	99%	Fast	260,000
RXF - 230	2300	2	1190	60~120	6~10	20	149	223	99%	Fast	270.000

Package: High quality Hardcases $\c Origin$: South Korea

CONNECT with JSCOMPANY_47







RXI



Stable control is possible even with high weight sinker loads(sunken vessel spot, boat fishing, etc)FUJI's touch-type reel seat is designed to effectively reduce fatigue even for long fishing and restless Hook set

blank material:

heavy elastic carbon + helical core

EQUIPMENT:

- FUJI "O"RING Concept LDBOG+LCOG line anti-twist guide
- FUJI touch type PLS18 + KDPS18P/ASH Reel seat
- Black superstrong EVA Grip
- Package: PET Cases







INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	추부하(호)	Line wt(PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
RXI - 210	2,105	2	1,090	40~100	3~6	21	14.3	215	97%	Fast	150,000
RTI - 230	2,305	2	1,190	60~120	4~8	21	14.1	229	97%	Fast	160,000

Package: High quality Hardcases | Origin: Chinese local factories

CHARM LIVE

YR

A suitable entry-level model for the West Coast Korean Rockfish attack. We have adopted a 200~210 mm length suitable for beginners. It has a strong Butt that can cope with fishing rope floor jamming. The sensitivity and intensity are excellent enough to be used for fishing in the offshore area

blank material:

CARBON + GLASS BASE BLANK

Guide : Line anti-twist SIC Guide (China) Reel Seat : TCS17 REEL SEAT (China) Anti-skid reel seat black rubber spray GRIP : Hard EVA GRIP







INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	추부하(호)	Line wt(PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
RXB - 200	2,000	2	1,040	80~140	6~10	21	14.8	200	93%	Fast	75,000
RXB - 210	2,100	2	1,090	80~140	6~10	21	15.1	210	93%	Fast	75,000

Package: High quality Hardcases | Origin: Chinese local factories

CHARM LILE

H5



Rod for beginners and intermediates who prefer the 7:3 Action Taper. It has excellent anti-twist capabilities to adopt Spiral Wrap and provides user-friendly Reel seats and grips

Blank material:

Carbon + Helical core
GUIDE : FUJI "KR" ALCONITE GUIDE

Reel Seat : HOOD : FUJI DPSM 24P/AB / DPSLD 24P/ASH GRIP : Used a stainless steel grip with strong durability















INFORMATION

lb	TJTV\	저사(士)	T407101/\	I +/ -)		1474()	0174/)		JIH÷lO3F	T	7174/01
ltem	전장(m)	절수(本)	접은길이(mm)	Lure wt(호)	Line wt(PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
H5 360	3.6	3	1,240	100~200	5~8	2.3	17.2	524	99%	Fast	460,000
H5 420	4.2	4	1,090	150~250	5~8	23	19.6	693	99%	Fast	500,000
H5 450 (SPIRAL)	4.5	4	1,170	150~250	5~8	2.3	19.7	747	99%	Fast	460,000
H5 500	5.0	4	1,310	150~250	5~8	23	17.2	808	99%	Fast	600,000
HX5 500 SPIRAL	5.0	5	1,070	150~300	5~8	2.4	24	-	99%	Fast	610,000
HX5 580 SPIRAL	5.8	5	1,230	150~375	5~8	24	24	-	99%	Fast	690,000

 $\label{thm:product IPackage: PET CASE I Origin: South Korea} \label{thm:product IPackage: PET CASE I Origin: South Korea} \\ \label{thm:product IPackage: PET CASE I Origin: South Korea} \label{thm:product IPackage: PET CASE I Origin: South Korea} \\ \label{thm:product IPackage: PET$

LARGEHEAD HAIRTAIL





The advantage is the strong Butt power with 6:4 Taper, which can be used from 7~800g(Yeosu, Tongyoung) to 1k(Jeju) or more sinkers. Using high-elastic carbon, you don't miss the bite of baby hairtails as well as large hairtails. New guides are employed to solve the problem of string twists during fishing. You can solve the string twist without lifting the fishing rod

Blank material : Carbon + Helical core REEL SEAT HOOD : FUJI DPSLD24P/ASH GUIDE: China GUIDE Application REEL SEAT: FUJI DPSM P/AB24

GRIP: Use a durable stainless grip



INFORMATION

ltem	전장(m)	절수(本)	접은길이(mm)	Lure wt(호)	Line wt(PE)	선경(mm)	원경(mm)	카본함유량	Taper	가격(원)
H2 300-350 SPIRAL	3.0-3.5	4(EX1)	1,060	30~120	5~8	20	19.0	99%	Fast	미정
H2 420-470 SPIRAL	4.2-4.7	5(EX1)	1,120	100~200	6~10	22	23.0	99%	Fast	미정
H2 450-500 SPIRAL	45-50	5(FX1)	1195	100~200	6~10	23	23.0	99%	Fast	미정

| tem | 전장(m) | 절수(本) | 접은길이(mm) 추부하(호) | Line wt(PE) | 선경(mm) | 원경(mm) | 카본함유량 | Taper | 가격(원) H2500~550 SPIRAL 5.0~5.5 6(EX1) 1,080 150~250 6~10 24 24.0 99% Fast 미정 H2530~580 SPIRAL 5.3-5.8 6(EXI) 1,135 100~250 6~10 22 24 99% Fast 미정

X Partial changes can be made without notice to improve the quality of the product | Package: Semi-hardcases | Origin: Chinese local factories

KOREAN ROCKFISH | OLIVE FLOUNDER | HEXAGRAMMIDAE | SPANISH MACKEREL | JAPANESE SEA BASS















High-end general fishing rod where anyone who enjoys sea lure fishing can enjoy the thrilling taste

Blank material: Ultra-high elastic carbon (46t)

- The ultra-high elastic 46-ton material, which was not used in the Sea Lure Blank, was combined with
- Blank mechanism: HEXA CROSS CONSTRUCTION
- A structure made by combining an ultra-high elastic 4-axis CLOTH with a helical core structure (2-axis bias). The loss of power generated during fishing rod operation was minimized to increase instantaneous power and realize the distribution of even power in four directions. The casting power is accurate, the torque is increased in the Hook set and fighting, and the operation is free
- Super Micro High Density Carbon (SHD) Designed close to pure carbon: eliminate unnecessary space between layers from the laminating structure of composite materials, reduce unnecessary resin, increase lightness and power

EQUIPMENT

- fuii titanium KR Guide concept fuji titanium KR Guide concept: "KR" guide system with light and unchanged titanium frame. Maximize power, sensitivity, accuracy, and Surfcast capabilities
- Korea's first rubber material E.V.A grip is adopted to prevent slipping and increase gripping
- Two-tone aluminum anodizing techniques apply
- Reel seat : FUJI VSS shimmy finish Reel seat
- the high-quality hard case package which is best for carrying and keeping, waterproofing, and the moisture-proof







INFORMATION

Item	전장(mm)	절수(本)	접은길이(mm)	Lure Wt(g)	Line wt(PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	Taper	가격(원)
762L	2,280	2	1,170	5~24	6~14	1.5	10.7	118	99%	Fast	우럭,광어,놀래미,전갱이	440,000
822ML	2,480	2	1,275	7~28	8~17	1.6	11.7	127	99%	Fast	우럭,광어,삼치,농어	460,000
862ML	2,580	2	1,325	7~30	8~17	1.6	12.2	132	99%	Fast	우럭,광어,삼치, 농어	470,000

Package: High quality Hardcases | Origin: South Korea

BIXOD A3 ILUMA



Multipurpose Sea Lure Rod "LUMA" has been consistently loved in inshore casting games such as Rock fishing and breakwater fishing since its launch in 2010. It has been upgraded with the Helix SNM of Super Nano Matrix technology and returned to the name of BIXOD N A3. In the existing "LUMA", which was sufficiently complete, it changed to minimal design change, lightweight, and segmented specifications that lead the trend,

Blank material: Ultra-high elastic carbon (40t)

- Ultra-high elastic 40t materials not used in sea fishing lure blanks are combined with helix SNM to upgrade sensitivity, elasticity and strength Blank mechanism: HELLICALCORE
- Minimize twisting, which is a disadvantage of laminating composites by winding CARBON THREAD in a spiral direction. Uniform stress acts on all points of Blank, increasing instantaneous power, and enabling precisecasting and operation

EQUIPMENT

- fuji Titanium "KR" Giode concept apply, Light and unchanged titanium frame mount. Maximize power, sensitivity, accuracy, and Surfcast
- Rubber E.V.A Grip: Prevent slipping, increase grip, and lower fatigue
- Reel seat : FUJI TOUCH TYPE TVS SIVER MIRROR

S762L-ML

- Products for sea lure fishing anglers
- It targets various fish species of basin sea area(Olive flounder, Korean Rockfish, Jack mackerel, Chub mackerel, etc)
- Best for kayak and Recreational boat fishing

802L-ML

- All-round models that do not cover places and fish species
- Attack moving fish(migration) and Rockfish species with lightweight metal jigs

S862ML

• Rock fishing, breakwater Flat fishing, Boat casting game: Use a high weight Lips Sprint or Minnow











INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	추부하(호)	Line wt(PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
S762L-ML	2,287	2	1,170	5~28	0.8~1.5	1.4	10.2	117	99%	Fast	360,000
S802L-ML	2,437	2	1,245	5~28	0.8~1.5	1.5	11.7	122	99%	Fast	370,000
S862ML	2,587	2	1,325	7~30	0.8~1.5	1.5	126	133	99%	Fast	380,000

Package: High quality Hardcases | Origin: South Korea



Korean Rockfish | Olive Flounder | Hexagrammidae | Jack Mackerel | Spanish Mackerel | Japanese Sea Bass



A 2 -VER.2





A comfortable fishing for long-term casting and action

Excellent sensitivity

Flexible and soft tips can also use very light Lure and a thin PE line of 16 to 30 lbs. Boasts excellent Bite and floor sensitivity, which will show excellent results in rockfish and sea bass games

Casting and operability convenience

The helical core method that maximizes the torque of the blank increases the repulsion momentarily. A soft tip prevents the bass from pulling out the needle

S762L-ML | Jighead, Hardbaid

- All-weather Rod operating Jig head, Hard bait, etc., at Shore. A light weight of 7 feet 6 inches makes it easier to navigate points
- Blank Grip's ML-class power setting You can cast 1/4oz lightweight Gear to the correct location with elasticity
- Tip's L power/Fast action setting flexibly responds to the struggle to remove irregular needles with sensitive sensitivity

S7112ML-M | Jighead, Metal, Downshot

- Sea bass long-casting Jig head, metal, down shot exclusive Rod. It was born at the request of Angler to increase the casting distance while pursuing the convenience of the short rod
- Helical Core M Power Blank has the repulsive power which is relaxed in the high weight Jig casting





S862ML | 13~35g Jighead

- A model to increase the convenience of complex Gear operations in various terrains as well as wide open water. Light model in the A2 lineup. It is designed to promote the convenience of anglers who try various Gear changes
- Repeated long-casting is not burdensome with flexible setting and grip-oriented balance design for Jig head less than 1/2oz
- The main target is based on rockfish, but it has the power not to lose the lead even to large sea bass and macroel

S902M | Long cast Down shot, 1oz Jig

- A good model to hit a high-weight Gear for long-casting on pinpoints.
 The helical core method was applied to the 40t high elastic carbon to increase the elasticity and strength to the upper model level
- Sensitivity to feel excellent Bite and current flow even after long casting
- Universal rod characteristics from 9ft length can also be used to respond to sea bass games that focus on Lipless spintail and Minnow
- $\ \ \, \ \,$ A model that demonstrates outstanding casting torque during casting of 18 \sim 25g minnow

S972MH-H | East sea Metal, Mackerel, Amberjack


- A model to target migration fish from deep breakwater and Shore
- Fits the field condition requiring rapid suppression after bite
- Powerful, high elastic blank. Progressive performance with weighty Slow jig.
 Metal, and Minnow's long casting
- A quick response from a length of 9 feet 7 inchesBlank repulsion effectively overpowers the strong resistance target



INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt(g)	Line wt(PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	Taper	가격(원)
S762L-ML	2,285	2	1,170	10~28	0.8~2.0	1.5	11.5	117	99%	Fast	우럭,광어,놀래미,전갱이	270,000
S7112ML-M	2,410	2	1,235	20~45	1.0~2.0	1.6	11.7	127	99%	Fast	우럭,광어,삼치,농어	280,000
S862ML	2,580	2	1,320	13~35	1.0~1.5	1.6	12.3	131	99%	Fast	우럭,광어,삼치, 농어	290,000
S902M	2,740	2	1,400	20~50	1.0~3.0	1.7	129	150	99%	Fast	우럭,광어,놀래미,전갱이	300,000
S972MH-H	2,910	2	1,485	30~60	1.2~4.0	1.9	13.4	170	99%	Fast	우럭,광어,삼치,농어	310,000

Package: High quality Hardcases | Origin: South Korea





Korea, which has three sides of the sea, has excellent accessibility and can enjoy sea fishing comfortably in breakwater, Shore, and basin sea area. The NIXX INSHORE series is the best choice for all anglers who enjoy sea fishing because they are not well broken and have excellent sensitivity and light weight

Blank material: ultra-high elastic carbon(40t) + high-strength carbon(30t)

- Optimal fusion and design of composite materials. Higher Bite and sensitivity and lighter weight and higher strengthBlank mechanism:
- Z-CT CONSTRUCTION (Carbon tape winding)Sometimes fishing in the sea breaks the fishing rod unthinkably. The NIXX INSHORE series is designed to minimize this situation by winding carbon tape on the blank surface and strongly designing it for external stress
- SHD (Super micro High Density carbon liminate unnecessary space between layers from the laminating structure of composite materials, reduce unnecessary resin, increase lightness and power

FOUIPMENT:

- Application of 3D "Z" GUIDE System of KIGANISM. "Z's guide system improves sensitivity and casting ability, prevents string-twisting troubles, and improves fishing rod balance.
- S1102M Model: FUJI "ALCONITE" K Guide (30mm Double foot Tip Top Guide)
- Higher durability and gripping sensation by adopting Korean light E.V.A grip
- Coating Technology for Responding to Salt Water using Korean Aluminum Anodizing TechniqueReel seat: The VSS rubber painting reel seat is equipped with a comfortable grip feeling for repetitive casting

S782L

- The light weight blank capable of the minute Bite sensing and the exact floor topography detection
- Light weight lure can be easily cast at a distance, excellent resistance and resilience,
- Jighead and Downshot are available, making it the most universal specification to target various sea fish species. (Korean Rockfish, Olive flounder, mackerel, dark-banded rockfish, etc)

S862ML

- All-round Model for Boat and Rock Fishing
- In Boat casting games, Minnow and Lipless spintail are operated.
- Designs to make Shore Flat Fishing more efficient
- The most recommended model if you buy only one from Sea Lure Fishing

S902ML

- Models Appropriate for Boat and Rock Fishing(sea bass and rockfish, etc)
 Soft Tip Powerful Rutt Perfect Taper Balance increases the Hook Set
- Soft Tip, Powerful Butt, Perfect Taper Balance increases the Hook Set probability and increases the casting distance

S972ML

- Models Born for Dynamic Ship Fishing Migration fish like sea bass, amberjack, mackerel, etc
- Torque, which can easily cast lures around 30g. The best pressure and casting distance.

S802H

- Model for boat mackerel game. Short length makes it free to operate
- It boasts a torque that can easily cast lures such as Metal Jig and Lipless
 Spintile of less than 60g

S1102M

 It is a rod designed for rock Shore longcast fishing. It has the advantage of torque that can cast lure such as metal jig and jig head of less than 40g. For mackerel, sea bass, rockfish, olive flounder Fishing.



INFORMATION

Item	전장(mm)	절수(本)	접은길이(mm)	Lure Wt(g)	Line wt(lb)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	Taper	가격(원)
S782L	2,340	2	1,200	5~25	6~14	1.7	11.5	113	99%	Fast	우럭,광어,놀래미,전갱이	165,000
S862ML	2,600	2	1,325	7~30	8~17	1.7	13.3	126	99%	Fast	우럭,광어,삼치,농어	175,000
S902ML	2,740	2	1,405	7~30	6~16	1.8	13.7	138	99%	Fast	우럭,광어,삼치,농어	185,000
S972ML	2,910	2	1,490	7~35	8~17	1.8	14.5	136	99%	Fast	우럭,광어,삼치,농어	195,000
S802H	2,440	2	1,250	12~56	12~25	1.8	13.2	138	99%	Fast	삼치	205,000
S1102M	3,355	2	1,715	12~40	PE 1.0~2.0	20	16.6	206	99%	Fast	우럭광어삼치,농어	260,000

Package: High quality Hardcases | Origin: Chinese local factories

KOREAN ROCKFISH | OLIVE FLOUNDER | SPANISH MACKEREL | JAPANESE SEA BASS







Introductory products that are essential for walking-fishing on the sea. Increased the diversity of target fish species than before

BLANK: 30~40TON high-elasticity CARBON BASE + Helical core + Z-CT KOREA Samyang GUIDE: "Zirconia" KTSIG + KWSIG Guide FUJI REEL SEAT : VSS16 + KDPS 16P/ASH HOOD REEL SEAT BODY: BLUE COLOR Spray

GRIP: BLACK Hard EVA GRIP

S762L

• Products needed for the baby hairtail fishing season in the South and West Sea. Specialized in rock fish jig head games on the coast and jig head action in the baby hairtail season

S862ML

- The basics of walking fishing rods: one cover a variety of Gears
- There is no fatigue even in fishing for a long time. (Use Jig head, Lipless spintail, Downshot, etc)

S932M

• The use of heavy Jig head and Lipless spintail over 1oz. It is good to target the coastal Japan sea bass and Olive flanker, and the distance is good at the right length

S832H

A model that can throw 80g of metal without any problems: a model with strong butt and flexible Tip, which focuses on distance and pressure; heavy metal and coastal octopus can easily be landed

S842XH


 A dedicated product made to catch octopus in the South Sea that is trying to stick to the floor











INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt(g)	Line Wt (lb,PE)	선경(mm)	원경(mm)	카본함유량	Taper	가격(원)
S762L (풀치, 연안 지그헤드)	2,280	2	1,170	3~15	6~12 (lb)	1.4	11.5	99%	Fast	미정
S862ML (범용)	2,580	2	1,320	7~30	0.8~1.5 (PE)	1.5	13.4	99%	Fast	미정
S932M (지그헤드, 바이브)	2,815	2	1,440	10~40	0.8~1.5 (PE)	1.7	14.0	99%	Fast	미정
S832H (삼치 워킹)	2,505	2	1,285	~100	1.5~3.0 (PE)	1.9	14.6	99%	Fast	미정
S842XH (무어 워킹)	2535	2	1300	40~90	1.2~3.0 (PF)	18	146	99%	Fast	미정

Package: CLOTH BAG + PET CASE | Origin: Chinese local factories





We lowered the wall at the entrance to Lure.

It is a Rod designed for sea lure fishing beginners and consumers who want sub-Rods. It has a marketability that is not lacking in operationality, elasticity, balance, etc. at a reasonable price, so anyone can easily enjoy it

24TON CARBON BASE

GUIDE: FUJI CONCEPT "O " GUIDE • China vss16 REEL SEAT Reel Seat: anti-skid black rubber spray GRIP: Black strong eva GRIP

S802L

Focus on delicately operating a relatively lightweight lure of 8~25g The soft tips make it easier to receive floor terrain or sensitive bite, and the resilience of tough, flexible butts makes it easier to overpress the target


S862ML

- The most standard model for casting and manipulativeness of Boat and Shore
- Flexible tips and strong butts respond satisfactorily to any technique

S902M

- Strongest torque model, heavy lure can be cast further than
- Respond to large migration fish with strong pressure. (Japanese sea bass, Spanish mackerel, etc)







CAN 30 INSHORE





INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt(g)	Line wt(PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
S802L	2,435	2	1,250	8~25	0.6~1.2	1.6	13.7	136	99%	Fast	65,000
S862ML	2,595	2	1,330	12~40	0.8~2.0	1.8	14.3	156	99%	Fast	70,000
S902M	2,740	2	1,405	30~60	2.0~3.0	21	15.1	175	99%	Fast	75,000

Package: CLOTH BAG + PET CASE | Origin: Chinese local factories



JAPANESE SEABASS | YELLOWTAIL AMBERJACK | SPANISH MACKERELS







A model that focuses on balance rather than sensitivity as a Sea bass rod for boat and rock fishing. The slim but tough blank flies Lure farther away and prevents fish from pulling out the needle

Blank material: Helix SNM + ultra-high elastic carbon (46t)

 Upgrade sensitivity, elasticity, and strength by combining ultra-elastic 46t materials that were not used in the sea luer blank with Helix SNM Blank mechanism:

HEXA CROSS CONSTRUCTION

- A structure made by combining an ultra-high elastic 4-axis CLOTH with a helical core structure (2-axis bias). The loss of power generated during fishing rod operation was minimized to increase instantaneous power and realize the distribution of even power in four directions.
 As a result, casting is accurate and needle loss is minimized to increase landing probability. The torque is enlarged in the Hook set and fighting and the manipulation of lure is free.
- Super Micro High Density Carbon(SHD): Designed close to pure carbon: eliminate unnecessary space between layers from the laminating structure of composite materials, reduce unnecessary resin, increase lightness and power

S872L

- It can control from small Jig Head chatterbait to Minnow. It is not tired in the fishing of the long time
- Rock, Boat Fishing are all available and have excellentbalance

S902L-ML

 A model that uses light minnow. Butt throws the bait well and holds on to the weight well. Casting Small Minnow and Jig Head without difficulty

EQUIPMENT

- fuji titanium KR Guide concept: "KR" guide system with light and unchanged titanium frame. Maximize power, sensitivity, accuracy, and Surfcast capabilities
- Korea's first rubber material E.V.A grip is adopted to prevent slipping and increase gripping to lower fatigue
- Two-tone aluminum anodizing techniques apply
- Reel seat : FUJI VSS shimmy finish reel seat
- Using a rubber painting VSS reel seat, it is possible to increase gripping sensation and relieve wrist fatigue

S972ML

- The model that made S4 known the most. An excellent distance.
 Unlike conventional rods, the overall curved taper exerts Surfcast ability when throwing 18~26g of Minnow
- You can cast lures heavier than specs easily and far away. Soft Butt helps stable landing, and it is the most selected item regardless of Boat or Rock fishing

S1002MH | 넙치, 농어

- Olive flounder and Japanese sea bass fishing products that can be found in leiu Island
- Fits for Minnow casting of various weights of 18~40g

The end of the tough sea bass gance! BIXODNS4 BUTTCAP

INFORMATION

Item	전장(mm)	절수(本)	접은길이(mm)	Lure Wt(g)	Line wt(lb)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	Taper	가격(원)
S872L	2,610	2	1,340	5~24	6~14	1.5	12.3	132	99%	Fast	농어, 삼치	460,000
S902L-ML	2,740	2	1,405	7~30	6~16	1.6	127	140	99%	Fast	농어, 삼치, 부시리	480,000
S972ML	2,910	2	1,490	7~35	6~16	1.7	13.2	155	99%	Fast	농어, 삼치, 부시리	510,000
S1002MH	3,060	2	1,565	15~50	1.0~2.0 (PE)	1.9	14.3	192	99%	Fast	넙치, 농어	520,000

Package: High quality Hardcases | Origin: South Korea







It is a fishing rod exclusively for dynamic and tough Japanese sea bass fishing.

Slimer, lighter weight, higher elasticity. It's a masterpiece that took Blank's mechanism to the next level.

Blank material: HELIX SNM + ultra-high elastic carbon (40t)

- Over the past few years, we have spent our time researching and developing new materials to be applied to fishing rods, finally completing our own materials and structures
- Based on Super Nanometric, HELIX SNM is a new material that is resistant to impact, tension, twist, and elasticity to create a light and strong blank

Blank mechanism :

HEXA CROSS CONSTRUCTION

- 5DS CROSS CONSTRUCTION, POWER X-WRAP:
- The internal helical core structure increases the resilience of the blank, allowing long-distance throwing with little force, and easily overpowering fish in deep water and strong rapids
- The outer three-axis winding structure has excellent ability to cope with external stress


- The bending direction remains constant to counter the static and external stresses
- POWER X-WRAP: In tough and sensitive sea bass fishing, the performance of tips is very important. The POWER X-WRAP winding method was applied to create powerful casting and increase overpowerFUJI TITANTIUM Guide:
- FUJI'S New 3D TANGLE FREE Aroana Top Guide adopted. The PE line is no longer twisted
- 3D REVERSE CHOKING Guide system adopted. Complete the optimal sea bass rod to facilitate automatic line twist prevention and line releaseFUJI "VSS" Reel seat + RUBBER E.V.A:
- Using rubber painting VSS reel seat to increase gripping and relieve wrist fatigue

S882L-ML | MINNOW GAME

- 15~24g of minnow available
- A slim and powerful blank that can penetrate the wind by securing a distance even with a simple stroke
- The tip has the flexibility optimized to prevent the needle from falling out, and Butt has an excellent 5DS structure with excellent shape restoration, so it has excellent landing ability

S922ML | ALROUND GAME

- It is used for general purposes such as Boat and Rockfishing; Minnow, llipless crankbait, and soft bait are allavailable
- 5DS structure capable of the long-casting in the simple stroke. Good for boats or narrow seashore that don't have enough casting space
- Excellent skills in sea bass fishing and flat fishing



S972ML-M | LONG CASTING GAME

- Specs for rock surf fishing enthusiasts, a lure of about 30gweight can be reached to the desired point
- The momentary torque overpowers the fish and lands
- The coastal Japanese sea bass, Spanish mackerel, and small Yellowtail amberjack are attacked with various lures

S1102M-MH | SHORE CASTING GAME

- Excellent ability to target large species and settle lure at the point you want in Rock Surfcast fishing
- The 5DS structure has excellent repulsive power, enabling smooth longdistance throwing of high-weight metal jigs or poppers
- Responding to Shore Jigging and Popping Fishing(Large sea bass, mackerel, amberjack, etc)

BC862ML | BAIT CASTING GAME

- Bait model which is getting attention in recent sea fishing
- Bait casting has a wide range of applications, targeting various fish with various Lure
- With the appropriate guide arrangement, the movement of blank force is naturally made when casting, eliminating backlash and smoothly throwing at a long distance
- It is recommended to baitcasting fans because it can operate hard bait, metal jig, soft bait, etc

INFORMATION

Item	전장(mm)	절수(本)	접은길이(mm)	Lure Wt(g)	Line wt(PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	Taper	가격(원)
S882L-ML	2,630	2	1,345	5~28	0.8~1.5	1.6	12.8	141	99%	Fast	농어, 삼치	360,000
S922L-ML	2,790	2	1,420	8~35	0.8~2.0	1.7	13.6	151	99%	Fast	농어, 삼치	380,000
S972ML-M	2,920	2	1,490	10~40	1.0~2.5	1.8	14.1	159	99%	Fast	농어, 삼치, 부시리	390,000
S1102M-MH	3,350	2	1,710	12~45	1.0~3.0	20	17.0	213	99%	Fast	농어, 삼치, 부시리	480,000
BC862ML	2,590	2	1,325	7~35	1.0~2.0	1.7	13.3	152	99%	Fast	농어, 삼치	350,000

Package: High quality Hardcases $\c Origin$: South Korea

JAPANESE SEA BASS | YELLOWTAIL AMBERJACK | SPANISH MACKEREL

CUTTLEFISH | BIGFIN REEF SQUID





The Sea Bassrod series, which accepts the requests of the field and continues to evolve. We aimed to develop a Rod with more performance and power than expert-users's demand.

Blank material: 40TON high elastic carbon + helical core

EQUIPMENT: FUJI SIC "KR" + "K" Guide Spinning Reel Seat: FUJI VSS16 Baitcasting reel Seat: FUJI PTSMPK17 Black superstrong EVA Grip

S862ML-M | Bolt

- Development focus was on maximizing ease of handling such as Minow, lipless crankbait, Jighead, and Metal Jig
- With a simple stroke, accurate targeting, long-distance casting are possible
- Butt Power has also been upgraded to prepare for unexpected fighting with large fish

S912L-ML | Sprinter

- Development of detailed actions such as small Minow, lipless crankbait, lightweight Jighead, Metal jig, etc
- Depending on the situation, you can get a lot of Biteopportunities by using Finesse actions
- It has slim but powerful torque. Delicate and flexible to respond to any situation

S882M | Vulcan

- The development focus was on casting and settling all the lures of the heavy-weight class quickly at the desired point
- Fighting with the ranker class (7Kg) or higher is also leisurely controlled by raising the persistence of the Butt for quick casting
- It can respond delicately to any movement and attack points at a distance for a long time without rest

S972M-MH | Cannon

- Developing a focus on delicateness and high sensitivity in the operation of medium-sized minnows and leafless crankbaits over 1 oz
- It can cast far against strong waves and winds, overcome all extreme situations, and overpower large fish comfortably

BC882M | Magic dub

- Japan sea bass fishing exclusive rod that takes advantageof bait casting
- It provides the best comfort when retrieving Lure. (Lipless spintail, chatterbait, Scrounger Jig Heads, etc)Shows real face at unexpected hit moment











SPNNING



INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt(g)	Line wt(PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
S862ML-M	2,590	2	1,325	12~32	1.0~1.5	1.7	12.9	135	99%	Fast	260,000
S912L-ML	2,770	2	1,415	10~25	0.8~1.2	1.6	13.0	138	99%	Fast	270,000
S882M	2,640	2	1,350	14~35	1.0~2.5	1.8	13.4	143	99%	Fast	270,000
S972M-MH	2,915	2	1,490	14~40	1.0~2.0	1.9	15.1	177	99%	Fast	290,000
BC882ML	2,640	2	1,350	12~35	1.0~1.5	1.8	13.0	160	99%	Fast	270,000

Package: Hardcase | Origin: South Korea

BLXOD SEGING E4 VER.2

Egging rods that meet all three factors: weight, strength and sensitivity. Blank, which blends graphene into Helix SNM, has strength and ultra-light, and shows amazing resilience when Jerking. The full carbon rear grip maximizes vibration to provide unprecedented sensitivity.



S812L-ML

- Delicate Jerking of 10 to 20 g of small Egi is available
- The charm of controlling Egi's action at will with itssoftness and excellent operability from a short Rod length

S852M

- A true all-round model that can be used in any situation, from spring to autumn, from 10 to 25g
- It has an amazing casting feeling and excellent sensitivity from the newly applied graphene material, and it has excellent performance that enables you to meet squid in any situation

Blank material:

40TON~46TON high-elasticity CARBON + HELIX graphene

Blank: Helical core + HEXA CROSS + Rod Tip TOP SECTION (YSN 1K X-WRAP is wrapped around the surface) FUJI GUIDE: Titanium "SIC" KR concept Guide FUJI REEL SEAT: VSS16 + KDPS 16 IC/ASH HOOD REEL SEAT BODY: BLACK COLOR Spray Rear GRIP: Circular form CARBON GRIP CARBON GRIP lower part anti-skid BLACK RUBBER Spray Fore GRIP: BLACK Superstrong EVA GRIP

Lower aluminum parts : Graphene hexagonal shape cutting

S832ML

- It is designed to enable light jerking and sharp action, whichis optimal for s mall action and fast pitch fishing
- It is highly recommended to Angler who uses 15g Egi as themain in pursuit of fast fishing

S892ML-M

- The difference in distance is the difference in results: the biggest factor for better performance than others in abreakwater crowded with many anglers is distance
- The repulsive force of new material graphene allows you tocast more elaborately further, and promises better resultswith excellent sensitivity











INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	EGI(호)	Line wt(PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
S812L-ML	2,460	2	1,260	1.8~3.0	0.3~1.0	1.3	10.6	96	99%	Fast	450,000
S832ML	2,510	2	1,285	1.8~3.5	0.5~1.0	1.4	10.9	98	99%	Fast	450,000
S852M	2,560	2	1,310	25~4.0	0.5~1.2	1.5	11.3	102	99%	Fast	460,000
S892ML-M	2,665	2	1,365	1.8~3.5	0.5~1.0	1.4	11.4	104	99%	Fast	460,000

Package: Triangular CODURA TUBE | Origin: South Korea



CUTTLEFISH | BIGFIN REEF SQUID



CUTTLEFISH | BIGFIN REEF SQUID



F 2 -VER.2- TIP RUN EGING (BOAT EGING)



Blank material: 40ton high-elasticity CARBON + Helical core + X-WAVE SOLID TIP: 30TON CARBON SOLID TIP

CARBON SOLID WHITE COLOR paint for visibility FUJI GUIDE: "SIC" KR Concept guide

FUJI REEL SEAT: VSS16

FUJI REEL SEAT HOOD: KDPS 16P/ASH REEL SEAT BODY COLOR Spray GRIP: BLACK Superstrong EVA GRIP

S854ML-M | Two-Top Travel

- Folded length 68cm, two tips to maximize portability and functionality for travel Eging Rod. Solid Tip and Tubular Tip can be replaced. It is possible to cope with various demands in consideration of the difference of the region, place, weather etc. of all parts. Best model for overseas fishing.
- Use 15-20g of Egi, which has the highest frequency of use, for all-round use
- Provides a high-quality hard case : Easy to carry around withyour shoulder

S812L-ML

- It is possible to manipulate the Egi below 15g technically as the user wants, and it has the best lightweight and overwhelming pressure in the lineup
- It is possible to experience the tip sensitivity that vividly conveys the movement of the small Egi, and the excellent resilience of the short blank which enables quick and sharp Jerking

S832ML

• The recent overall trend is that each user freely uses creative Jerk to approach target fish in various ways by season. With flexible tips, we prepared a sturdy blank with less loss in short and long Jerking operations

S842M

- The most standard model: seasonal, place, and local differences exist, but it shows casting performance and operability that suits its diverse needs
- Use 15-20g of Egi, which has the highest frequency of use, for all-round use

S872MH

- A powerful model that satisfies all the movements of Eging despite strong external loads in fields such as steep slopes, rapids stream, and complex
- When using large and fast Jerking action, it is possible to produce large and colorful movement of underwater Egi

S672L-ML-CST | TIP RUN EGING

- Bigfin leaf squid exclusive Rod for only shipboard Tip run Eging
- It is equipped with a taper that can see the most important sould movement in Tip run and to grasp the Bite with the eye
- The tip is so resilient that you can use it without stress even in fast Jerking
- It is the most common specification for the 10m ~ 25m deep water layer in Korea. It is suitable for the operation of Egi for 30g~45g Tip run
- It is a model with excellent coping ability in various situations. It is optimal to attack and suppress large squid



INFORMATION

Item	전장(mm)	절수(本)	접은길이(mm)	EGI(호)	Line wt(PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
S812L-ML	2,465	2	1,260	2.5~3.0	0.4~1.0	1.4	11.3	97	99%	Fast	260,000
S832ML	2,515	2	1,285	2.5~3.5	0.6~1.2	1.5	11.4	102	99%	Fast	270,000
S842M	2,530	2	1,295	3.5~4.5	0.6~2.0	1.6	120	105	99%	Fast	280,000
S872MH	2,610	2	1,335	4.0~4.5	0.8~2.0	1.8	12.1	112	99%	Fast	290,000
S854ML-M	2,565	2	680	1.8~3.5	0.4~1.0	1.5/1.0	11.6	113	99%	Fast	320,000
TIP RUN EGING S672L-ML-CST	2,005	2	1,030	3~4	0.5~1.5	0.7	8.0	84	99%	Fast	270,000

Origin: South Korea





Since it should be easily accessible to anyone anytime, anywhere, we applied the finest blank to the entry-level to enhance operability and release it with the best quality in class. A combination of thin, soft tips and butts with strong strength. Blank with ultra-elastic multi-structure system boasts the best in its class.

- The 3D "Z" guide system has been adopted to improve the sense of loosening lines and casting ability
- Selecting the X-JOINT combination method, it is possible to overcome the weakness of loosening the combination during repetitive casting and Jerking, and to deliver natural power to the Taper
- The FUJI VSS reel seat doubles the power on the blank when held, and the handle with high-strength E.V.A and anti-skid cork

Blank material: 30~40TON high-elasticity CARBON + helical core + Z-CT FUJI GUIDE: Stainless "ALCONITE" Concept guide

FUJI REEL SEAT: VSS16 REEL SEAT + KDPS 16P/ASH HOOD

S812ML

- It is easy to operate, and the continuous Jerk action using the Slack line makes Egi's movement appeal to the squid with certainty, and the soft tip reduces the sense of tentacles and brings excellent results
- It is easy to carry and move, so Egi fishing is easy and fundespite frequent location movements

REEL SEAT BODY: AQUA BLUE Spray

ITEM: TIP 30TON CARBON SOLID / Use WHITE COLOR paint with visibility

GRIP: BLACK Superstrong EVA GRIP

S852ML

- It can be used in any Egi Fishing from Cuttlefish to Bigfin reef squid
- Moderately soft tips and strong Butts are very efficient for fishing in the fall season

S892M

- When the results are not good in coastal eging, products that can produce differentiated results to detect sensitive bites with long distance casting
- In addition to Egi, it boasts a progressive taper that can use a variety of Lures

We have adopted a soft solid tip that can detect squid deep in the rock when fishing on foot or on board. 팁이 들어가는 입질, 일어서는 입질, 흔들거리는 입질을 감지하고 훅셋 후 서서히 일어나는 강한 허리힘을 가지고 있는 제품입니다.

TIP RUN EGING (BOAT EGING) S692L-ML(CST)

- It is suitable for 15~20g Egi operation in the relatively thin depth of water layer. Products suitable for Tip run Eging by flow of the tide
- It is 206cm long and has excellent lightness and operability on the boat. It detects fine bites and has excellent ability to detect floor terrain

TIP RUN EGING (BOAT EGING) S742ML-M(CST)

- When bite, the tip responds smoothly and has excellent resilience, so it is effective in landing, targeting relatively deep water levels of 30m or more. Specifications suitable for Egi operation around 20 to 35g
- It has excellent coping skills in various situations and is optimal for targeting and overpowering large squid



ltem	전장(mm)	절수(本)	접은길이(mm)	EGI(호)	Line wt(PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
S812ML	2,465	2	1,208	2~3.5	0.4~1.2	1.6	11.5	106	99%	Fast	190,000
S852ML	2,565	2	1,283	2~3.5	0.6~1.2	1.6	11.8	109	99%	Fast	200,000
S892M	2,665	2	1,323	25~4	0.6~1.5	1.7	121	115	99%	Fast	210,000
TIP RUN S692L-ML(CST)	2,060	2	1,060	3.0~3.5	0.3~1.2	0.9	11.0	99	99%	Fast	200,000
TIP RUN S742ML-M(CST)	2.240	2	1.150	3.5~Alpha	0.5~1.5	0.95	12.1	103	99%	Fast	210.000

Package: Hardcase | Origin: South Korea











It is a sharp rod that reduces shaking for Webfoot octopus and cuttlefish fishing, the best fishing on the west coast and south coast. To accurately detect Cuttlefish and Webfoot octopus, we complemented usability in our existing Eging Rod or general-purpose Rod

INK S832M

- It is a specification suitable for a general pattern, which can feel the weight quickly and accurately during dragging
- Hard blanks have strong Butts that can land with fast and strong Hook sets

INK S842M-CST

- More sensitively grasping the sticky bites of squid by employing solid tips
- Strong Butt makes quick and easy landing with a fast and strong Hook set













S842M-CST(TIP SOLID)



INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	EGI(호)	Line wt(PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
S832M	2,510	2	1,285	4~7	0.8~1.2	1.6	12.2	120	99%	Fast	210,000
S842M-CST (TIP SOLID)	2,530	2	1,295	3~6	0.8~1.2	0.95	12.2	108	99%	Fast	220,000

Origin: South Korea









The synthesis and application technology of composite materials have developed year by year, realizing incredible strength and weight reduction. We have achieved the best weight reduction in our class by reducing the weight of low-end products so that anyone can enjoy Eging

BLANK: 30~40TON high-elasticity CARBON BASE + helical core + Z-CT

S682L-ML (TIP RUN):

30TON CARBON SOLID + WHITE Painting and Color Use for Visualization

KOREA Samyang GUIDE: "Zirconia" KTSIG Guide FUJI REEL SEAT: VSS16 + KDPS 16P/ASH HOOD REEL SEAT BODY: Purple COLOR Spray

GRIP: BLACK Hard EVA GRIP

S862ML-M

• The best power distribution for long casting and operability, strong distance & torque from strong Butt, and soft tips can also feel the weak tentacles's touch from far away

S832M

 \blacksquare The all-round model that can control 10 \sim 20g Egi freely with a light manipulation feeling from the optimal length, so that it does not cover the field and season


S802ML

• The length is short and anyone can easily manipulate

S682L-M

• It is the first Tip-Run rod in the NIXX POP series and is a powerful universal model that encompasses both deep and shallow depths with soft tips and strong Butt. It is 6 feet 8 inches long, not long or short, and is easy to use by anyone from beginners to experts

- Focuses on weight reduction and operability, and appeals Egi's movement to squid with Jerking action
- •A soft tip increases the landing probability by reducing the sense of tentacles of squid
- •Comfortable casting and Egi operation are possible when the field is limited (Fishing on board, etc)
- All-round models that can be used up to Cuttlefish and Bigfin reef squid for standard Egi operation of 15-20g
- •It's flexible from tips to Butt, so it's excellent for casting and action management
- It has the power to operate heavy Egi comfortably, and difficult long-distance casting is possible
- It is possible to respond appropriately in the reef etc. where the needle well hangs. It has the powerful torque which it can catch the large squid or octopus.







INFORMATION

ltem .	전장(mm)	절수(本)	접은길이(mm)	EGI(호)	Line wt(PE)	선경(mm)	원경(mm)	무게(g)	키본함유량	Taper	가격(원)
S802ML	2,440	2	1,250	2~3	0.4~1.2	1.3	10.8	115	99%	Fast	미정
S832M	2,510	2	1,285	2~4	0.6~1.5	1.4	11.1	118	99%	Fast	미정
S862ML-M	2,585	2	1,325	2~4	0.6~1.5	1.3	11.2	122	99%	Fast	미정
S682L-ML (TIP RUN) SOLID TIP	2,030	2	1,045	2~4	0.6~1.5	0.7	11.1	122	99%	Fast	미정

Package: CLOTH BAG + PET CASE | Origin: Chinese local factories



BIGFIN REEF SQUID





We lowered the wall of the luer entrance. We have made it easy for anyone to access the Rod, which is specialized in popular Bigfin reef squid fishing, at a reasonable price. We have been equipped with a product that is not lacking in operationality, elasticity, balance, etc. by considering consumers who are exposed to squid fishing (Eging) for the first time.

Blank: 24TON CARBON BASE

GUIDE: FUJI CONCEPT " O " GUIDE

• China vss16 REEL SEAT

Reel Seat: Anti-skid black rubber spray

• GRIP : Black Hard eva GRIP



S802ML

- $\ \ \, \ \ \,$ With its high operability in light weight, it easily operates 5~15g small Egi
- It is suitable for casting a small Egi as well as delicately appealing to sensitive squid with a slack jerking by properly combining soft tips, so it is suitable for coastal squid fishing

S852ML

- Standard general-purpose models for all required movements, such as casting.
 Jerking, and landing
- Focusing on satisfying long casting and deep Jerking with the power that does not lack even the heavy 20g Egi operation

S902L


- Recently, it has been developed because of the need to appeal as much as possible and delicately in various domestic Eging fields.
- Even though it is the longest model in the lineup, large and soft casting and Jerking are possible. Rarely in 9-foot-long products, 5g small Egi can be operated effectively













INFORMATION

Item	전장(mm)	절수(本)	접은길이(mm)	EGI(호)	Line wt(PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
S802ML	2,435	2	1,250	2~3.5	0.5~1.0	1.8	124	131	93%	Fast	69,000
S852ML	2,565	2	1,315	2.5~3.5	0.6~1.2	1.9	129	140	93%	Fast	69,000
S902L	2,740	2	1,405	2~3.5	0.5~0.8	1.7	13.1	141	93%	Fast	69,000

Package: PET Cases | Origin: Chinese local factories



JACK MACKEREL | PENCIL SQUID | LARGEHEAD HAIRTAIL







The staff of JS Company [An Tae-ho] participated in the development directly and poured out his long experience and accumulated know-how. Ajing rod, which focuses on three things: ultra-light, high sensitivity, and perfect balance, has finally been born.

Blank: 40~46ton high-elasticity CARBON + helix graphene + helical core + 5DS CROSS

30TON CARBON SOLID

FUJI GUIDE : FUJI "SIC" titanium micro guide application FUJI GUIDE : 마지막 GUIDE T-ATSG titanium single foot guide FUJI REEL SEAT : FUJI VSS16 + KDPS16GM/ASH REEL SEAT BODY Purple COLOR Spray

Aluminum BUTT CAP: Apply a vibration system for bite sensitivity

GRIP: BLACK Hard EVA GRIP

S582XUL-CST

- Apply the thinnest line diameter 0.7mm and the smallest FUJI micro guide with the idea of "to make an Ajing rod-like Ajing rod"
- Designed to have a very good overall balance as well as excellent sensitivity.
 A model to catch Jack Mackerel in the right size
- By adopting the Taper Solid Tip, it is easy to hit JackMackerel without having to set Hook quickly when the bitecomes
- The tip is soft, so you can feel the thrill at hand whenfighting, and the repulsion when landing is good, so thestability is also excellent
- Models for Only-Jack Mackerel Fishing

S622UL-CST

- Enhanced high sensitive rod with upgraded guide andbalance in the existing AJ3 ver.1 S622UL model
- Micro guide is applied to improve the sensitivity of theexisting AJ3 ver.1 rod, and the balance is also better.
- 3g of jighead can be handled without difficulty, so it is a recommended model to enjoy high-sensitivity fishing not only to the big jack jackerel but also dark-banded rockfish

S642L-CST

- When you always feel bored by catching the same size, let's catch Jack Mackerel
- It is similar to the S622UL model as a whole, but it is astronger Ajing rod as the foreground and outer diameterincrease.
- It has enough strength to throw even 5g without difficulty and is equipped with sensitivity to feel even small Jack Mackerel. If you want to enjoyLight Game with just one Rod, We recommend this model













INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure wt(g)	Line wt(LB/PE)	선경(mm)	원경(mm)	카본함유량	Taper	가격(원)
S582XUL-CST	1,725	2	890	0.3~2	1~3/0.2~0.6	0.7	6.8	93%	Fast	미정
S622UL-CST	1,875	2	965	0.3~3	1~3/0.2~0.8	0.8	8.1	93%	Fast	미정
S642L-CST	1,925	2	990	0.3~3	1~3/0.2~0.8	0.8	7.6	93%	Fast	미정

Package: Triangular CODURA TUBE | Origin: Chinese local factories

CONNECT with JSCOMPANY_65

JACK MACKEREL | PENCIL SQUID | LARGEHEAD HAIRTAIL

NIXX Ajing1

Ajing rod with proper sensitivity, balance, and strength for beginners. We adopted a guide that is one dimension higher than the micro guide. It can be used not only for lightweight jig heads of 0.6g to 1g, but also for 3g. The E.V.A grip was designed in the most comfortable shape. For balance adjustment, the S622XUL-CST model is up-locked and the S682UL-XUL model is down-locked.

blank material: 30~40ton high-elasticity CARBON + helical core

S622XUL-CST: 30TON CARBON SOLID TIP KOREA GUIDE: KOREA Samyang "SIC" Micro Guide

FUJI GUIDE : 마지막 GUIDE T-ATSG titanium single foot guide

FUJI REEL SEAT: FUJI VSS16 FUJI REEL SEAT HOOD: KDPS 16P/ASH **REEL SEAT BODY COLOR Spray**

GRIP: BLACK Hard EVA GRIP

S622XUL-CST

- Apply a short length for better balance; rod for theinstantaneous and reflective Hook set required for Jackmackerel fishing
- It can react to short and weak bites. Hook the Jig Head on the target's mouth and don't miss it easily.

S682UL-XUL

- A product for users unfamiliar with the short Ajing rod. The 40CM class big Jack mackerel in deep water can be caught without difficulty.
- A general-purpose spec that can be dark-banded rockfish fishing. Enough power to overpower even large-scale dark-banded rockfish

S622XUL-CST










S682UL-XUL











INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt(g)	Line Wt(LB/PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
S622XUL-CST (CARBON SOLID TIP)	1,885	2	965	0.3~2	1~3/0.2~0.6	0.9	8.4	67	99%	Fast	140,000
S682UL-XUL	2.030	2	1.040	0.3~3	1~3/0.2~0.8	1.9	8.7	77	99%	Fast	140.000

Package: High quality Hardcases | Origin: Chinese local factories









Blank material: HELIX SNM + high strength compression carbon

· Silica nanomaterials can realize durability and power at the same time, making them optimal for zig fishing

Blank mechanism :


• HEXA CROSS CONSTRUCTION(six-axis) + 5DS + SHDBased on the endurance and power of blank, the resilience of the material plays an important role in jigging fishing. VJ4 arranges muscular carbon fibers with persistence and strength to produce natural jig action. When fighting with big fish, the tremendous resilience of HEXA CROSS CONSTRUCTION

Guide

- FUJI's titanium frame TORZITE FLANGE ring wasadopted for top guides and choke guides to eliminate thephenomenon of fishing lines being swept and broken, and to minimize damage to fishing lines by maximizing fishing line release and slipping
- FUJI's new product, 3D TANGLE FREE Aroana TopGuide, is adopted to prevent the most perfect linetwisting
- Complete the optimal jigging spinning rod to ensure automatic line twist prevention and line release by adopting the 3D REVERSE CHOKING

Reel seat with double locking nut: No reel releases in action and fighting Future-oriented titanium mirror painting method:

• First application in Korea, My favorite treasure for a long time



S54M

- It covers all fields and is designed as an all-round all-weather that does not give in to dealing with large fish and can operate up to 250g of Jig
- High Pitch Short-Jerking in shallow water depths and One Pitch Long-Jerking in deep water depths were designed to be possible
- A powerful model that hits with soft tip action and powerfulbutt power surely overpowers fish
- 10kg oversized Yellowtail Amberjack, Japanese Amberjack, and Greater Amberjack are targeted. It is designed to be able to land easily with overpowering based on powerful butt power

BC52MH

- For All-Weather Verticals aimed at All Fields in Korea
- Designed for the all-round, can operate up to 230g of lure
- Design for High Pitch Short-Jerk and One Pitch Long-Jerk
- Tip action to reduce fatigue from Jerking action, strong butt to ensure overpowering. Electric Fishing Reel available



YELLOWTAIL AMBERJACK | JAPANESE AMBERJACK | GT









S56MH

- Perfect for dealing with monster-class crouching in deepwater
- Spinning rod that enough to attract monster class by blowing vitality into jig even in deep water. No problem using up to 300g of Jig
- Through One Pitch Roll Jercking Action, it is designed to create strong butt power to successfully land large fish such as Yellowtail Amberjack, Japanese Amberjack, and Greater Amberjack over 10kg.

BC50H


- Developed to operate up to 300g of lure to deal with monster class
- With a light weight of 228g, it minimizes the fatigue from fishing for a long time and provides the best fishing environment with strong butt power
- It is suitable for operating the long metal jig and it is easy to suppress the Yellowtail amberjack more than 20Kg
- Design considering the trend of increasing electric jigging users and the use of electric reel


























INFORMATION

Item	전장(mm)	절수(本)	접은길이(mm)	Jig	Line wt(PE)	Drag Max(kg)	무게(g)	카본함유량	가격(원)
S54M	1,630	1	1,630	~250	3.0~5.0	8	213	99%	470,000
S56MH	1,680	1	1,680	~300	4.0~6.0	10	228	99%	480,000
BC52MH	1,570	1	1,570	~180	4.0~6.0	10	232	99%	500,000
RC50H	1520	1	1520	~280	60~10	12	231	99%	490,000

Package: Square CODURA TUBE | Origin: South Korea





Jigging series with weight, balance, and strong butt. Flexible tips for absorbing and restoring the repulsive force of the jig reduce user fatigue. The flexible structure minimizes the occurrence of a broken fishing line or a needle falling out.

Blank material:

30~40TON High Elastic CARBON + Helical Core+ SHD + S2 GLASS

1PC TYPE

FUJI GUIDE: "K" concept ALCONITE GUIDE SPIN FUJI REEL SEAT: DPSSD18 apply BAIT FUJI REEL SEAT: PLSSD18 apply GRIP: Superstrong BLACK EVA GRIP apply

S56XXXH | BC56XXXH

- A model to respond to monster-class fish species in deepwater around 80m and rough fields. Flexible overpowering10~20kg classes with highly resilient Butt
- Optimized for operation of semi-long jigs and long jigs of 150-250G according to jerk patterns

SPNNING:

It is easy to cast, so the scope of search is slightly wider.

Action speed and height control are advantageous, and Spinning Reel's drag sound is a bonus.

BAIT CASTING:

more comfortable when vertical jigging, and better to control

S58XXH | BC58XXH

- Focusing on various action operations such as One Pitch, High Pitch, Short Pitch lerking
- Inducing bites in various situations through action changes according to the condition of the sea and fish group that change from time to time
- Optimized for operation of semi-long jigs and long jigs of 150-230G according to jerk patterns

SPNNING





S60XH BC60XH

- Induce bite by creating a natural action that seems to swim during tidal current or wind-induced diagonal zigging or casting
- According to the jerk pattern, 150 ~ 200G semi-long jigand long jig can be operated. It is suitable for the operation of tungsten jig which is active recently
- Optimized for operation of semi-long jigs and long jigs of 150-230G according to jerk patterns













INFORMATION

ltem	전장(mm)	절번(本)	접은길이(mm)	JIG(g)	Line wt(PE)	Drag Max(kg)	선경(mm)	원경(mm)	무게(g)	카본함유량	S-2 GLASS 함유량	가격(원)
S60XH	1,825	1	1,825	~230	3.0~5.0	8	2.3	13.5	194	89%	10%	270,000
S58XXH	1,725	1	1,725	~270	3.0~5.0	10	2.4	13.6	204	89%	10%	270,000
S56XXXH	1,675	1	1,675	~300	4.0~6.0	12	2.6	14.2	207	89%	10%	270,000
BC60XH	1,825	1	1,825	~230	3.0~5.0	8	2.3	13.5	203	89%	10%	280,000
BC58XXH	1,725	1	1,725	~270	3.0~5.0	10	2.4	13.6	213	89%	10%	280,000
DCECVVVLI	1 <i>6</i> 7E	1	1 <i>C</i> 7E	- 200	10.60	10	26	1/1.2	210	900/	100/	200,000

Package: High quality Hardcases | Origin: South Korea

YELLOWTAIL AMBERJACK | JAPANESE AMBERJACK | GT





JScompany's high-end slow jigging rod. Carbon handle that delivers touching vibration to the ultra-elastic blank. Even though it is a slim blank, it has a toughness.

Blank material:

40TON High Elasticity CARBON + HELIX SNM 1500 Graphene BASE (Helical core + HEXA CROSS method)

Handle separation 2PC TYPE

FUJI Guide: FUJI "KR" Concept SIC GUIDE Reel seat: FUJI T-DPS 20 REEL SEAT

Reel seat COLOR: REEL SEAT BODY BLACK RUBBER Spray

GRIP: Hard BLACK EVA GRIP

PAD EVA GRIP: Protection EVA GRIP that can protect between

Fore GRIP + Real GRIP

BC622XH

- Suitable for 60~180g of Inchiku and slow jig operation.
- Development focusing on operability. Target: Olive flounder, Convict grouper, Groupers's sub family, Japanese seabream, etc
- Electric reel can be installed

BC612XXH

- 120~250g of slow jig and semi-long jig. Most suitable for Korean environment.
- Based on soft tips and strong butt power, it is possible to produce various Jerking action and has high pressure, so it can be used as an all-round. Target: Yellowtail amberjack, Japanese amberjack, Cod, etc
- Electric reel can be installed

BC632XXXH

- Suitable for slow jig operation of 180~350g
- A model developed to target large fish species or respond to fishing in extreme environments. It has tough power, so it can quickly overpower even in fighting with large fish species.
- Electric reel can be installed













INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Best(g)	Line wt(PE)	Drag Max(kg)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
BC622XH	1,880	2	1,330	60~180	1.5~2.5	8	1.8	10.5	140	99%	Fast	460,000
BC612XXH	1,855	2	1,305	120~250	2.5~4.0	9	1.9	11.4	149	99%	Fast	470,000
BC632XXXH	1.905	2	1.355	180~350	25~50	10	2.1	12.4	168	99%	Fast	480.000

Partial changes can be made without notice to improve the quality of the product | Origin: South Korea







In order to develop a rod that is optimal for domestic field conditions and target fish, it has been tested harshly for more than six months and has strong butt power without wavering even in fighting with large fish. With 40 t of ultra-elastic carbon and Helix SNM, can easily overpower Yellowtail Amberjack over 1 meter. Soft tips, powerful Butt torque are designed to help induce the bite by creating optimal Slow-Jig action.

BC63XHB

- Optimal for 140g of Inchiku and 130g of slow jig operations Yellowtail amberjack, Japanse amberjack can be easily suppressed
- Suitable for shallow water in the 20~40m rangelt is also good for dealing with small and medium-sized fish such as Japanese seabream and Rockfish


BC63XXHB | BC662XXHB

- Optimal for slow jig operation of around 160g. Most suitable for Korean
- All-round standard model that can easily produce various Jerking action Reduce the time to hit and land large species based on powerful butt power

BC63XXXHB

- The most powerful model that can suppress large Yellowtail amberjack or other large fish species without shaking even when Slow-Jigging over 200g
- Used in Slow-Jigging over 200g in areas with strong algae or step-sided. Based on fast action tips and powerful butt power, it is possible to produce various actions, increase the hit probability, and can suppress large fish species in a short
- X Even in the actual test, the model had no problemoverpowering the 120cm class Yellowtail Amberjack













offer:To prevent damage when



Decoupling-type handle



INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Best (g)	Line wt(PE)	Drag Max(kg)	무게(g)	카본함유량	대상어	가격(원)
BC63XHB	1,890	1	1,890	150	2.0	7	147	99%	부시리, 방어, 광어, 능성어, 붉바리	370,000
BC63XXHB	1,890	1	1,890	180	3.0	8	153	99%	부시리, 방어	380,000
BC63XXXHB	1,890	1	1,890	220	4.0	10	159	99%	부시리, 방어	390,000
BC662XXHB	1.990	2(해들부리)	1.455	180	3.0	8	138	99%	부시리 방어	395.000

Package: High quality Hardcases | Origin: South Korea



YELLOWTAIL AMBERJACK | JAPANESE AMBERJACK

BIXOD J2



Reflecting the needs of anglers who aspire to a reasonable slow jigging rod that suits the situation in Korea, we have created a powerful Gear that is easy to carry and functional. Developed as a portable handle separation type for the convenience of long-distance fishing trips. The best gift for away jigging fans by realizing lightening while maintaining one-piece action and power.

Blank material:

Ultra-high elastic carbon (40t) + high-strength carbon (30t)

- Using a 40t high-elastic carbon: It boasts a perfect torque for comfortable jerking and overpowering large fish by increasing bite sensitivity and floor sensitivity.
- The optimal structure realization by fully understanding the characteristics and functions of composite materials. Light weight, durability and power at the same time: so it has never been broken in many test processes.

Blank mechanism : HELICALCORE CONSTRUCTION + SHD

- The optimal structure realization by fully understanding the characteristics and functions of composite materials.
- Light weight, durability and power at the same time: so it has never been broken in many test processes.

Guide:

- FUJI TANGLE FREE "K" Guide and LDB Guide combination: Apply a new concept guide that perfectly prevents PE line twisting.
 Reel seat:
- FUJI's latest PLS blank touch type reel seat is adopted. Design to feel perfect reel grip and blank sensitivity by hand
- Achieved the best grip in Jerking and fighting for a long time during the actual field test process. Perfect grip design combined with comfortable handles

642XXHB

- Suitable for slow jig operation of around 160g The most optimal specification for the Korean environmentthat can target various fish species
- The standard for using various slow jigs' Jerking actions.
- Excellent torsion, bending, and resilience from the helicalcore structure, it can
 easily suppress the target fish byexerting strong torque during landing and enjoy
 reliablejigging because of high fatigue strength
- $\ \ \, \ \ \,$ Optimization for Semi-Long Jig and Long Jig 150 \sim 230G operation according to the jerk pattern

642XXXHB

- \blacksquare No difficulty in operating a slow jig of 200g or more in deep and tidal fields
- Application of Underlapping Method and Guide Array Designed by Flexural Balance. The most powerful specification that can be suppressed without any difficulty in dealing with large fish species including Yellowtail amberjack.



INFORMATION

Item	전장(mm)	절수(本)	접은길이(mm)	Lure Best	Line Best(PE)	Drag Max(kg)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
642XXHB	1,930	2	1,375	180	3.0	9	2.0	11.9	154.8	99%	Fast	290,000
642XXXHB	1,930	2	1,375	210	4.0	10	21	127	163.1	99%	Fast	290,000

Package: High quality Hardcases | Origin: South Korea





JAPANESE SEABREAM | KOREAN ROCKFISH | OLIVE FLOUNDER | OCTOPODA | ONE LINE FISHING





shots of about 110g

1500 FIRST THE A TORZITE Reverse Guide.

The perfect grip, for more

위해Most Rods have the advantage of being simple to assemble due to the "dimensionalization" of Reel seat and Grip, and have similar gripping effects by unifying the standards of Rod caliber and Reel sheat caliber for large-scale production.

[Perfect grip] Can't we make a rod with that?We first learned that the only way is to "unify" the Reel seat, trigger, and grip parts that are held in our hands. Over the years, we have developed the world's first [all-in-one reel seat] with a sense of grip that satisfies everyone through numerous tests and mold modifications. This was JS Company's technology and a feat that marked a new milestone in the global Rod development market. We name this proud technology [Synapes Technology]!

Vivid sensitivity, one big sound

In the first field test with a rod equipped with an integral reel seat, surprise was expressed immediately, and that was "sensitivity." It was not intended, but it was the result of the development of [integrated reel seat]. The vivid "sensitivity" that could not be obtained from the current dualized reel seat, which offsets the sense of riding down the blank at the end of Rod, was clearly felt, and we began to work together with development and planning members to find ways to amplify this "sensitivity." First, it was urgent to find a grip that can feel the best "sensitivity" according to the characteristics without any incongruity in fishing by using all the same Rods made of different grips "Cork grip" and "Carbon grip" on the spot. The valuable conclusion from more than two years of field tests was [carbon grip].

However, when adopting the carbon grip, it was applied only to the "Fest Action" Rod, which focuses on targeting Bottom. However, carbon grip is not the only one applied to all rods. This is because different grips can be applied depending on Lure and environment in the future. All of these considerations are JS Company's strategic intentions to make the optimal Rod, and the pride of making it!

Application of advanced new material, graphene

적용The [graphene] added carbon fiber base film developed by JS Company is a [hightech composite material] that increases the bonding force between fibers and carbon fibers dispersed in epoxy resin, reinforces the rigidity of the fabric by matching the directions of graphene and carbon fibers, and enhances the resistance to cracks.

The weight of the material was reduced by about 7% by applying it to the rod, the fracture strength was improved by about 10%, and a light and strong Rod was implemented. In addition, combined with the existing JS Company Nano technology, we have achieved the result of doubling Rod's performance and sensitivity!

Blank material

40TON High-elasticity CARBON + HELIX Graphene + Helical core

CARBON GRIP: Octagonal integral CARBON GRIP

Decoupling-type handle 2PC TYPE

FUJI GUIDE: Titanium torzite K Concept + Butt Guide RVTG Reverse REEL SEAT: JSCOMPANY SYNAPSE TECHNOLOGY REEL SEAT (VER.2)

"NEW" all-in-one REEL SEAT

REEL SEAT BODY: Carbon Pipe for Improving Sensitivity Octagonal CARBON GRIP: Anti-slip BLACK RUBBER spray to the bottomAluminum parts: graphene hexagonal shape cutting BUTT CAP: embossed BUTT CAP that makes the "N" mark stand out

BC642RSC

- A model to target sensitive Japanese seabream in the West Sea and South Sea. The ultra-slim blank of the 5:5 action provides the angler with an extreme of the thread at hand
- Identification of weak Bite and minimization of foreign substances in Tai rubber increase the probability of hookset
- As the depth of operation increases, the blank gradually operates smoothly, so that you can easily receive Bite regardless of size
- Suitable for driving around 40g of Tai rubber as a drift line technique and Retrieve

BC652RSC

- Specifications optimized for seabream fishing in the West Sea and South Sea. A model that can be operated without difficulty at all depths
- Dynamic fishing is possible through flexible Butt
- Suitable for operating 60~80g of Tai rubber as a drift line technique and a retrieve

BC672RSC

- Specifications optimized for seabream fishing in the southern sea and Jeju area. Up to 150g of Tai rubber can be used • More effectively overpowering the seabream of the deep water with strong
- You can use 80~100g of Tai rubber in various ways

BC682JSC

BC642JSC

Overpowering quickly through exciting performances. It operates jigs and down

• Flexible tips and Butts can suppress needle fall and create natural actions

- It is easy to grasp Bite with soft tips and can be quickly overpowered through
- Suitable for operating heavy tackle of No.25~40 used in octopus, Olive floor, One line fishing, etc.

BC662JSC


 All-weather specifications available in the West Sea, South Sea, and Jeju areas. Flexible tips dramatically improve Bite ability and prevent needles from falling off. Strong Butt is excellent in overpowering and coping with fast currents. Suitable for 60 ~100g of Tai rubber and No. 20 sinkers













INFORMATION I The design may be partially changed to improve product quality

			, ,		•							
ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Best(g)	Line Best(PE)	Drag Max(kg)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
BC642RSC(참돔)	1,925	2	1,430	20~100	0.6~1.2	3.5	1.1	7.0	-	99%	REGULAR FAST	570,000
BC652RSC (참돔)	1,950	2	1,455	40~120	0.6~1.2	3.5	1.1	7.0	-	99%	FAST	570,000
BC672RSC (참돔)	2,000	2	1,505	40~150	0.8~1.2	5	1.2	8.0	-	99%	FAST	570,000
BC642JSC (다운샷) SLOW TYPE	1,925	2	1,430	60~170	1.0~2.0	6	1.3	8.0	-	99%	REGULAR FAST	580,000
BC682JSC (범용) FAST TYPE	2,025	2	1,530	60~180	1.0~1.5	5	1.2	8.0	-	99%	FAST	580,000
RC662 ISC (번용) SI OW TYPF	1975	2	1480	60~150	0.8~15	5	11	80	_	99%	REGULAR FAST	580,000

Origin: South Korea

















Blank material:

HELIX SNM + High strength compressed carbon

• Silica nano is the most suitable material for onboard fishing where toughness is important. Existing optimal material capable of simultaneously implementing durability and power

Blank mechanism: HEXA CROSS CONSTRUCTION(6-axis)

• A soft, hard, ultra-slim external diameter. A tip as soft as a solid guarantees a definite Bite. Blank, which has HEXA CROSS CONSTRUCTION (6 axes), has excellent resilience and can easily land large Japanese sea cream without shaking at all

FUJI PTS Reel seat:

Maximize the performance of the blank that can detect even small bitesFuture-oriented titanium mirror painting method: First application in Korea. My favorite treasure for a long time

- FUJI's titanium frame TORZITE Guide was adopted: It eliminates the phenomenon that the line is swept away by the guide angle and breaks, and minimizes damage to the line by maximizing line release and
- Complete the best shipboard rod to ensure automatic line twist prevention and line release by adopting the 3D REVERSE CHOKING guide system



Advantages of the **CHARM N C4 SPIRAL** series

- HELIX SNM + high strength compression carbon : prevention and durability to further enhance its function
- The load is evenly distributed throughout Rod, and Rod work becomes easier when fighting with the target
- Baitcasting Rod's fast fishing management capability

632RSC

- Masterpiece that will be the best gift for seabream fishing technician. Identify weak Bite and minimize the foreign body sensation of Tai rubber. You can feel the thrill at hand unique to seabream
- Appropriate specification for operating 35~40g of Tair rubber as a drift line technique

642RSC

Optimal specifications for seabream fishing in the W and S Sea. It is convenient to operate not only in the deep water level but also in the shallow water level About 50g of Tair rubber drive line fishing and Bottom fishing are all possible

682JSC

All-round model possible in all environments in Korea, including Jeju area. A model that can cover rubber jigging, downshot, cuttlefish and webfoot octopus fishing on board

BC664RSC | TRAVEL

- Folded length 58.8cm, seabream exclusive fishing rod for travel that maximizes portability and functionality
- Products that are convenient to operate in various environments such as the West Sea and Jeju Island, 50~150g of Tai rubber drift line fishing and bottom fishing are all available

652RSC SPIRAL

- Masterpiece that will be the best gift for seabream fishing technician. Identify weak Bite and minimize the foreign body sensation of Tai rubber. You can feel the thrill at hand unique to seabream
- Add a spiral guide system to maximize advantages such as line release ability, increased bite sensitivity, and reduced line twisting
- A suitable specification for operating about 30g of Tai rubber as a drive line technique

662JSC SPIRAL

All-round model possible in all environments in Korea, including Jeju, with strong Butt and flexible tips. Models that can respond with various operations such as rubber jigging and downshot, including seamream as well as large fish species such as Yellowtail Amberjack and Japanese Amberjack

BC5112 FS-R | FULL SOLID


- A model prepared for wider fishing for anglers accustomed to Tai rubber
- Minimize Tai rubber's feeling of irritation when bite with extreme tapers and flexible tips unique to full solids
- Rod, which minimizes variables caused by high waves, further expands the world of Tai rubber

Overcoming the limits of sensitivity with the evolution of materials!

Transfer by maximizing fine sensitivity through titanium top. It is designed to enable more delicate response to ever-changing

BC602 MT (TITANIUM TOP) | Cuttlefish

- You can hook up easily with minimal force with a firm Butt
- Butt, which is strong in favor of deep water and fast currents. It's strong against breaking tips by using metal top
- During a specific period, Cuttlefish does not Bite Egi well, and it is characterized by biting and unbiting bait several times. It is easy to grasp the bite at this time and the Rod repulsion is not great, making it easy to land until the last time












CNT632RSC | CNT642RSC | CNT682JSC



CNT652RSC | CNT662JSC | BC5112FS-R | BC602MT



INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt(g)	Line Wt(PE)	Drag Max(kg)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	대상어	가격(원)
CNT632RSC	1,900	2	1,410	30~80	0.6~1.2	2.5	1.1	9.0	125	99%	4:6 Flex	참돔, 주꾸미	460,000
CNT642RSC	1,930	2	1,435	40~120	0.8~1.2	3.5	1.2	9.2	128	99%	3.5:6.5 Flex	참돔, 주꾸미, 백조기	470,000
CNT682JSC	2,030	2	1,525	80~140	1.2~2	5	1.3	10.0	132	99%	3:7 Flex	참돔,주꾸미,백조기,갑오징어	480,000
CNT652RSC (SPIRAL)	1,950	2	1.455	30~80	0.6~1.2	2.5	1.1	9.0	139	99%	4:6 Flex	참돔	480,000
CNT662JSC (SPIRAL)	1,985	2	1,480	80~170	0.8~2.0	5	1.4	10.0	150	99%	2:8 Flex	농어우럭광어민어붉바리갑오징어	490,000
BC5112FS-R	1,805	2	1,295	30~120	0.6~1.2	3.5	1.0	8.5	135	99%	Regular Fast	참돔	480,000
BC664RSC (TRAVEL)	2,015	4	585	50~100	0.8~1.5	3.5	1.4	10.1	143	99%	Fast	참돔	490,000

Package: High Quality Hardcase | Origin: South Korea

ltem	전장(mm)	절수(本)	접은길이(mm)	추부하 Best(호)	추부하 Max(호)	Line Best(PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	대상어	가격(원)
BC602MT (TITAN TOP)	1.830	2	1,310	10~15	30	0.6~1.5	0.9	10.0	128	99%	Fast	갑오징어	480.000

Package: High Quality Hardcase | Origin: South Korea

and cuttlefish on board

Elastic tips and strong Butt for jig operation.

and it's designed to maintain a one piece's taper

140g

seabream



of the sea. Excellent sensitivity and easy-to-manage product

It's best for 60g of tai rubber and Inchiku, It can be more than 100g

E.V.AGrip: Excellent durability and excellent grip that does not slip

Applying the helical core method to respond with natural taper to any Bite

from top to bottom. A product that rewards Seabream's sensitive Bite with

Optimized weight balance to reduce fatigue even when fishing for a long

Retrieve shaft (RSC): Fishing focused on seabream. Excellent for octopus

Light jigging (seabream,amberjack,Japanese amberjack,Cod,flounder)

• A model suitable for slow jig, metal jig, inchiku, and tai rubber deep fishing around

• Two-piece design for long-distance away fishing. It's easy to carry and store,

CWR682RSC RETRIEVE SHAFT

Japanese seabream exclusive rod (seabream, Cuttlefish, octopus)

Natural action production is possible with the ever-changing currents and wind

• Designed with soft tubular tips. It is excellent for the short Bite response of

Excellent ability to cope with high overpower and strong currents

Jerking shaft (JSC): All-weather ship (Rockfish, flounder, seabream,



Lure Rod on board for experts with light weight, operability, and

Guide exclusively for PE Line: Natural transfer of Line

큰 부하에도 견고한 발 밑 래핑 작업 실시

ability to cope with strong currents

resistance

strong currents

in the long nut method

portabilityDetachable handle type that realizes flexible force transfer such

FUJI "P"COLOR Alconite Guide: Excellent wear resistance and corrosion

FUJI ACS Reel seat: It is easy to lock and mount when the reel is mounted

CWR642JSS JERKING SHAFT | Spinning Rod

All Weather Sea Rod (seabream, Rockfish, flounder, Cuttlefish, Cod)

• With soft tips and strong Butt, this model has high overpower and excellent

• Specifications that even beginners can easily enter the light jigging game

Quick Jerking, slow Jerking, lift & falling action, etc. Target various depths

CWR652JSC JERKING SHAFT

All Weather Sea Rod (seabream, Rockfish, flounder, Cuttlefish, Cod)

Blank of strong torque. It has good control and excellent coping ability even with

Various actions such as fast Jerking and slow Jerking can be targeted at various

CWR662JSC JERKING SHAFT

All Weather Sea Rod (seabream, Rockfish, Cuttlefish)

• It has a strong Butt, so it has strong overpower and responds well to strong

Soft and thin tips double Bite's ability. Butt Grip, which has little movement,

Optimize weight balance. In energy-consuming zigging fishing, long-term

fishing fatigue is reduced and the pleasure of fishing is doubled

is free to operate Lure despite deep water and strong currents • The best spec for 80g tai rubber, Inchiku Lure. You can control 130g or more

• The floor sensitivity is excellent, so delicate zigging fishing is possible







CWR-642JSS

currents

INFORMATION

ltem	길이	용도	접은길이(mm)	Lure wt, Max(g)	Lure wt, Best(g)	Line Max(PE)	Line Best(PE)	Drag Max(Kg)	무게(g)	대상어	가격(원)
CWR-642JSS	1,930	슬로우지깅	1,375(핸들분리)	130	80	25	1.5	6	165	대구, 능성어, 광어, 우럭	220,000
CWR-652JSC	1,950	슬로우 지깅	1,390(핸들분리)	150	90	25	1.5	7	149	문어, 능성어, 광어, 우럭	220,000
CWR-662JSC	1,980	범용	1,445(핸들분리)	130	80	25	1.5	6	162	참돔, 광어,우럭, 갑오징어	220,000
CWR-672JSC	2,005	다운샷 슬로우 지깅	1,030(센터컷)	180	120	3.0	20	7	142	광어, 대구	240,000
CWR-682RSC	2,030	타이라바	1,485(핸들분리)	100	60	1.2	1.2	5	152	참돔, 백조기, 주꾸미, 갑오징어	220,000

Package: High Quality Hardcase | Origin: South Korea

JAPANESE SEABREAM | KOREAN ROCKFISH | OLIVE FLOUNDER

- Lure Rod on board for experts with light weight, operability, and portability
- Detachable handle type that realizes flexible force transfer such as one-piece
- FUJI's new "ECHO" guide : Eco-friendly and does not corrode by seawater FUJI ACS Reel seat: It is easy to lock and mount when the reel is mounted in the long nut method
- Robust underfoot wrap for heavy loads
- High density cork grip: Excellent durability and non-slip grip
- It is equipped with a locking function nut that satisfies the installation of reel without shaking despite strong fighting

CXT652JSC

JERKING SHAFT - Light jigging (seabream, Yellowtail amberjack Japanese amberjack, Rockfish, flounder)

 A model suitable for 120g slow jig, inchiku, and tai rubber deep fishing • With flexible tips and strong Butt, which is optimal for jig operation, it is good at

coping with high overpower and strong currents

- Applying the helical core method to respond with natural taper to any Bite from top to bottom. A product that rewards Seabream's sensitive Bite with excellent results
- The Cross Weave Winding method realizes the hardness and toughness of the blank at the same time, creating a natural movement
- Optimized weight balance to reduce fatigue even when fishing for a long time
- Good grip and completed design with high-quality natural cork and E.V.A grip
- Retrieve shaft (RSC): Fishing focused on seabream. Excellent for octopus and cuttlefish on board
- Jerking shaft (JSC): All-weather ship (Rockfish, flounder, seabream, cuttlefish)

CXT6102LRSC

RETRIEVE SHAFT - seabream exclusive rod : [Charm specialist]

- Seabream Rubber Jigging on board has a high landing failure rate due to its tricky Bite and falling needles. This product is for Seabream enthusiasts and uses tips using special low elastic carbon similar to glass. Increase landing success rate by demonstrating hookset ability in response to short Bite.
- Appropriate movement of bending balance and bending moment in Butt of four-axis structure. Minimize needle drop during landing and maintain a stable grip on long-term fishing

CXT652RSC | SPIRAL

- Upgraded version of CXT6102L, Rod for Seabream fishing enthusiasts using Rubber Jigging, Perfect response to tricky Seabream fishing
- Reflecting the latest Seabream fishing trend: Caliber's guide, smaller than before, was arranged in spirals, allowing evenly distributed loads across the Rod. Also, when fighting the target with a shortened handle length, the rod work is improved





CXT662JSC

JERKING SHAFT - All Weather Rod (seabream, Rockfish, flounder, Cuttlefish)

- It has a strong Butt, so it has strong overpower and responds well to strong currents
- Soft and thin tips double Bite's ability. Butt Grip, which has little movement, is free to operate Lure despite deep water and strong currents
- The best specification for 70g tai rubber and Inchiku Lure. You can control the down shot gear of more than 100g

CXT682RSC

RETRIEVE SHAFT - seabream exclusive rod (seabream, Cuttlefish, octopus)

- Designed with extreme soft tubular tips. It is excellent for the short Bite response of seabream
- Natural action production is possible with the currents and wind of the sea
- The thrill at hand is a good and easy-to-manage product.
- It's best for 50g of tai rubber and Inchiku. It can be more than 80g

CXT-652JSC | CXT-662JSC | CXT-682RSC

CXT-6102L RSC CXT-652 RSC

INFORMATION

Item	길이	접은길이(mm)	용도	Lure Wt(g)	Line Wt(PE)	Drag Max(kg)	무게(g)	대상어	가격(원)
CXT-652JSC	1,950	1,420(핸들분리)	다운샷, 슬로우지깅, 문어	90~150	1.0~2.5	6	159	광어, 우럭, 참돔, 부시리, 능성어	340,000
CXT-662JSC	1,980	1,445(핸들분리)	범용	60~100	1.0~2.0	5	150	광어, 우럭, 참돔, 백조기, 주꾸미, 갑오징어	330,000
CXT-682RSC	2,030	1,485(핸들분리)	타이라바	40~80	0.8~1.5	4	150	참돔, 백조기, 주꾸미, 갑오징어	330,000
CXT-6102L RSC	2,080	1,490(핸들분리)	바되어크	40~80	0.8~1.2	4	149	참돔, 주꾸미, 갑오징어	350,000
CXT-652RSC (SPIRAL)	1,950	1,455(핸들분리)	타이라바	40~70	0.8~1.2	4	114	참돔, 백조기, 주꾸미, 갑오징어	360,000

Package: High Quality Hardcase | Origin: South Korea

WEBFOOT OCTOPUS | CUTTLEFISH | JAPANESE SEABREAM (TAI RUBBER)

CHARM





Blank material: Highly elastic carbon, + Helical core

- BC 672FS-R Blank: TIP SECTION 30TON CARBON ALL SOLID + High elasticity CARBON BASE
- BC 682ST-R Blank: TIP SECTION 30TON CARBON TIP SOLID + High elasticity CARBON BASE

TOP: WHITE painting and ORANGE COLOR LINE for visibility

BC642RSC | Tai rubber

- For lightweight Tai rubber with 40g to 60g
 It is possible to minimize the fatigue that can be felt in seabream fishing that takes a long time. Lightweight and highest elasticity that has never been before
- It does not lose its cheerfulness and operability throughout use, and immediately responds to seabream's unique Bite

BC662JSC | Universal

- A universal model that corresponds to most of the targets that can be targeted in Lure fishing on board. (flounder, Rockfish, seabream, Cuttlefish, octopus)
- More enjoyable fishing with light weight, elastic tips and strong butts

BC672 FS-R | Tai rubber : Full solid

- The basics of Tai rubber, Developed for anglers who prefer basic Retrieve techniques (full solid)

 Designed with a soft regular action, it can respond to seabream's sensitive and
- sharp Bite
- Due to the soft nature of full solids, it is possible to respond calmly to sudden Bite. It's advantageous to maintain tension after the hook set, we strongly recommend it to anglers who have anxiety about falling needles

FUJI GUIDE: FUJI "SIC" K Guide

REEL SEAT for Webfoot octopus, Cuttlefish: FUJI Separable Reel seat

REEL SEAT for Tai rubber: FUJI PTSMK 17

Grip: Side processing black super strong EVA grip to improve grip By hiring AIR VIBRATION SYSTEM BUTT CAP, Bite sensitivity is improved

BC652RSC | Tai rubber

- For about 70g of Tai rubber
- Maintaining the lightness of the CHARM AIR series. It naturally responds to strong currents and can be flexible but strongly overpowered in fighting with large

BC632JSC | Downs hot

- It's suitable for hooking using a jig of about 120g, inchiku, and deep water down
- Heavy Gear easily accumulates fatigue, so ultra-light CHARM AIR becomes a reliable helper for users

BC682 ST-R | Tai rubber : Solid Tip

- The basics of Tai rubber. Developed for anglers who prefer basic Retrieve techniques (full solid)
- Designed to deliver strong force when hooking even in fields with a depth of 100m or more.
- Strong Butt and soft tips raise sensitivity to the limit. It delivers various information on the field to the angler even when deep water depth or Gear












BC642RSC | BC652RSC | BC662JSC | BC632JSC



BC672 FS-R



INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt(g)	Line Wt(PE)	DragMax(kg)	선경(mm)	원경(mm)	무게(g)	Taper	가격(원)
BC642RSC(EЮ(라바)	1,925	2	1,430	30~70	0.6~1.2	3.5	1.1	9.6	93	FAST	250,000
BC652RSC(EЮ 라바)	1,950	2	1,455	40~100	0.8~1.2	4.0	1.2	9.6	95	FAST	250,000
BC662JSC(범용)	1,985	2	1,480	60~120	0.8~1.5	5.0	1.3	10.4	103	FAST	260,000
BC632JSC(다운샷)	1,900	2	1,405	60~200	1.0~2.0	6.0	1.5	10.4	108	FAST	260,000
BC672 FS-R(타이ટH바)	2,005	2	1,510	40~150	0.6~1.5	5.0	1.0	8.5	115	REGULAR / FAST	290,000
DC603 CT_D/EI/UIZIHI)	2025	2	1530	40~120	06~12	50	12	85	102	DECLII AD / EAST	270.000

Package: High Quality Hardcase | Origin: South Korea

BC582M | Webfoot octopus 8:2 ACTION

- The explosive expansion of Webfoot octopus fishing created the need for professional rods
- Light weight and short length. It can be operated comfortably all the time Specifications suitable for the use of sinkers of No. 8~15 at depths of 5~25M. With its high visibility design and soft solid tips, it is easy to grasp even the fine

BC602M | Cuttlefish 9:1 ACTION

- Rod specialized in Cuttlefish fishing, which is difficult to find in Korea. Planning by prioritizing sensitivity so that it can respond immediately to sensitive Bite
- With its high visibility design and soft solid tips, it can be agile and accurate hooks even in fishing in fast currents and rough floor terrain
- With strong Butt, the success rate of overpowering and landing is high, promising improved results

BC552ML | Cuttlefish 7:3 ACTION

- A model that increases sensitivity as much as possible so that you can feel the weight of Cuttlefish quickly and clearly by shaking and dragging
- Optimization for targeting relatively shallow water depths rather than deep water depths. The best sensitivity and balance when combined with sinkers No.12~15











BC582M | BC602M



BC552ML-SPIRAL



INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	추부하(호) Best	추부하(호) Max	Line wt(PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
BC582M(쭈꾸미) 8:2 ACTION	1,725	2	1,275	12~15	30	0.6~1.2	0.9	10.2	90	99%	FAST	250,000
BC602M(갑오징어) 9:1 ACTION	1,825	2	1,375	12~15	30	0.6~1.2	0.9	10.2	96	99%	FAST	260,000
NEW BC552ML-SPIRAL(갑오징어)	1,650	2	1,225	8~20	-	0.6~1.0	0.75	8.1	88	99%	REGULAR	250,000

Package: High Quality Hardcase | Origin: South Korea

OCTOPUS | ONE LINE FISHING | HAIRTAIL JIGGING





IKA METAL



The most important sensitivity and operability in Mitresquid fishing were considered as top priorities. Carbon solid has been adopted to realize high sensitivity and promises stable landing and overwhelming results with slow tapered action.

Blank material: 30~40TON High elasticity CARBON + Helical core

ZERO TENSION Action GLASS SOLID TIP + Separable GLASS SOLID WHITE Paintinf for visibility + Orange line applied

GLASS SOLID WHITE Paintinf for visibility + Orange line appli GRIP : BLACK Hard EVA FUJI GUIDE : FUJI "SIC" K Guide

BC632ML | SPIRAL

- Rod for IKA Metal, which deals with metal Egi ranging from 40~60g
- Using Rod's short Real Grip in a situation where squids are gathered at a shallow depth of 5 to 30 meters in the night squid onboard fishing. Aggressive IKA Metal Rod, which induces bytes by increasing the frequency of attacks on squids that do not rush easily.
- Adopting a spiral guide to reduce line twisting and damage that can occur when shaking the rod

SPNNING





middle GRIP + rear GRIP

Diversify the user's choice as a spinning rod used with a spinning reel

Guide arrangement method: Applied the spiral guide system.

Aluminum BUTT CAP: Apply vibration system for Bite sensitivity

Dot is displayed for guide alignment when combined with ZERO TENSION

GRIP: For middle EVA GRIP and rear EVA GRIP's grip EVA side processing

PAD EVA GRIP: Apply a protection EVA GRIP that can protect between

S682M

It is superior to Bait Rod in terms of casting and manipulation. Showing outstanding performance at Bite at shallow water depth

BC682M-MH | SPIRAL

- It also has the best sensitivity for deeper water depth and use of IKA metal over 75g
- Day and night all-round Rod. In particular, it has an action and sensitivity suitable for targeting fish species with a depth of 60M

BC512MH | ZERO TENSION

- Adopting a unique tapered glass solid called "zero tension technique." When you
 get off Gear into the sea, the tip stands close to the 90 degrees at a certain
 point, making it easy to grasp Bite
- Even if the ship is shaken by waves or wind, only the rod's tip remains upright, so you can see the tip and identify the Bite, and fish easily
- It's better to use it with a holder than holding it yourself

. _ . _ .











INFORMATION

Item	전장(mm)	절수(本)	접은길이(mm)	Lure Wt(g)	Line Best(PE)	Drag Max(kg)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
S682M	2,040	2	1,050	45~75	0.4~1.0	3.5	0.8	8.4	86	99%	FAST	260,000
BC632ML	1,900	2	980	45~75	0.4~1.0	3.5	0.8	8.2	94	99%	FAST	270,000
BC682M-MH	2,030	2	1,045	55~120	0.4~1.2	5.0	0.9	8.5	103	99%	FAST	280,000
NEW BC512MH (ZERO TENSION)	1,550	2	1.125	30~60	0.6~1.2	6.0	0.9	9.0	-	99%	FAST	미정

Package: Square CODURA TUBE | Origin: South Korea

CHARM



SEA LIVE OCTOPUS HAIRTAIL



Blank: Highly elastic carbon + Helical core

TOP: WHITE PAINTING + ORANGE COLOR LINE is adopted for visibility and identification

FUJI GUIDE : FUJI "SIC" K Guide

REEL SEAT: FUJI Newest PULSMPK 17 (It has a good gripping feeling in the form of a long trigger and is not tired of fishing for a long time)

Grip: Side processing black super strong EVA grip to improve grip

By hiringAIR VIBRATION SYSTEM BUTT CAP, Bite sensitivity is improved

detopus

BC682MH | Octopus

- The best specifications for octopus fishing enthusiasts
- It is suitable for octopus fishing in the coastal area and has excellent operability, so you can enjoy Fun fishing while maintaining a steady condition for fishing for a long time

Sea L

BC672MH | One line fishing

- One line fishing rod designed to effectively target Japanese sea bass and Brown croaker. It is designed to be 6'7" shorter than the general length of existing products to significantly improve operability
- Best for catching a fish hidden in a broken artificial reef or on a reef. Precisely detect intermittent Bite
- Flexible tips make it easy to identify Bite and at the same time boast overwhelming power with a very strong Butt

BC662XH | Octopus

- Considering the characteristics of octopus fishing in the southern part of the country, it focuses on strong overpower
- Lightweight and comfortable grip design, a common feature of CHARM AIR.
 Promise of the best results by applying a strong blank for gear operations of about 100-200g and Kg target fish species

EW

BC602MT | Octopus (Titanium TOP)

 A more sensitive, flexible, and balanced octopus rod. Respond flexibly without breaking using titanium solid tips. Taper expression is free, so even small Bite can be caught. Best for octopus fishing from the beginning to the end of October



A declicated rod for hairtail jigging, which has recently been in the spotlight. Sensitivity and action were considered as the top priorities. Designed to deal with all sizes from baby to monster. It is a rod that maximizes the enjoyment of hairtail Jigging that cannot be felt in raw bait fishing, promising stable landing and improved results with slow tapered action

BC632M | Hairtail Jigging

- In night fishing, targets are gathered at a shallow depth of 10 to 30 meters, or when the bite is weak, use a light Jig to induce bite by giving strong action
- Bite, Hooking Landing Rod where you can enjoy the unique fighting of hairtail with your eyes from the handle to the tip


BC682MH | Hairtail Jigging

- Day and night all-round Rod. Especially suitable for 120g Jig to target fish or monster-sized targets over 50m deep. (100~200g of jig can be operated)
- Even in deep-water fishing, Jig action was considered not to be too noisy, and the fatigue was minimized by designing the jig to be easy to operate











INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure wt Best(g)	Line Best(PE)	Drag Max(kg)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
BC672MH (SEA LIVE)	2,000	2	1,505	100~200	1.5~2.5	8.0	1.2	10.4	117	99%	Fast	270,000
BC682MH (OCTOPUS)	2,025	2	1,530	100~150	1~3	6.0	1.5	11.2	127	99%	Fast	280,000
BC662XH (OCTOPUS)	1,980	2	1,485	150~200	1.5~3.5	8.0	1.9	12.0	135	99%	Fast	280,000
NEW BC602MT (OCTOPUS) TITANIUM TOP	1,835	2	1,305	20~40	2.0~4.0	7.0	0.9	10.1	-	99%	Fast	270,000
BC632M (HAIRTAIL)	1,905	2	1,410	60~100	1.0~1.5	5.0	1.3	9.4	104	99%	Fast	270,000
BC682MH (HAIRTAIL)	2,030	2	1,535	80~140	1.0~1.5	5.0	1.5	10.3	107	99%	Fast	280,000

Package: Square CODURA TUBE | Origin: South Korea



LARGEHEAD HAIRTAIL









Strong Butt and Titanium Tips(High sensitivity, memory alloy material) for Largehead hairtail Tenya Fishing. It is a full-fledged Largehead hairtail Rod that delivers even fine Bite.

BLANK: 30~40TON High elasticity CARBON + Helical core
TITANIUM TOP + Orange line for visibility
GRIP: BLACK Hard EVA
FUJI GUIDE: FUJI "SIC" K Guide
S752L-ML-MT REELSEAT: FUJI VSS16 + KDPS16P/ASH / VSS16 BODY
Spray

BC602M-MT REEL SEAT : FUJI PTSMPK 17 / Spray BC602M-MT Guide arrangement method : Applied the spiral guide system

GRIP: For middle EVA GRIP and rear EVA GRIP's grip EVA side processing

Aluminum BUTT CAP: Apply vibration system for Bite sensitivity
PAD EVA GRIP: Apply a protection EVA GRIP that can protect between
middle GRIP + rear GRIP

S752L-ML-MT(TITANIUM TOP) | Largehead hairtail Tenya

- The prototype was made by applying solid tips, but due to its large population and frequent Bite, the breakage rate of Rod increases due to sudden hooking and radical hooking behavior. Accordingly, a model that reduced the breakage rate as much as possible by applying a metal solid tip
- Apply soft taper to detect Bite and make hairtail feel less incompatible

BC602M-MT(TITANIUM TOP) | Largehead hairtail Tenya (deep sea)

- Specifications that can be operated from No.30~60 sinkers.It is equipped with a strong Butt that responds to deep dragon-class hairtail
- The shape memory alloy titanium top and flexible tip are perfect for attacking hairtail with clear Bite expression
















ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt(g)	Line Best(PE)	Drag Max(kg)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
S752L-ML-MT (TITANIUM TOP)	2,260	2 (centercut)	1,160	5~30	0.5~1	-	0.7	13.6	-	99%	FAST	미정
BC602M-MT (TITANIUM TOP) Deep sea	1,820	2 (separation type)	1,365	80~150	0.8~1.2	-	0.7	10.9	-	99%	FAST	미정

Package: Square CODURA TUBE | Origin: South Korea



JAPANESE SEABREAM | KOREAN ROCKFISH



S2SLIME



S-2 SLIME ROAD series using a material having a new characteristic that is glass-like but not glass-like. It brings the taper and toughness and lightness of the glass and has the sensitivity of carbon.

BC622JSC | Universal

 It suits anglers who prefer light jigging and light action downshot Rod.With glass-specific taper, stable landing of target fish species is possible, and the thrill at hand is provided

BC642RSC | Japanese seabream

- Recommended for those who want more extreme taper than full solid
- There's a glass-specific taper, but the transmission of the lines to Rod is similar to that of carbon rods, but it feels tougher
- Recommended to anglers who are tired of the existing tai rubber model

BLANK: 30TON High elasticity CARBON + S2-GLASS + Helical core

Handle separation type 2PC TYPE

KOREA SAMYANG GUIDE: "Zirconia" KTSIG + KWSIG Guide Guide arrangement method: Applied the spiral guide system

FUJI REEL SEAT : ECS16 + KDPS 16P/ASH

REEL SEAT BODY: ORANGE COLOR Spray

GRIP : Hard BLACK EVA GRIP

Rear EVA GRIP : EVA GRIP side processing for gripping

PAD EVA GRIP : Apply a protection EVA GRIP that can protect between

middle GRIP + rear GRIP



S2GLASS210 | Korean Rockfish

- A short version of the 210 model. With a soft tip using S2 glass, the bait goes into the mouth softly so that the target fish species does not feel burdened during Bite, but it is possible to accurately hook the target's mouth
- Using carbon-like glass, sensitive tip and powerful Butt are characteristic, making it easier to land on the target







INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Best(g)	Line Best(PE)	Drag Max(kg)	선경(mm)	원경(mm)	CARBON+S2 GLASS 비율	Taper	가격(원)
BC642RSC(참돔)	1,930	2	1,455	40~120	0.6~1.2	4	1.1	9.6	CARBON 7:3S2	REGULAR	170,000
BC622JSC(범용)	1885	2	1,410	60~160	1.0~1.5	5	1.4	10.1	CARBON 5:5S2	REGULAR	170,000
ltem	전장(mm)	절수(本)	접은길이(mm)	추부하(호)	Line Best(PE)	Drag Max(kg)	선경(mm)	원경(mm)	CARBON+S2 GLASS 비율	Taper	가격(원)
S2GLASS210 (우럭)	2,100	2	1,085	60~100	4~6	-	1.8	14.3	CARBON 7:3S2	REGULAR FAST	미정

Package: SquareCODURA TUBE | Origin: Chinese local factories

JAPANESE SEABREAM | KOREAN ROCKFISH | OLIVE FLOUNDER | CUTTLEFISH



NIXX OCEAN -VER.2-



Series optimized for the fishing style of middle and upper class in cephalopods fishing. Designed with a soft to mid-hard rod propensity in consideration of the user's taste, Adopt sensitive tips to deliver Bite and weight optimally,

Handle separation type

Strong power, 7:3 taper It's easy for anyone to use

Blank material: 30TON CARBON BASE + Helical core

Handle separation type 2PC TYPE

GUIDE: FUJI ALCONITE RING "K" Concept Guide

Guide arrangement method: Spiral Guide System

TOP SOLID: GLASS SOLID + WHITE COLOR Painting with good visibility

REEL SEAT : FUJI ECS16 BAIT REEL SEAT + KDPS16P/ASH HOOD

REEL SEAT: BLACK Spray

GRIP: Superstrong BLACK EVA GRIP Two-tone Aluminum Anodizing

PAD EVA GRIP: Apply a protection EVA GRIP that can protect between

middle GRIP + rear GRIP

BC632JSC | Flounder / Rockfish / Cod / Grouper / Amberjack

- Suitable for downshot operation of 130-150g. Take a down shot using a strong Butt and an elastic tip.
- A model that clearly distinguishes between the sensitive Bite of the flounder and the rough floor feeling. A product with excellent overpower that can withstand deep water and strong currents. Elastic tips prevent the target from pulling out the needle
- It can be used not only for down shots but also for 100-150g slow jigs and inchiku, and can also target migration fish species below the meter-sized.

BC662JSC | Korean Rockfish / Flounder / Seabream / Small rockfish

- It can be operated on 60-120g of Tai rubber, down shot, and slow jig using a tip that bends smoothly and a strong Butt.
- Item suitable for bottom fishing of less than 40m. It is goodto enjoy various gears in many ways.
- You can enjoy heavy Tai rubber and downshot together. A model you need when you start fishing on board with just one rod.

BC622MH | Octopus

- Overall, it has a strong taper and is the shortest modelamong our company's octopus-only rods.
- It targets octopus from Yeosu, Buan, and Gunsan. You canuse more than 150g of gear without any burden.
- It can overpower target of kilogram-size or higher and immediately respond to Bite of target with strong tension.

BC602ST | Cuttlefish

- Suitable for light sinker use in units No.8-15. It is a model with sensitive tips and strong Butt, and has optimal Bite sensitivity when the water surface and fishing rod maintain an angle of 40 to 60 degrees. Good visibility by using white tips.
- A model specialized in the sand and mud fields, and a rod for superiors who need accurate hooksets.

BC622ST | Cuttlefish

- It is suitable for the use of No.3-20 sinkers and has sensitive tips and strong
- It is similar to the existing Cuttlefish models, but it adopts a longer and softer tip to feel the weight of cephalopods.



INFORMATION

BC602ST라이트버젼

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Best(g)	Line Best(PE)	Drag Max(kg)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
BC632JSC (Olive flounder)	1,905	2	1,395	90~150	0.8~2.0	6	1.8	11.1	122	99%	Fast	160,000
BC662JSC (Universal)	1,985	2	1,475	60~120	0.8~1.5	5	1.6	11.1	120	99%	Fast	170,000

	Item	전장(mm)	절수(本)	접은길이(mm)	추부하 Best(호)	Line best(PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
BC	622MH (Octopus)	1,880	2	1,370	20~30	1.0~3.0	1.8	11.1	125	99%	Fast	170,000
	ltem	전장(mm)	절수(本)	접은길이(mm)	추부하(호) Line l	oest(PE) 선경(n	nm) 원경(mn	n) 무게(g) 카	본함유량	Taper	대상어	가격(원)

0.7

122

99% Regular Fast

0.8~1.5

8~25

BC622ST 패스트버젼 1,875 2 1,355 10~30 1.0~1.5 0.8 10.3 120 99% Fast 갑오징어 170,000 Partial changes can be made without notice to improve the quality of the product | Origin: Chinese local factories

NIXX POP OCEAN ver.3

Basic models of onboard fishing that can generally be encountered along the coast, such as Olive flounder, Korean Rockfish, Japanese sea cream, and Mitre squid. It's a suitable fishing rod for beginners.

blank material: 30TON High-elasticity CARBON + Helical core

BC672M-MH-CST ITEM: TIP CARBON SOLID Handle separation type 2PC TYPE (CENTER CUTT) FUJI GUIDE: "O-RING" Concept Guide FUJI REEL SEAT : ECS16 + KDPS 16P/ASH

REEL SEAT BODY: COLOR Spray GRIP: Superstrong BLACK EVA GRIP

Rear EVA GRIP: EVAGRIP side processing for gripping

PAD EVA GRIP: Apply a protection EVA GRIP that can protect between

middle GRIP + rear GRIP

BC632JSC | Down shot

Down shot (Flounder, Rockfish, Cod, Grouper, Amberjack): Jerking

- A model suitable for deep water depth and strong currentsand easy to operate
- Excellent overpowering power by flexible tips and Butt
- Tai rubber, Inchiku, and Downshot Gear can be used in general

BC662JSC | Universal

Universal (Korean Rockfish, Flounder, Seabream, Small rockfish.): Jerking

- Strong Butt and hard specs are excellent in coping with deepwater depth and strong currents, and excellent in overpowering
- A model suitable for 40~100g tai rubber, slow jig, metal jig, and Inchiku.

BC642RSC | Japanese seabream

Japanese seabream : Retrieve

- It has good operability for 40 to 100g of Tai rubber. Minimize fatigue from long-term fishing
- A model with excellent Bite ability with soft taper and strong Butt

BC652M-MH-CST | 한치(SOLID TIP)

Mitre squid Metal Jigging

- Metal Jigging model targeting Mitre squad with a slow action ratio of 7:3
- It's good for light metals of 20 to 30g and for using more than 60g
- Hiring tips with high visibility



INFORMATION

ltem .	전장(mm)	절수(本)	접은길이(mm)	Lure wt Best(g)	Line wt Best(PE)	Drag Max(kg)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
BC632JSC (Down shot)	1,905	2	980	60~200	1.0~2.0	6	1.6	10.7	111	99%	Fast	120,000
BC662JSC (Universal)	1,980	2	1,020	60~120	0.8~1.5	5	1.4	9.7	108	99%	Fast	120,000
BC642RSC (Japanese seabream)	1,935	2	995	40~100	0.8~1.2	4	1.3	9.4	99	99%	Fast	120,000
BC652M-MH-CST(Mitre squid) SOLID TIP	1,960	2	1,010	55~120	0.4~1.2	5	0.9	9.9	106	99%	Fast	120,000

Package: Hardcase | Origin: Chinese local factories













Korea's first fishing rod with carbon grip and titanium tip. The touch-type reel seat makes you feel sensitivity and weight better. The combination of sensitive titanium tips, tip tapers, and strong Butt quickly catches the weight of cephalopods, providing accurate hooks and stable landing.

Blank: 30TON High elasticity CARBON + Helical core TITANIUM Tip TOP + Orange line for visibility

GRIP: BLACK Hard EVA + circle CARBON GRIP + Air vibration.

KOREA SAMYANG GUIDE: "Zirconia" KTSIG + KWSIG Guide

REEL SEAT: NEW BAIT REEL SEAT

REEL SEAT BODY + HOOD:

BLUE GREEN COLOR Spray + Anti-slip RUBBER Spray

Guide arrangement : Spiral guide system

GRIP: Middle EVA GRIP Processing the side of EVA for gripping Aluminum BUTT CAP: Apply vibration system for Bite sensitivity.

PAD EVA GRIP: Apply a protection EVA GRIP that can protect between middle GRIP + rear GRIP

BC562MTC | West Sea Cuttlefish

• Webfoot octopus and cuttlefish in the West Sea are targeted. The taper is 9:1, but the entire tip bends in a balanced way.

BC582MTC | Southern sea Cuttlefish

It targets fish species deep in the South and West Sea regions. Stronger Butt with 8:2 taper. A model that can target even octopus at the beginning of the season.














INFORMATION

ltem .	전장(mm)	절수(本)	접은길이(mm)	추부하(호)	Line Best(PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
BC562MTC (W.sea Cuttlefish)	1,675	2	1,255	10~30	1.0~1.5	0.7	8.5	-	99%	Fast	180,000
BC582MTC (S. sea Cuttlefish)	1,725	2	1,305	10~30	1.0~1.5	0.8	8.5	-	99%	Fast	190,000

Package: Square CODURA TUBE | Origin: Chinese Local Factory





Blank: 30TON high-elasticity CARBON BASE + Helical core

Tips for fine Bite detection 9:1 action GLASS SOLID + WHITE painting

REEL SEAT: FUJI PLS17 BODY for a sense of grip + KDPS 17P/ASH

REEL SEAT Spray

Handle separation type 2PC TYPE GUIDE: FUJI "O" RING Concept Guide GRIP: Hard BLACK EVA GRIP

Two-tone aluminum anodizing technique

PAD EVA GRIP: Apply a protection EVA GRIP that can protect between


middle GRIP + rear GRIP

BC502M (8:2 action)

- The explosive increase in Webfoot octopus fishing has raised the need for
- Specifications suitable for using sinkers No.8~25 at a depth of 5~25m. It has a high visibility design and a soft solid tip to easily grasp the fine weight.
- Short length of 5' and comfortable operation for all the time.

BC582M (9:1 action)

- Rod specialized in Cuttlefish fishing, which is difficult to find in Korea, Planning by prioritizing sensitivity so that it can respond immediately to sensitive Bite.
- High-visibility design and soft solid tips allow agile and accurate hooks even in fishing in fast currents and rough floor terrain.
- With strong Butt, the success rate of overpowering and landing is high, promising improved results.



SPIRAL BC502M | Webfoot octopus (8:2 action)

- Specifications suitable for using sinkers No.8~25 at a depthof 5~25m.
- It has a high visibility design and a soft solid tip to easily grasp the fine weight.
- Short length of 5' and comfortable operation for all the time.

SPIRAL BC582M | Cuttlefish (9:1 action)

- Rod specialized in Cuttlefish fishing, which is difficult to find in Korea. Planning by prioritizing sensitivity so that it can respond immediately to sensitive Bite.
- With its high visibility design and soft solid tips, it can be agile and accurate hooks even in fishing in fast currents and rough floor terrain.
- With strong Butt, the success rate of overpowering and landing is high, promising improved results.

BC582MH | Octopus

- Model suitable for all seasons of the west coast and southcoast. Overall, strong Taper's octopus Rod.
- Specification for catching octopus weighing more than 4kg. Usingsolid tips on strong butts, you can cover from small octopusto large octopus from August to
- It is suitable for octopus fishing using heavy gears for a long time by using PLS Reel seat that withstand heavy loads.

NEW BC602XH Octopus

- A model that can target Octopus vulgaris and Octopus dopleini weighing more than 4 kg after October.
- It is 6' long and has excellent operability, and the thin solidtip quickly detects the weight of the octopus.
- Targeting the octopus in the West Sea, South Sea and East Sea



CUTTLEFISH | WEBFOOT OCTOPUS

INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	추부하(호)	Line Best(PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
BC502M Webfoot octopus (8:2 ACTION)	1,525	2	790	10~25	0.8~1.5	1.0	7.8	94	97%	Fast	95,000
BC582M Cuttlefish (9:1 ACTION)	1,725	2	890	10~25	0.8~1.5	1.0	8.0	100	97%	Fast	100,000
SPIRAL BC502M Webfoot octopus (8:2 ACTION)	1,525	2	790	10~25	0.8~1.5	1.0	7.8	96	97%	Fast	105,000
SPIRAL BC582M Cuttlefish (9:1 ACTION)	1,725	2	890	10~25	0.8~1.5	1.0	8.0	102	97%	Fast	115,000
NEW BC582MH (Octopus)	1,725	2	1,200	10~30	1.2~3.0	1.0	0.85	-	99%	Fast	미정
NEW BC602XH (Octopus)	1,825	2	1,300	20~40	1.5~4.0	1.0	0.9	-	99%	Fast	미정

Package: Hardcase | Origin: Chinese Local Factory

Japanese Seabream | Olive Flounder | Universal | Webfoot Octopus | Cuttlefish | Octopus

ocean



Ship rod series developed for beginners, A thin but strong blank. It is a specialized specification for each fish species and helps to adapt quickly to the first onboard fishing.

Blank material: 24TON CARBON BASE

BC522M / BC542M / BC622MH : TOP GLASS SOLID

BC522M / BC542M : Spiral guide system

센터컷 2PC TYPE

GUIDE: FUJI "O" RING Concept Guide

REEL SEAT : BAIT REEL SEAT REEL SEAT : COLOR Spray GRIP: Hard BLACK EVA GRIP

Two-tone aluminum anodizing technique

BC622RSC | Seabream

- Short and balanced blanks for beginners
- Produced by considering the weight of Tai Rubber, which can be used universally in the West Sea, and minimizes fatigue.
- You can catch intermittent Bite with a soft tip and overpower the target fish species without difficulty.

BC632JSC | Olive flounder

- The most popular proven rod length is adopted.
- A model that can be used anywhere in the West Sea for downshot and light
- It has a strong Butt, so it can overpower the target fish species despite strong currents and deep water.
- It maintains strong overall tension and makes it easier to identify Bite quickly

BC642JSC | Universal

- Universal model with a shorter length than before. Maximize operability.
- Necessary when targeting various fish species with one rod.
- Strong Butt and Flexible Tip Light Zigging Tai rubber and Downshot Available
- It can be used in the inner bay of the West Sea and has excellent Bite sensitivity

BC522M | Webfoot octopus

- Short, easy-to-operate, onboard webfoot octopus exclusive model.
- It uses a thin solid tip of 8:2 to increase visibility and catch light weights.
- It's easier to hook and land by using Butt Taper, which is stronger than Tip.
- Optimal taper for Webfoot octopus living less than 30 meters.

BC542M | Cuttlefish

- Short, easy-to-operate, onboard Cuttlefish exclusive model.
- By adopting solid tips of 7:3, you can increase visibility and respond more flexibly
- Sensitive Bite can be quickly identified, and it's easy to hook up accurately.
- You can see the Bite right away even at a depth of 50 to 70 meters.
- Inexpensive, but anyone who gets used to manipulation can get great results.

BC622MH | Octopus

- It has become more comfortable by adopting a shorter length than before.
- Although it has a strong Butt, it employs a solid tip of 8:2, making it easy for anyone to catch the target.
- It is not too much to use 150g of Gear, and it is strong and fast to cope with

BC622RSC | BC632JSC | BC642JSC BC522M | BC542M | BC622MH

INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Best(g)	Line Best(PE)	Drag Max(kg)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
BC622RSC (참돔)	1,885	2	970	40~150	0.6~1.5	4	1.4	9.9	112	93%	Fast	65,000
BC632JSC (광어)	1,905	2	980	90~150	0.8~1.5	6	1.5	1.5	127	93%	Fast	65,000
BC642JSC(범용)	1,925	2	990	60~120	0.8~2.0	5	1.6	1.6	114	93%	Fast	65,000

ltem	전장(mm)	절수(本)	접은길이(mm)	추부하 Best(호)	추부하 Max(호)	Line best(PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
BC522M (쭈꾸미)	1,580	2	815	10~15	30	0.8~1.5	0.9	10.0	102	93%	Fast	65,000
BC542M (갑오징어)	1,630	2	840	10~15	30	0.8~1.5	0.9	10.1	103	93%	Fast	65,000
BC622MH (문어)	1,885	2	970	20~30	40	1.0~3.0	0.9	11.7	127	93%	Fast	75,000

YELLOWTAIL AMBERJACK | JAPANESE AMBERJACK | GIANT TREVALLY | MAHI-MAHI | TUNA













All migration fish species that can be found in domestic and foreign casting games are targeted. It was reborn more strongly through the upgrade of four years. The basics of the casting game is "Power vs Power." You must be able to catch it with a powerful Butt, not dragged by fish. Overpowering power that does not match the cheerful manipulation. It is designed to reduce fatigue even after fishing for a long time through lightness and optimal balance, allowing countless casting on the field,

Blank material: 40ton high-elasticity CARBON + helix graphene + helical

core + HEXA CROSS

FUJI GUIDE: FUJI "SIC" KW Guide

FUJI REEL SEAT: FUJI DPSSD20GM + anti-release FUJI NUT LOGR20/AN

GRIP: BI ACK Hard FVA GRIP FUJI Rubber Gimbal Butt CAP

Aluminum parts: Graphene hexagonal shape cutting process

P862XH

- Casting model for all fields. The main target is Yellowtail Amberjack, Japanese Amberjack, and large Spanish markerel over 15kg.
- Rod exclusively for all-round casting, which is optimal for the operation of pencils and poppers ranging from 60 to 75g and can operate up to 100g.
- Optimization for diving action that induces Bite after Retrieve. Delicate and soft tips maximize the movement of the pencil as if it were moving alive, creating frequent Bite.

P832XXH

- All-round model for monster class. Yellowtail Amberjack with 20kg overweight and Tuna with 130kg overweight are the main targets.
- Optimal for operation of more than 100g of pencils and poppers, no burden at all on operation of more than 130g.
- Developed for the purpose of using various actions of the pencil, It adds fun to big games with its cheerful operation and is designed so that you don't feel tired even after casting for a long time.

P832XXXH

- Designed for super-large monster class, the main target is Yellowtail Amberjack
- Developed for operation of large pencil baits and popers over 120g. To take the lead in meetings with Amberjack weighing more than 30kg overseas or in Korea.
- It is not burdensome at all for casting more than 180g of pencils and poppers. Powerful action is possible based on powerful Butt, Flexible tips induce frequent Bite and enable a perfect hook set,

P1002H


- A long-casting model that can cover all fields from seashore rock to shipboard. The main targets are Yellowtail Amberiack, Japanese Amberiack, and Spanish markerel, which are medium and large migratory fish species.
- It can be used from casting jig to 120g pencil. It's designed to be more advantageous for Jigging the rocks on the seashore than on board.
- Various actions such as Jerking, Twitter, and Retrieve are possible. It can increase the casting distance with soft tip action and strong Butt while clearly overpowering the target fish species.













INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure wt(g)	Line Best(PE)	Drag Max(kg)	선경(mm)	원경(mm)	Taper	카본함유량	가격(원)
S862XH(부시리, 참치) 핸들분리형	2,590	2	1,930	60~130	4~8	10	2.2	17	Fast	99%	미정
S862XH (부시리, 참치) 핸들분리형	2,515	2	1,855	80~150	4~10	12	2.4	17.4	Fast	99%	미정
S832XXXH (부시리, 참치, GT) 핸들분리형	2,515	2	1,855	120~200	5~10	15	2.5	18.4	Fast	99%	미정
S1002H (쇼어플러깅) 센터컨	3.050	2	1560	50~120	4-6	9	21	17.0	Fast	99%	미정

Package: Triangular CODURA TUBE | Origin: South Korea



YELLOWTAIL AMBERJACK | JAPANESE AMBERJACK | GIANT TREVALLY | MAHI-MAHI | TUNA





It's an item made for Yellowtail Amberjack and Japanese Amberjack popping fishing in Korea, It is equipped with high overpower and long range by reinforcing the insufficient Butt power in the existing P2.

Blank material: BLANK: 30~40ton high-elasticity CARBON + helical core FUJI GUIDE : FUJI "ALCONITE" KW Guide FUJI REEL SEAT : FUJI DPSSD20 + anti-release FUJI NUT LOGR20/AN GRIP: BLACK + GREY Hard EVA GRIP FUJI Rubber Gimbal Butt CAP

S862MH-H

Tip is designed to be soft and Butt is designed to be strong. A relatively lightweight Popper and pencil bait can also be cast without any problems

S882H

• Improved the existing 862H model. It has a stronger Butt, so you can cast a plug of 100g without difficulty

S902H

Cast more than 110g plugs that require a distance without difficulty. Fast suppression with powerful Butt force





INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure wt(g)	Line Wt(PE)	Drag Max(kg)	선경(mm)	원경(mm)	Taper	카본함유량	가격(원)
S862MH-H	2,595	2	1,935	75~100	4~6	10	23	17	Fast	99%	미정
S882H	2645	2	1,985	75~110	4~7	11	24	17.8	Fast	99%	미정
S902H	2,745	2	2,065	75~120	4~8	12	24	18.2	Fast	99%	미정

Package: Triangular CODURA TUBE | Origin: South Korea





Lightweight light jig and popping special model based on BIXOD P2. It is a model optimized for large mackerel and medium-sized fish species by inheriting the positive reviews of P2 and has advantages of light weight and strong Butt.

Blank material: 40ton high-elasticity CARBON + helical core

FUJI GUIDE: FUJI "ALCONITE" K Guide FUJI REEL SEAT: FUJI DPSSD18P

FUJI REEL SEAT NUT: LOGR18/AN (REEL SEAT HOOD anti-release)

GRIP: BLACK superstrong EVA GRIP

Fore BLACK EVA GRIP: Protrusion machining on surface for anti-skid

S762M/F | Handle separation type

- Rod for onboard fishing using 40 to 60g of Lure. Suitable fortargeting large mackerel and medium-sized fish species.
- You can enjoy a fight with a target fish species through MF action. When using Jig, Rod's resilience enables more comfortableaction. Use soft tips to prevent needles from falling out.
- The Rear Grip part, which fits the Korean body type, is comfortably adhered to the fighting belt and the armpit position

S802M/F | 핸들 분리형

- All-round products that can be used in various Lure such as 50 to 80g of jigs and plugs on board and off the coast. Anyone can easily cast and the guide is arranged in consideration of the installation of medium and large class reel.
- Even in situations such as large Olive flounder, Japanese sea bass, and medium-sized Japanese Amberiack Yellowtail Amberiack Offshore fishing, it can be quickly overpowered with excellent resistance and resilience.

S902MH/E-F | Center cut

- Long casting from strong Butt has the advantage, suitable for mid- to
- large-sized fish species off shore on board. Light weight and high elastic blanks minimize user fatigue. With strong resilience, it is more advantageous in overpowering the target fish species
- Target medium and large macarels using high weight Lure.
- Especially during Offshore Jigcasting, we promise a better distance.

S792M-F | Handle separation type

- Rod exclusively for medium and large Macarels on board. Maximize operability and accurate casting. The most versatile model with a flexible and powerful upgraded Butt,
- Use 40 to 100g of Lure.
- You can enjoy a fight with a target fish species through MF action. When using Jig, Rod's resilience enables more comfortable action. Use soft tips to prevent needles from falling out.
- The Rear Grip part, which fits the Korean body type, is comfortably adhered to the fighting belt and the armpit position

S832M-MHF | Center cut (PUT IN TYPE)

- The most versatile model with a flexible and powerful upgraded Butt, It complemented its excellent distance and accurate casting
- All-round products that can be used in various Lure such as 50 to 100g of jigs and plugs on board and off the coast.
- Considering the installation of medium and large-sized reel, the guide arrangement and the optimal guide size are upgraded.
- Even in situations such as large Olive flounder, Japanese sea bass, and medium-sized Japanese Amberjack, Yellowtail Amberjack Offshore fishing, it can be quickly overpowered with excellent resistance and resilience



ltem	전장(mm)	절수(本)	접은길이(mm)	Lure wt(g)	Line Wt(PE)	선경(mm)	원경(mm)	무게(g)	Taper	카본함유량	가격(원)
S762M/F(Handle separation type)	2,295	2	1,790	40~60	1.0~3.0	1.9	13.7	191	Fast	99%	260,000
S802M/F(Handle separation type)	2,445	2	1,885	50~80	2.0~4.0	2.0	14.1	204	Fast	99%	280,000
S902MH/E-F(center cut)	2,750	2	1,410	60~100	2.0~4.0	2.0	16.0	254	E-X Fast	99%	300,000
NEW S792M-F(Handle separation type	2,365	2	1,780	60~100	2.0~4.0	1.8	14.5	-	Fast	99%	미정
NEW S832M-MHF(center cut PUT IN TYPE)	2,515	2	1,295	60~120	2.0~4.0	1.9	12.4	-	Fast	99%	미정

Package: Triangular CODURA TUBE | Origin: South Korea



DARK-BANDED ROCKFISH | JACK MACKEREL | BEKA SQUID | CHUB MACKEREL






Blank mechanism

- HELLICAL CORE CONSTRUCTION: The helical core structure, applied both inside and outside the blank, binds the opposite material together: maximizing instantaneous torque and hookset capabilities
- HEXA CROSS CONSTRUCTION: The ultra-high elastic CLOTH (4 shaft) is united with the helical core (2 shaft). It prevents to be cut the minute fiber and the fatigue strength is enhanced and sensitivity and intensity are raised at the same time. Maximize long-distance cast ability and landing ability by enhancing resilience and repulsive power in coastal rockfish fishing EQUIPMENT
- FUJI titanium torzite Guide: The ideal guide that combines a titanium frame with a torzite ring. Maximize the performance of Rod, Reel, Line and realize ultra-high strength, ultra-thin, ultra-light, ultra-low friction to the limit
- NON SLIP RUBBER EVA GRIP: It does not change even afterrepetitive action, casting, and years of use
- FUJI newest Spinning reel seat (NON SLIP RUBBER FINISH): FUJI TVS(Tight V Shape) newest Spinning reel seat apply. Double Touch Blank Design: Senses extremely fine rockfish's bite
- Two-tone aluminum anodizing technique

S732UL

- Model that combines the shortest length and soft tip and blank in the R4 series. It's designed to make it easier to cast light jigheads. It has excellent operability due to its short rod length, so it is suitable for producing action of jigheads and other lure
- A model that reduces fatigue in rockfish fishing, whichrequires hundreds or thousands of casting overnight, and canbe easily cast even by a somewhat weak female angler.





Characteristics of Rockfish Rod

It is common to employ solid tips because rockfish rods have to be designed smoothly due to their characteristics. However, if it can be equipped with a very thin and soft tubular tip, it will perform superior to solid tips in many areas, such as increasing Bite sensitivity and reducing weight. The BIXOD R4 series rod employs a phenomenally thin tubular with a tip diameter of 1mm, while maintaining the same softness as a solid tip, increasing sensitivity and reducing weight.

S752UL

- A model with high versatility. You can use it in various places such as rocks on the seashore and breakwaters,
- Easy to operate a light jig head, cast with soft but elastic tips and Butt, you can
 get a big distance even with small recoils. It can be applied not only to rockfish
 but also to various genres such as Beka square, Japanese flying squid egiing
- The soft and strong Butt is also excellent in coping with unexpected large targets
- A soft but strong rod that can induce the bite of rockfish, which is less active in a low temperature.

S782L

- A product developed under the goal of "overpowering large Rockfish." A rather soft tip makes it easy to secure casting distance, induce bite, and easily overpower with strong Butt strength.
- Suitable for operating casting balls for rockfish. It is a model that can operate up to a rather heavy jig head of about 10g, and it is easy to operate hardbait such as metal and minnow, and the Bite sensitivity is also good.
- It's easy to overpower rockfish who resist until the end in areaswith many obstacles such as Tetrapod as well as Offshore.
- It boasts a strong Butt that can catch not only dark-banded rockfish but also large rockfish such as Marble rockfish, Sebastes oblongus, and hexagrammitae.

S832L

- It is easy to cast from a long distance using a casting ball under the motif of "Targeting a large ultra-long distance Rockfish." Strong Butt that can overpower any big target. Soft and strong tips enable somewhat light jighead operation and long-distance casting using centrifugal force of a long rod.
- Although the lightness of the high elastic carbon and Helix SNM is a rather long model, it provides light and comfort to anglers, and you can feel the best performance in a match against large rockfish.

INFORMATION

Item	전장(mm)	접은길이(mm)	Lure Wt(g)	Line Wt(lb)	Line Best(PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	비고	가격(원)
S732UL	2,210	1,130	0.6~8	2~4	0.3 ~ 0.8	1.0	10.1	84	99%	Fast	호래기, 볼락	400,000
S752UL	2,270	1,160	0.6~8	2~4	0.3~0.8	1.0	10.3	87	99%	Fast	호래기, 볼락	410,000
S782L	2,330	1,195	0.6~10	2.5~6	0.3~1	1.0	11.4	91	99%	Fast	볼락, 전갱이, 고등어	420,000
S832L	2,510	1,285	0.6~10	25~6	0.3~1	1.0	11.7	95	99%	Fast	볼락, 전갱이, 고등어	430,000

Package: High Quality Hardcase | Origin: South Korea





As the public interest in rockfish fishing increased, it was necessary to develop a rod considering the tendency of various users. The most comfortable form that can be obtained from nature to satisfy all users with different shapes of hands was "egg". Based on the egg shape, the handle of the design minimizing the fatigue considering the grip of various users was created. We have achieved a dean design, lightweight and sensitivity that is faithful to the basics,

Blank material: Helix SNM 1000 + ultra-high elastic carbon(40t)

- Helix SNM: It makes the compressive strength and theimpact strength which is the disadvantage of the ultra-high elastic SHEET strong.
 Blank mechanism
- HELLICAL CORE CONSTRUCTION: The helical core structure, applied both inside and outside the blank, binds the opposite material together: maximizing instantaneous torque and hookset capabilities
- 5DS CROSS CONSTRUCTION: The ultra-high elastic CLOTH (3 shaft) is united with the helical core (2 shaft). It prevents to be cut the minute fiber and the fatigue strength is enhanced and sensitivity and intensity are raised at the same time. Maximize long-distance cast ability and landing ability by enhancing resilience and repulsive power in coastal rockfish fishing.

S732UL

- Focus on operationality, which is the advantage of short rod. Sharpness that seems to cut the wind.
- Unlike the slender appearance, it has a soft and strong resilience.
- The weight tilting to the front almost does not feel. It makes your wrists don't hurt in all-night fishing

S752UL

- Universal Model with Bite Sensitivity unique to tubular tip
- The Tip part is very thin to 1mm and the soft taper is implemented. Itdoes not falter due to its high resilience.
- available for various fish species
- (dark-banded rockfish, small Korean rockfish, marbled rockfish, jack mackerel, etc.)

EQUIPMENT

- FUJI titanium KR Guide
- NON SLIP RUBBER EVA GRIP: It does not change even after repetitive action, casting, and years of use
 FUJI IPS Spinning Reel seat + KDPS16/ASH IC COLOR HOOD
- Two-tone aluminum anodizing technique

S752UL | 솔리드 팁

- Rockfish rod, which adopted solid tips for the first time in our company, accepting the needs of many anglers. It also senses sensitive Bite when Beka squid vertical egiing on a ship or a supporting board.
- It was born after many development tests to complement the characteristics of the soft but easy to shake Solid rod. a rod which can feel the softness of the solid tip and the bite sensitivity of the tubular tip together

S782L

- Rod, with a focus on the far-off cast; thin but strong Butt.
- A soft, resilient blank. A model that can combine casting oflight jighead and long distance casting using casting ball. Buttis an advantage that can easily suppress large rockfish.
- HelixSNM + Tanium Guide: It's a bit long but doesn't feel too heavy, and boasts operability that is close to general purpose.





INFORMATION

Item	전장(mm)	절수(本)	접은길이(mm)	Lure Wt(g)	Line Best(PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	비고	가격(원)
S732UL	2,200	2	1,125	0.3~7	0.2~0.6	1.0	9.4	74	99%	Fast	볼락, 호래기	330,000
S752UL	2,250	2	1,150	0.5~8	0.3~0.8	1.0	9.5	77	99%	Fast	볼락, 호래기	340,000
S752UL(솔리드팁)	2,250	2	1,150	0.5~8	0.3 ~ 0.8	1.0	9.5	77	99%	Fast	볼락, 호래기	350,000
S782L	2,330	2	1,190	0.6~10	0.3 ~ 1.0	1.1	10.8	10.8	99%	Fast	볼락, 전갱이, 고등어	350,000

Package: High Quality Hardcase | Origin: South Korea



DARK-BANDED ROCKFISH | JACK MACKEREL | BEKA SQUID | CHUB MACKEREL

BIXOD R2 -VER.2-



"add new technology to luxury goods". BIXOD R2, which has been loved since its birth in 2012, has been upgraded to Ver.2.

- "SPIGOT JOINT" for the first time in the JScompany rockfish rod. Soft curves and sharp joints.
- Sharper blank that gives "casting performance that seems to cut the wind" and has an stands out aesthetic element.
- The "BIXOD R2 ver2", which is lighter than the ex-model, reduces fatigue even at all night casting and reduces the wrist's fatigue.
- In addition to functional factors, the "reel seat painting of the latest technique" maximized aesthetic sense and increased overall completeness.

Blank: 40t High-elasticity CARBON + Helical core

S752UL-CST: 30TON CARBON SOLID TIP CENTER CUT "SPIGOT" combination method FUJI Guide: FUJI "SIC" KR Concept Guide

FUJI REEL SEAT : FUJI VSS16 REEL SEAT HOOD : KDPS 16P/ASH

Reel seat COLOR: REEL SEAT BODY COLOR Spray

GRIP: BLACK Hard EVA GRIP

S732UL

- Focus on manipulation, shortest model in the series
- It also shows advantages in dark-banded rockfish fishing on seashore rocks, breakwaters, and ships.
- Appropriate guide position, weight distribution. Good casting distance even in short length. It is light and operable, so it can cast in all-night fishing without difficulty.

S752UL

- It is most versatile and is available in various situations
- It is usable from the light jig head of 1g or less to the heavyjig head of about 10g.
- You can use casting balls within 10g, and you can suppressnot only dark-banded rockfish but also middle-class Koreanrockfish and Hexagrammidae.
- A model that can be used for smooth action operation without any difficulty in wrist with appropriate taper when twitching in a small minnow game

S752UL-CST | CARBON SOLID TIP


- Optimize for lift & fall, Retrieve, not action-oriented, such as hopping or twitching
- Soft Tip, soft but strong Butt. Large rockfish can be suppressed. Securing a distance to soft casting when operating a low-weight jighead
- It is also available for Vertical Beka squid Egiing White tips are highly visible, making it easier to identify Bite


S792UL

- The existing 7 late Rod was specialized for large rockfish or casting balls. It is made for jighead long distance casting using the characteristics of long rods. The strong Butt and soft Tip's characteristics show off the outstanding distance.
- It is possible to hit rockfish further away with a concise casting using the characteristics of a long but unshakeable blank

S832L

- Optimize the use of a long distance attack using casting balls and a high weight jighead Gear of 2g or more.
- Strong Butt suppresses large rockfish without difficulty, andmoderately smooth taper and resilience keep the needle fromfalling during landing.
- Born to low-water point where casting balls should be used, totarget distances, and to overpower the offshore's large rockfish.





INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure Wt(g)	Line Best(PE)	선경(mm)	원경(mm)	무게(g)	카본함유량	Taper	가격(원)
S732UL	2,210	2	1,125	0.6~8	0.2~0.6	1.1	8.4	69	99%	FAST	250,000
S752UL	2,250	2	1,150	0.6~8	0.3~0.8	1.1	8.5	72	99%	FAST	260,000
S752UL-CST (CARBON SOLID TIP)	2,250	2	1,150	0.6~8	0.3~0.8	0.9	8.5	70	99%	FAST	270,000
S792UL	2,365	2	1,210	0.6~10	0.3~0.8	1.1	8.6	75	99%	FAST	270,000
S832I	2.515	2	1280	06~10	0.3~1.2	12	95	86	99%	FAST	280,000

Package: Triangular CODURA TUBE | Origin: South Korea

ROCKET SUPERFINE ROCKFISH ROOS



Rockfish Lure fishing is one of the most popular fishing genres in Korea. A fishing genre that anyone can easily catch and enjoy with light and simple gears offshore. The NIXX Rocker series is the most standardized rockfish rod developed based on pleasure (**) and challenge and adventure spirit(ROCK).

Blank material: high elastic carbon (30t)

 Helical core + SHD. The proper fusion and optimal design of composite materials enhances Bite and riverbed sensitivity and realizes light weight and high strength

Blank mechanism

- Z-CT CONSTRUCTION(carbon tape winding): Rockfish fishing rods are
 often broken because they are the lightest and most sensitive of sea
 rods. To minimize this situation, the NIXX Rocker series winds carbon
 tapes on the surface to strengthen external stress and increase torque
 to maximize blank power.
- SHD(super micro high density carbon): Remove unnecessary space between layers from the laminating structure of the composites materials and reduce unnecessary resin to increase lightness and power and enhance line sensitivity

EOUIPMENT

- KIKAN's 3D "Z(ZERO TANGLE)" GUIDE system is applied and it challenges to the zero line twist in the night fishing.
- "Z" guide system improves sensitivity and casting ability and the balance of fishing rod is improved.

- Korean Hard E.V.A. Grip: durability and gripping increase
- Korean aluminum anodizing technique. Apply the saltwater coating technology.
- Reel seat: VSS rubber paint, Comfortable for repeated casting
- Low-elastic carbon tubular tips: It has both theadvantages of solid and the tubular tips.
- You can cast the strongest lightweight blanks andultra-light lures at a distance
- It is suitable for targeting various sea fish species usinglight lure as well as rockfish. (Beka squid, young Largehead hairtail, Jack mackerel)
- It boasts excellent sensitivity and repulsion. Strengththat doesn't budge even with unexpected large targets.
- A phenomenal casting ability, you can target points thatyou can't easily reach
- It has a good sense of sensitivity and excellent hookset ability even if casting a casting ball far away

732UL

 The shortest model with a focus on operationality. Rod, which has the advantage of casting ball long hit specs

762UL

 The most general and standard model. Available for avariety of gears ranging from 1g to 10g. Excellent for Minnow Twitching and Zighead operations

832L

To match the growing trend of long-distance castingevery year, you can use casting balls and high-weightjighead gears of 3g or more. Models that can overpowerlarge rockfish at all











 -		
 4	 	
	 -4-	/

INFORMATION

Item	전장(mm)	절수(本)	접은길이(mm)	Lure wt(g)	Line Wt.(lb)	선경(mm)	원경(mm)	무게(g)	Taper	카본함유량	대상어	가격(원)
732UL	2,210	2	1,135	0.6~8	2~4	1.0	10	87	Fast	99%	볼락, 호래기	160,000
762UL	2,290	2	1,175	0.8~10	2~4	1.0	10.2	91	Fast	99%	볼락, 호래기	170,000
832L	2,520	2	1,290	2~12	25~6	1.1	11.4	98	Fast	99%	볼락, 전갱이, 고등어	180,000

Package : Hardcase | Origin: South Korea



DARK-BANDED ROCKFISH | JACK MACKEREL | BEKA SQUID | CHUB MACKEREL









-VER.2-





"The most popular fishing rods are not professional."

In order to break the prejudice, we have been able to analyze the problems of existing products and launch them through numerous field tests. Reinforce Butt to boost pressure, use softer tips to cope with flexibility.

Blank material: 30TON high-elasticity CARBON BASE + Helical core + Z-CT KOREA SAMYANG GUIDE: "Zirconia" KTSIG Guide

FUJI REEL SEAT : VSS16 + KDPS 16P/ASH HOOD REEL SEAT BODY : RED COLOR Spray GRIP : BLACK Hard EVA GRIP



S742UL

• It is suitable for 1~6g lure operation and is the shortest model among the series focusing on operationality. You can cast it exactlywhere you want it.

S762UL

- The most general and standard model can use various Gearsfrom 1g~9g, maximizing sensitivity by adopting tubular tips.
- $\ \ \, \bigcirc$ Excellent in Minnow twitching and jighead operations.

S792L

- It is a model that specializes in long distance targeting usingcasting balls, and can be used even to a high weight jig headGear of 3g or more.
- It can suppress to the large Dark-banded rockfish withoutany difficulty.











INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure wt(g)	Line Wt.(PE)	선경(mm)	원경(mm)	Taper	카본함유량	대상어	가격(원)
S742UL (Jighead)	2,225	2	1,140	1~6	0.3~0.6	1.0	10	Fast	99%	볼락	미정
S762UL (Jighead)	2,275	2	1,165	1~6	0.3~0.6	1.0	10.1	Fast	99%	볼락	미정
S792L (Jighead / Casting ball)	2,360	2	1,210	2.5~10	0.4~0.8	1.1	10.7	Fast	99%	볼락	미정

Package : CLOTH BAG + PET CASE | Origin: Chinese local factories





"Lower the wall of the Lure entrance."

Rods specializing in dark-banded rockfish and small rockfish lure fishing, which is the standard for sea lure fishing, are released at reasonable prices. We have made it easy for anyone to access sea lure fishing. Rockfish lure fishing beginners were considered, and they had no shortage of merchandise such as manipulation convenience, elasticity, balance. Target: Dark-banded rockfish, Beka squid, Marveld rockfish, Hexagrammidae, medium-sized Korean Rockfish

DARK-BANDED ROCKFISH | JACK MACKEREL | BEKA SQUID | CHUB MACKEREL

Blank material: 24TON CARBON BASE GUIDE: FUJI CONCEPT "O"

GUIDE : China's 16 spinning REEL SEAT Reel Seat : antislip Black rubber spray GRIP : Black Hard eva GRIP

S722UL

- General purpose Rod to target dark-banded rockfish, Bekasquid, and other small fish species.
- Elasticity is appropriately distributed to a short blank tohave a long range.
- The elastic short blank based on 24t carbon has excellent operability, making it easy for anyone to enjoy fishing

S742L

- Develope to target offshore's large Dark-banded rockfish ormid-sized rockfish.
 1.5~10g of lures can be used.
- Strong Butt is also effective for Hardbait operations including Minnow, and it is easy to control targets
- It also offers optimal performance for the most popular Largehead hairtail lure fishing in the fall















INFORMATION

ltem	전장(mm)	절수(本)	접은길이(mm)	Lure wt(g)	Line Best(PE)	선경(mm)	원경(mm)	무게(g)	Taper	카본함유량	대상어	가격(원)
S722UL	2,185	2	1,120	1~6	0.3~0.8	1.1	10.1	92	Fast	93%	볼락	65,000
S742L	2,235	2	1,145	2~10	0.4~1.0	1.2	10.6	93	Fast	93%	볼락	65,000

Package: PET Casese | Origin: Chinese local factories



4ccurate



BOSS VALIANT 300 | Red, Blue

- TwinDrag Patent for smooth and consistent drag (US Patent 6.805.313 | 6505787)
- 6061 T6 aircraft aluminum
- Anodizing for increased corrosion resistance
- Small, lightweight (280g)
- Precision processing stainless steel gear
- New design handle arm for increased torque and power
- Anti-corrosion machining anti-reverse bearing

BX-400XNBLS | BX-500XNLBLS

AS actual cost application

System



BV-400 (Red) | BV-500 (Red)

- Patented TwinDrag[™] System
- Light weight of 14 ounces
- Stainless steel ARB bearing
- 17-4 heat treated steel gears and gear shafts
- Winding capacity: 50lb/325YDS
- AS actual cost application



FURY FX-400XN | FX-500XN

- Four class 5 ABEC stainless steel bearings
- Grease AccuDrag system Stainless steel gear
- Double anti-reverse drag system
- Boss reel bagAS actual cost





BX-400XN | BX-500XN

- $\ \ \, \blacksquare$ Patented TwinDrag $\ \ \, \ \,$ System Patented TwinDrag $\ \ \, \ \, \ \,$
- Seven Class 5 ABEC Stainless Steel Bearing
- Grease AccuDrag system
- Stainless Steel GearBoss Reel Bag



INFORMATION

Boss Extreme400

Narrow 6:1

ltem	기어비	1회전 권사량	무게(g)	최대드랙력	권사량	비고	가격(원)
BV-300	6:1	32Inchs	280	8kg	30lbs/350Yards(320M)	발리안트300레드(우)	550,000
BV-300L	6:1	32Inchs	280	8kg	30lbs/350Yards(320M)	발리안트300 레드(좌)	550,000
BV-300BL	6:1	32Inchs	280	8kg	30lbs/350Yards(320M)	발리안트300 블루(우)	550,000
BV-300LBL	6:1	32Inchs	280	8kg	30lbs/350Yards(320M)	발리안트300 블루(좌)	550,000
BV-400	6:1	38Inchs	370	26kg	50lbs/325Yards(388M)	발리안트400 레드(우)	600,000
BV-400L	6:1	38Inchs	370	26kg	50lbs/325Yards(388M)	발리안트400 레드(좌)	600,000
BV-500	6:1	45Inchs	450	30kg	50lbs./475Yards(435M)	발리안트500레드(우)	650,000
BV-500L	6:1	45Inchs	450	30kg	50lbs./475Yards(435M)	발리안트500레드(좌)	650,000
FX-400XN LEFT silver	6:1	33Inchs	510	9kg	40lbs./400Yards(365M)	FX400XN 실버 (좌)	500,000
FX-400XN RIGHT silver	6:1	33Inchs	510	9kg	40lbs./400Yards(365M)	FX400XN 실버 (우)	500,000
FX-500XN LEFT silver	6:1	36Inchs	570	9kg	50lbs/425Yards(388M)	FX500XN 실버 (좌)	520,000
FX-500XN RIGHT silver	6:1	36Inchs	570	9kg	50lbs/425Yards(388M)	FX500XN 실버 (우)	520,000
BX-400XN LEFT silver	6:1	33Inchs	510	14kg	40lbs./400Yards(365M)	BX400XN 실버 (좌)	650,000
BX-400XN RIGHT silver	6:1	33Inchs	510	14kg	40lbs./400Yards(365M)	BX400XN 실버 (우)	650,000
BX-400XNBLS	6:1	33Inchs	510	14kg	40lbs./400Yards(365M)	BX400XN 블루(좌)	650,000
BX-400XNLBLS	6:1	36Inchs	510	14kg	40lbs./400Yards(365M)	BX400XN 블루(우)	650,000
BX-500XN LEFT silver	6:1	36Inchs	570	14kg	50lbs/425Yards(388M)	BX500XN 실버 (좌)	700,000
BX-500XN RIGHT silver	6:1	36Inchs	570	14kg	50lbs./425Yards(388M)	BX500XN 실버 (우)	700,000
BX-500XNBLS	6:1	36Inchs	570	14kg	50lbs/425Yards(388M)	BX500XN 블루(우)	700,000
BX-500XNLBLS	6:1	36Inchs	570	14kg	50lbs./425Yards(388M)	BX500XN블루(좌)	700,000

Origin: America



PIRANHA PLIER 7"

The Accurate Piranha Pliers made of aluminum used in 2013 fighter aircraft are light and strong with a weight of 120g and have a cutting function that can cut almost all lines such as monofilament lines, braiding lines, and wires. (SHEATH (protection house), LANYARD (coil file) can be purchased additionally)



PIRANHA PLIER 7"

The Accurate Piranha Pliers made of aluminum used in 2013 fighter aircraft are light and strong with a weight of 120g and have a cutting function that can cut almost all lines such as monofilament lines, braiding lines, and wires. (SHEATH (protection house), LANYARD (coil file) can be purchased additionally)



POWER KNOB KIT



ROUND KNOB KIT

INFORMATION

ltem	비고	가격(원)
PIRANHA PLIER 7" SPLIT TIP	MARINE BLUE ACCUCOLOR	220,000
PIRANHA PLIER 7" SPLIT TIP	SILVER COLOR	140,000
EXTRA LITE PLIERS SPLIT RING JAW KIT W	플라이어소품	22,000
EXTRA LITE PLIERS CUTTERS KIT	플라이어소품	18,000
PLIERS LANYARD	플라이어소품	22,000
PLIERS SHEATH	플라이어소품	44,000
RED ROUND KNOB KIT	for BV, BX series	60,000
BLACK ROUND KNOB KIT	for BV, BX series	60,000
SILVER ROUND KNOB KIT	for BV, BX series	60,000
RED POWER KNOB KIT	for BX series	60,000
BLUE POWER KNOB KIT	for BX series	60,000
GOLD POWER KNOB KIT	for BX series	60,000
SILVER POWER KNOB KIT	for BX series	60,000

Origin: America

FISHING GLOVES



POLARIZED SUNGLASSES



with the TALEX lens can secure a clear field of view from any perspective.

Comparing the water repel

<Regular coated lens>

Three types of BIXOD GLOVE considering various fishing environments and user's taste



No Cut | JSFG001 BIXOD GLOVE NO CUT

Leather is placed on the palm based on the RX-7 material to prevent slipping. The No Cut model for Jigging which increases durability by placing a suede on the index finger and thumb




Three Cut | JSFG002 BIXOD GLOVE THREE CUT

Place sheepskin and suede on palms and wings based on RX-7 material. Increase practicality by opening the thumb, index finger, and middle finger.




No Cut | JSFG001 BIXOD GLOVE NO CUT LEOPARD

Leather is placed on the palm based on the RX-7 material to prevent slipping. The No Cut model for Jigging which increases durability by placing a suede on the index finger and



Three Cut | JSFG002 BIXOD GLOVE THREE CUT LEOPARD

Place sheepskin and suede on palms and wings based on RX-7 material. Increase practicality by opening the thumb, index finger, and middle finger.



올컷 | JSFG003 BIXOD GLOVE ALL CUT

Based on RX-7 material with excellent elasticity and tactility, mesh is mixed appropriately and closest to the feeling of bare hands



올컷 | JSFG003 BIXOD GLOVE ALL CUT LEOPARD


Based on RX-7 material with excellent elasticity and tactility, mesh is mixed appropriately and closest to the feeling of bare hands

INFORMATION

ltem	사이즈	색상	가격(원)
JSFG001 BIXOD GLOVE NO CUT	M, L, XL, 2XL	BK,YELLOW/GRAY/BK	37,000
JSFG002 BIXOD GLOVE THREE CUT	M, L, XL, 2XL	BK,YELLOW/GRAY/BK	35,000
JSFG003 BIXOD GLOVE ALL CUT	M, L, XL, 2XL	BK,YELLOW/GRAY/BK	32,000
JSFG001 BIXOD GLOVE NO CUT LEOPARD	M, L, XL	GRAY/RED	37,000
JSFG002 BIXOD GLOVE THREE CUT LEOPARD	M, L, XL	GRAY/RED	35,000
ISECOUS BIYOD CLOVE VLT CLIT LEODVDD	M I VI	CDAV / DED	22,000

Origin: China

TIEMCO, a Japanese fishing company, is developed optimally for fishing, and the biggest difference is in the lens.



<SWR lens>

ROTONDO GRAY SMOKE PRO

The SWR lens has a long water repellent effect like a differential glass coated with a water repellent


flections on the front window during driving

ROTONDO MATTE BLACK

SWR Lens (Super Water Repellent)

Evolve into an "ultra-water-repellent performance + strong lens" required by the angler by adding a super-water-repellent coating on the surface of the glass polarizing lens with a vacuum deposition special method

<Performance of "super water repellent" that surpasses the existing multi-coating> During fishing water droplets such as inevitable rain and splashing sea water are dropped to maintain a pleasant view for a long time and reduce the coefficient of friction to strongly bounce



POLARIZED SUNGLASSES | ACCESSORIES



It is a semi-hard case and is free to store and carry. Enjoy JOYFUL FISHING LIFE with SIGHT MASTER!





- Morning and evening fishing: Green
- On a sunny day: Light brown
- In a wonderful daily life: Light gray





- Separation protection function
- Tightening control function
- Necklace function when taking off sunglasses

- NEW COTTON EYE WEAR RETAINER
- Black, blue, green, navy, yellow
- Prevent separation by tightening
- No sense of heterogeneity with soft material



SUNGLASS RETAINER

• Soft material: There is no sense of heterogeneity

Flotation function to prevent loss

Black & Yellow: Choose by taste

INFORMATION

ltem	아이템	지아.	렌즈컬러	적합분야	가격(원)
77-51201-521	SCEPTER BLACK	20X56X35X143MM	라이트 그레이 · 실버 미러	쾌청, 오픈워터	350,000
77-51211-521	WEDGE BLACK	20X56X35X143MM	라이트 브라운 · 실버 미러	쾌청, 오픈워터	350,000
77-51211-522	WEDGE BLACK	20X56X35X143MM	라이트 그레이 · 실버 미러	쾌청, 오픈워터	350,000
77-51181-521	VECTOR BLACK	17.5X58X35X150MM	라이트 브라운 · 실버 미러	쾌청, 오픈워터	360,000
77-51181-522	VECTOR BLACK	17.5X58X35X150MM	라이트 그레이 · 실버 미러	쾌청, 오픈워터	360,000
77-51183-523	VECTOR DARK GREEN	17.5X58X35X150MM	이 <u>즈그</u> 린 · 실버 미러	일출, 일몰, 흐린날	360,000
77-51261-521	MAGNIFICO BLACK	22X50X39X144MM	라이트 브라운 실버 미러	쾌청, 오픈워터	370,000
77-51261-522	MAGNIFICO BLACK	22X50X39X144MM	라이트 그레이 실버 미러	쾌청, 오픈워터	370,000
77-51262-521	MAGNIFICO BROWN DEMI	22X50X39X144MM	라이트 브라운 실버 미러	쾌청, 오픈워터	370,000
77-51262-522	MAGNIFICO BROWN DEMI	22X50X39X144MM	라이트 그레이 실버 미러	쾌청, 오픈워터	370,000
77-51190-531	KINETIC SMOKE GRAY PRO	16X64X40X150MM	슈퍼라이트브라운	전천후,사이트 피싱	370,000
77-51190-532	KINETIC SMOKE GRAY PRO	16X64X40X150MM	슈퍼라이트그레이	전천후, 오픈워터	370,000
77-51251-521	BARREL BLACK	17X60X36X145MM	라이트 브라운 실버 미러	쾌청, 오픈워터	370,000
77-51251-522	BARREL BLACK	17X60X36X145MM	라이트 그레이 실버 미러	쾌청, 오픈워터	370,000
77-51251-523	BARREL BLACK	17X60X36X145MM	이즈그린·실버미러	일출, 일몰, 흐린날	370,000
77-51252-522	BARREL MAHOGANY	17X60X36X145MM	라이트 그레이 실버 미러	쾌청, 오픈워터	370,000
77-51281-521	MISCELA BLACK	21X50X39X143MM	라이트 브라운 실버 미러	쾌청, 오픈워터	360,000
77-51281-522	MISCELA BLACK	21X50X39X143MM	라이트 그레이 실버 미러	쾌청, 오픈워터	360,000
77-51291-52101	ROTONDO BLACK	17x64x40x147MM	라이트브라운/실버미러(SWR)	쾌청, 오픈워터	390,000
77-51291-52201	ROTONDO BLACK	17x64x40x147MM	라이트그레이/실버미러(SWR)	쾌청, 오픈워터	390,000
77-51301-52101	ENORME BLACK	19X58X44X149MM	라이트브라운/실버미러(SWR)	쾌청, 오픈워터	390,000
77-51301-52201	ENORME BLACK	19X58X44X149MM	라이트그레이/실버미러(SWR)	쾌청, 오픈워터	390,000
77-51302-52101	ENORME MATTE BLACK	19X58X44X149MM	라이트브라운/실버미러(SWR)	쾌청, 오픈워터	390,000
77-51302-52201	ENORME MATTE BLACK	19X58X44X149MM	라이트그레이/실버미러(SWR)	쾌청, 오픈워터	390,000
77-51292-52101	ROTONDO MATTE BLACK	17x64x40x147MM	라이트브라운/실버미러(SWR)	쾌청, 오픈워터	390,000
77-51292-52201	ROTONDO MATTE BLACK	17x64x40x147MM	라이트그레이/실버미러(SWR)	쾌청, 오픈워터	390,000
77-51293-51101	ROTONDO GRAY SMOKE PRO	17×64×40×147MM	이즈그린(SWR)	일출, 일몰, 흐린날	390,000
77-51293-52201	ROTONDO GRAY SMOKE PRO	17×64×40×147MM	라이트그레이/실버미러(SWR)	쾌청, 오픈워터	390,000
77-51293-53101	ROTONDO GRAY SMOKE PRO	17×64×40×147MM	슈퍼라이트브라운(SWR)	맑은날,흐린날,사이트피싱	390,000
77-51293-53201	ROTONDO GRAY SMOKE PRO	17×64×40×147MM	슈퍼라이트그레이(SWR)	맑은날, 흐린날, 오픈워터	390,000
ACC.	SUNGLASS RETAINER	-	옐로우, 블랙	-	20,000
ACC.	SIGHT MASTER GLASS CASE	-	3P	-	60,000
ACC.	FISH TIP EYE WEAR RETAINER	-	BLACK	-	15,000
ACC.	COTTON EYE WEAR RETAINER	-	BLACK, BLUE, YELLOW, GRAY, NAVY	-	15.000





It is made in two sizes for application to various field situations and consists of eight colors to match the colors of shrimp, anchovies, and sardines, the main prey of flatfish. The tail, which runs from a voluminous body to a sharp curve, is more flexible and constantly appeals to the target with its natural action according to the current.

UV Coating: Even with a small amount of light, it shines easily underwater

Squid flavor: It reduces the probability of short bite in sensitive situations and helps to increase the frequency of bite through olfactory appeal

Bio-salt: By improving the texture of the worm, it reduces the foreign substances. Strengthening Responsiveness to Short Bite


Reverse wrinkle design: Through reverse wrinkle design, a fine vortex is created in the water to appeal to the steady presence by waves.

Visual appeal is possible with symmetrical pintails and natural movements of the tail from the body to the soft curve.

Greedy Shad 4"



Greedy Shad 5"



INFORMATION | The product image is a 3D simulation, so please check the actual product

ltem	컬러명	시에즈	컬러넴버	가격(원)
	STRAWBERRY JAM	4 inch	001	
	WHITE	4 inch	002	
	GREEN PEPPER	4 inch	003	
	SILVER	4 inch	004	
	MOTOR OIL	4 inch	005	
	PINK	4 inch	006	
	BLUE BACK	4 inch	007	
eedy Bait's (Greedy Shad)	BABY BASS	4 inch	008	7,000
eedy balts (Greedy Shad)	STRAWBERRY JAM	5 inch	001	7,000
	WHITE	5 inch	002	
	GREEN PEPPER	5 inch	003	
	SILVER	5 inch	004	
	MOTOR OIL	5 inch	005	
	PINK	5 inch	006	
	BLUE BACK	5 inch	007	
	BABY BASS	5 inch	008	

Origin: China

CONNECT with JSCOMPANY_107

SSOPACK



소비자가 9,000원

The Korean Minow Series, which created the entire process of motif, design, and production with its own development power over a long period of two years. (mandarin fish, masu salmon, Rainbow Trout) It is a hardbait brand designed to target stream fish species easily. It is a Minnow series that avoids OEM production methods for high-quality and high-performance products, produces them in the same way as expensive Japanese brand products through self-development, and satisfies all needs of domestic consumers.

'Match The Baits' is based on the motif of lead sack, which lives in an environment similar to that of mandarin fish and serves as the food meat, and lives in aquatic waters across the country.

KIRA 56SS (Slow sinking type)

Length: 56mm | Weight: 3.8g | Hook: VMC 1X 12호


• It is used to target calm rivers or shallow places, collaborating Minnow and Crank, so it has excellent self-action even on low-speed retrive.



KIRA 56MRSP (Suspend type)

Length: 56mm | Weight: 4.6g | Hook: VMC 1X 10호

Used to target the middle of the rapids and deep areas. In the stopping motion, the center of gravity is designed so that the head of Minnow rises about 40 degrees to induce Bite to the target fish species.



Sinking Minnow, which is used in field conditions that require strong rapids and distance, and can attract target fish species with free falling actions.




소비자가 9,000원

SCOUT 65SP | Dive depth 0.5~1m | 65mm

Weight: 5.0g / Type: SUSPEND / Hook: VMC 1X 10

1t's compact size and has excellent driving distance. Balance in harmony with rolling and wobbling actions. Suspend minnow that can be used not only for scouting but also for all




소비자가 9,000원

SKID 45S | 45mm

• Weight: 3.4g / Type: SINKING / Hook: VMC 1X 12

• It is possible to maintain the depth of the water when retrive after falling to the depth of the attack. Suspend type Minnow, a new concept of sinking that can attack fish with water







SUMARI 50S

SUMARI 50S (Sinking): 50mm, 3g 소비자가 18,000원

Sinking type with excellent distance and self-balance with compact size.

 $\blacksquare \text{ Semi-Slim type. From calm rapids to strong rapids, they do not come out to the surface. It does not come to } \\$ the surface not only during retrive but also during Ripping Twitching and Jerking


• An all-round player who can reliably control every flow from Up to Cross to Down Stream.



SUMARI 50FS (Fast Sinking) With Owner's Hook(미늘), 50mm, 4.8g 소비자가 16,000원

FAST SINKING SUMARI 50FS

- Semi-Fat type, Fast Sinking Minnow. It boasts the strongest distance in its class and is effective in pinpoint attack. In the low depth, and the deep depth of water, it appeals to the target fish species to the free polling action and Bite is induced.
- lacktriangle It attracts target fish species with Minnow's own rolling action that is delivered to the hand through Rod as a unique action impact in a field with a flow velocity.
- Stay falling after switching action in less flow field. And you can use Vertical Performance, lift & fall action.



SUMARI 60SP (Suspending): 60mm, 4.2g 소비자가 19,000원

SUSPEND SUMARI 60SP

- Special Minnow created by combining JS Company's accumulated experience and TIEMCO's technology to target Mandarinfish and Trout,
- Optimal balance design while maintaining a stable posture that does not come out of the water even with strong rapids. It is suitable for targeting pin points with an excellent reaction speed that adopts a fixed center and produces a swimming action at the same time as launching. Angler's strong supporter with the ability to respond reliably upstream and downstream in any situation.



length: 60mm/weight: 4g/type: Sinking/recommended tackle: UL, L Rod/Line: 4~6LB PE NO. 0.4~0.8 소비자가 20,000원

- $\ \ \, \ \ \, \ \ \,$ A plug exclusively for midstrawling. A downsized model based on Glimmer 7.
- A model that can increase the probability of Bite by appealing to Bass at a size of 60mm
- $\hfill \blacksquare$ Like Glimmer7, the high-pitch rolling action is enormous.
- Despite the sensitive bass shortbite, it boasts a tremendous hooking rate.






길이:70mm/무게:5g/타입:SlowSinking/추천태클:UL, L로드/라인:4~6LB PE 0.4~0.8호 소비자가 20,000원




- A completely new midstrawling plug that's never existed before. (Setting up for a relatively medium range of 1 to 3 meters)
- Triple hooks are installed to complement the worms Miss Bite against sensitive Bass, and developed to increase hooking rate.
- Omplete rolling action after numerous trial and error. The front and tail balances were complemented for middle and bottom fishing operability.
- Perfect midstrolling plug with straightness and suction
- Even in a sensitive field that doesn't seem to have Bass at all, you can see the thrill at hand with incredible appeal.



길이:70mm/무게:5g/타입:Slow Sinking/추천태클:UL, L로드/라인:4~6LB PE 0.4~0.8호 <mark>소비자가 20,000원</mark>



- Anyone can easily mid strolling around the surface layer of 10cm to 1.5m
- It's slower than the original. Bite, which has been frequent since it got into the water. It plays a special role in strict Lure control situations.
- $\blacksquare \text{ A more detailed systematic approach is possible by distinguishing it from Glimmer 7 or Glimmer 6. }$



Length: 175mm/Weight: 1.5oz (40g클래스)/Type: Floating/Hook: #2/Option: #2 깃털훅×2,스페어테일 소비자가 24,000원



- "MB-1" is a remake product made of ABS. This product was produced in small quantities with handmade wood by Monkey Brain Baits in the past.

 It is designed to respond immediately to angler's roadwork.
- Various actions can be produced, from speed adjustment to turning actions that induce instantaneous Bite,
- irregular actions, etc.

 Mounted with 'NTD System' that sets the range of action operation of luer through simple adjustment of parts. It is possible to change the movement of the lure by changing the screw of the joint portion. By replacing it with a feather hook, various approaches are possible depending on the situation.

03



A design that embodies the actual Baitfish swimming. 3" ECO PDL SUPER SHAD TAIL

lacktriangle Action to move only the tail without moving the body. Recommended for simple retrive and midstrolling by no sinker



4인치/6개입 소비자가 11,000원

• The circular body design makes it easy to use Jighead and offset hooks.

It has a high proportion of the body, so it's good for using a no-sinker

• It appeals to the target with vibrations of tail and the sparkle of scales, and has an absolute effect, especially in Clear Water.



3인치 / 7개입 소비자가 11,000원

3" ECO PDL SUPER LIVINGFISH

4" ECO PDL SUPER SHAD SHAPE

- Designed to fit a specially glowing midstrolling skill
- Roll when combining the jighead and the body, and the tail vibrates finely




3인치/6개입 소비자가 11,000원



- "3D action" that we've been looking for a long time.
- Midstrawling, drop shot, trailer for small jigs, Bug-tune, etc.
- Multi-talented in various gears





MAGNUM

- Bass-tune version of the popular CICADA series.
- The triple hook adoption under the wing and the tail makes it easy to hook-set, and you can select colors by field in Bass-only color.



SOFT SHELL CICADA: 40mm, 4g 소비자가 19,000원

CICADA MAGNUM BASS-TUNED : 45mm, 6g 소비자가 20,000원



- Lure, which is closest to cicadas, pursuing realism in form, touch, and action.
- Adopting a high buoyancy material enables clear and agile action.
- Realize real sound with the body shape of the insect's back and soft material with high buoyancy.



TINY CICADA BASE-TUNE : 34mm, 2.7g 소비자가 16,000원

• Bass-only model that allows accurate casting in a small size, Instead of wings, a silicone skirt is set to suppress excessive appeal when starting sound or manipulating attracting bass with fine vibration.

• Depending on the surface of the water state or the reaction of Bass, more detailed access is possible if used with












PDL The silicon skirtof the selected material


- Thickness, hardness, color tone. All of that takes Jig or Spinner Bait to the next level.
- Tying lure, completed with an uneven skirt, has excellent design completeness and can produce flashy actions.
- Due to the nature of the uneven surface, the phenomenon of entanglement with each other is significantly reduced, so it is advantageous to maintain the initial shape.



티엠코 PDL 실리콘 스커트 파인컷 / 길이 : 14cm / 4Piese 소비자가 4,500원

PDL The silicon skirtof the selected material

- Thickness, hardness, color tone. All of that takes Jig or Spinner Bait to the next level
- Tying lure, completed with an uneven skirt, has excellent design completeness and can produce flashy actions.
- Due to the nature of the uneven surface, the phenomenon of entanglement with each other is significantly reduced, so it is advantageous to maintain the initial shape.




제이에스컴퍼니몰 (www.jscompanymall.net) 단독 할인판매 소비자가 6,000원

UNDER SPIN | 5/16oz, 4/0 Hook, Clear Blade | Four colors

- The best softbait action using patented blades
- The movement of a unique double blade emphasizing the movement of the softbait. Can appeal to more targets with clear blades.
- Use 4-5" softbait
- $\ \, \blacksquare$ Design that reduces the possibility of hook-ups on the floor.
- Ideal for targeting freshwater and sea.









02. Dark Red

03. Watermelon Red

04. Green Pumpkin

05. Black

제이에스컴퍼니몰 (www.jscompanymall.net) 단독 할인판매 소비자가 7,000원

SKIRTED SHUDDER SPIN | 3/8oz, 4/0 Hook, Clear Blade | Seven colors

- The best softbait action using patented blades
- The movement of a unique double blade emphasizing the movement of the softbait. Can appeal to more targets with skirt hooks
- Use 4-5" softbait
- Design that reduces the possibility of hook-ups on the floor.
- Ideal for freshwater fish.









01. White/Silver Flake

02. Clear/Highlight Blue Pepper





04. Speckled Shad

05. Watermelon/Chartreuse/Pepper 06. Green Pumpkin Pepper

07. Black/Blue





Double plopper 148

- If you like the original version of Whopper plopper, you'll like the double plopper.
- A single Lure has two reverse blades, not one, to create a double plopper sound.
- It has very little floor hanging potential and the ability to overtake thick covers
- It is specialized in the burning action of scratching on the surface of the water, so it can be a fatal temptation to Bass.
- Thanks to the air-input blade, it is possible to stop on the surface of the water, allowing stop & go action.
- If you act to the fullest and stop at the pocket and move slowly or quickly near submerged trees or obstacles, the targe is more likely to be caught,
- Double ploppers are expected to be the most multipurpose top water Lure you have ever used.















INFORMATION

MODEL	DESCRIPTION	WT.(oz)	L(in)	HOOK	ACTION	가격(원)
DP 148	Double Plopper 148	5/8	53/4	River2Sea Big Bite (BN) 2X Strong # 5/0	Floating	22,000

Origin: China

Whopper plopper 75

- The existing Whooper plopper 95/130 model focuses on powerful tail sound. And Whooper plopper 75 is specialized in fast movement and the unique sound of insects when they fall into the water.
- Wapper plopper 75 is effective for target fish species looking for small prey on the surface layer.











08 - BLUE BLOOD

09 - PERCH

13 - MUNKY BUTT

17 - PHANTOM SHAD

18 - I KNOW IT





28 - BLUE GILL

44 - CHROME BLACK

INFORMATION

MODEL	DESCRIPTION	WT.(oz)	L(in)	HOOK	ACTION	가격(원)
WPL 75	Whopper Plopper 75	9/16	3	Two River2Sea (BN) X Strong Treble #4	Top water	17,000

Origin: China

Whopper plopper 90/110/130

- Whooper ploper 90/110/130 is a larger upper version.
- It moves by rolling resistance and can be applied to various speeds.
- Interestingly, the sound and wavelength of lifting water are better than the sound made by a metal tail.
- Use strong durability, strong wire, and unique strong 4-foot travel hook including hook hangers (strong and impact resistant)
- The 110/130 version, based on its unique powerful sound, allowed repetitive actions by throwing them exactly where they wanted to be.
- Lure's unique stop & high action is possible. It makes a strong sound and induces a larger fish in the deep to come up.
- The upper version focused on loud sound and the size 90 focused on fast action. Through this, a reenactment of a flying bug crawling on the surface of the water.
- Whopper plopper 90 is effective in the high-pressure field.



INFORMATION

MODEL	DESCRIPTION	WT.(oz)	L(in)	HOOK	action	가격(원)
WPL 90	Whopper Plopper 90	2/5	31/2	Two River2Sea (BN) X Strong Treble # 4	Top water	17,000
WPL 110	Whopper Plopper 110	1	43/8	Two River2Sea (BN) 4X Strong Treble # 2	Top water	22,000
WPL 130	Whopper Plopper 130	13/8	5	Two River2Sea (BN) 4X Strong Treble # 2	Top water	22,000

Origin: China

Whopper plopper 190

- The soft, well-bending back part is very fascinating to the target.
- The tail part is designed so that it doesn't break in case it gets stuck between obstacles or falls on a stone.



09 - PERCH



INFORMATION

MODEL	DESCRIPTION	WT.(oz)	L(in)	HOOK	action	가격(원)
WPL 190	Whopper Plopper 190	23/4	71/2	River2Sea (BN) Long Shank 4X Strong #5/0	Top water	26,000
Origin: China						

BIG MISTAKE 160

- Bigmistake was made in a variety of mistakes between Bass professional angler Chris Lane and River2Sea development team.
- The unique size and shape are to catch a large bass.
- Adopting a large propeller made of soft materials and draining out a large amount of water, creating a sound that Bass has no choice but to find and attack quickly.
- Lure to catch the target dearly. This is the result between Bassmaster Classic champion Chris Lane and River2Sea development



INFORMATION

MODEL	DESCRIPTION	WT.(oz)	L(in)	HOOK	ACTION	가격(원)
BM 160	Big Mistake 160	7/8	6 3/8	Three River2Sea (BN) Treble #1	Floating	22,000

Origin: China





TOP NOTCH 130

- The top notch designed by Chris Lane is efficient at catching aggressive bass around Bait fish groups.
- The Top Notch is effective when it needs to cause a lot of impact on the water surface, and the propeller uses soft plastic to be impact resistant and create a large wavelength on the water surface.
- The cup-shaped mouth spits out water during a pop action, which is good for seducing large Bass.



09 - PERCH



13 - MUNKY BUTT



18 - I KNOW IT





02 - YELLOW HEAD

15 - BREAM

INFORMATION

MODEL	DESCRIPTION	WT.(oz)	L(in)	HOOK	action	가격(원)
TN 130	Top Notch 130	3/4	5	Two River2Sea (BN) Treble #2	Floating	19,000

Origin: China

Spittin' Wa 55

- Frog Lure for more efficient surface wavelength
- The cup-shaped head creates a bubble band to amplify the activity of the targets.
- "Walking the Dog Action" is also possible, and a versatile Lure that is strong against short actions and can produce aggressive pop sounds.



05 - GHOST

INFORMATION

04 - COPPER GREEN

MODEL	DESCRIPTION	WT.(oz)	L(in)	HOOK	action	가격(원)
SW 55	Spittin' Wa 55	9/16	21/4	River2Sea (BN) Frog Double #2/0	Top water	11,000
Origin: China						

12 - LEOPARD

Worldwide Spoon 100

- Designed by FLW tour pro James Watson
- The body and weight are perfectly designed for the best drop rate. It is ideal for open water casting vertical fishing Straight-Wall fishing and Spoon Retrive and Jerking at the dock
- When the spoon falls, it can reach the point diagonally as if swimming and ideal action is possible.
- It's equipped with a stinger needle that can be attached and detached from the River2Sea 1-#2 4X treble.







13 - I KNOW IT



03 - CHROME BLUE

05 - I KONW IT

INFORMATION

MODEL	DESCRIPTION	WT.(oz)	L(in)	HOOK	action	가격(원)
WWS 100	Worldwide Spoon 100	1	5	River2Sea (BN) 4X Strong Treble #2/Stinger Single #6	Slow Sinking	12,000

Origin: China

S-waver 168S / 200S

- Swimbait, characterized by swimming in S action
- Natural S motion is possible, and natural waves are sufficient to attract large-sized targets.
- The soft PVC tail and hinge structure are the points, Creating a continuous S action is more effective for the target,







INFORMATION

MODEL	DESCRIPTION	WT.(oz)	L(in)	HOOK	ACTION	가격(원)
SW 168S	S-Waver 168S	15/8	63/4	Two River2Sea (BN) Treble #1	Top Sub-Surface 1 ft	23,000
SW 200S	S-Waver 200S	3 3/8	8	Two River2Sea (BN) Treble #2/0	Top Sub-Surface 1 ft	58,000

Origin: China

Frog Kit for Hollow Body Frog

- Regular frog Lure can be tuned to River2Sea's new RATTLE TRAILER or PLOPPER TRAILER
- Frog with unique and loud prop sounds. It seduces targets more diversely.







PHAT MAT DADDY RATTLE



PLOPPER BLADE CLEAR

PLOPPER TRAILER

INFORMATION

MODEL	DESCRIPTION	WT.(oz)	L(in)	HOOK	action	가격(원)
FA-FK	Frog Kit 1 Plopper Trailer & 2 Frog Rattles	3/8	13/4	-	Floating	10,000
Origin: China						





11/2" Crappie / Panfish Grubs(Packed 18) 소비자가 4,500원

2" Crazy Tail Grubs

• 2" Grub Worm. Can respond to not only mandarin fish but also Korean aucha perch and other fish species.

2" Crazy Tail Grubs(Packed 15) 소비자가 4,500원

Slider's representative worm that is loved by so many anglers



21/8" Slider Double-Action Minnow(packed 10) 소비자가 4,500원

2 1/8" Slider Double-Action Minnow

- 21/8" Soft Minnow
- Activity Expression of Bait Living through Double Action in Retrieve



11/2" Crappie / Panfish Grubs

- 1.5" Softbait, Strongest grub that seduces objects with the vibration of the tail (mandarin fish Lure Fishing) In addition to mandarin fish, it can be used in various fish species.
- 2. CSG13 3. CSG14 4. CSG33 1. CSG1 5. CSG36 Car della 7. CSG4F3-GLO 8. CSG5 9. CSG5M 10. CSG7168 6. CSG4 11. CSG814 12. CSG815 13. CSGC128 14. CSGC73 15. CSGC89 16. CSGF05 17. CSGF1 18. CSGF13 19. CSGF131 20. CSGF134 22. CSGF17 23. CSGF2 24. CSGF2506 21. CSGF16 25. CSGF3 28. CSGF335 26. CSGF30 29. CSGF368 30. CSGF45 27. CSGF318 31. CSGF46 33. CSGF51 35. CSGF59 32. CSGF5 34. CSGF56 36. CSGF6 37. CSGF615 38. CSGF8 39. CSGF85 40. CSGF88 41. CSGF9 42. CSGF94 43. CSGFGLO 44. CSGFL185 45. CSGFL2210 46. CSGL38 47. CSGG00 48. CSGG1289 49. CSGG17 50. CSGG368 52, CSGG7 53. CSGG8 54. CSGG8171 55. CSGG88 51. CSGG5 THE STATE OF THE PARTY. 56. CSGG9 57. CSGGF128 58. CSGGF15 59. CSGGF55 60. CSGGLO 61, CSGL103 62. CSGL114 63. CSGL148 64. CSGL163 65. CSGL222

68. CSGLF1445

69. CSGLG15


120 _ 2021, JSCOMPANY PRODUCT CATALOG

67. CSGL38


66. CSGL28

CONNECT with JSCOMPANY_121





			1. SBGG4	4-17
		(enteressession)		
2. SBG4-3	3. SBG4-89	4. SBGF4-19	5. SBGF4-35	6. SBGF4-39



5" Bass Worms			
			1. SW58
	Processing of the State of the	electric and the description of the	
2. SWF55	3. SWG514	4. SWG517	5. SWGF517

1 1/2" Crappie / Panfish Grubs (Packed 18)

NFOF	RMATION	소비	자 4,500원
품번	품명및컬러	품번	품명및컬러
1	CSG1	35	CSGF59
2	CSG13	36	CSGF6
3	CSG14	37	CSGF615
4	CSG33	38	CSGF8
5	CSG36	39	CSGF85
6	CSG4	40	CSGF85
7	CSG4F3-GLO	41	CSGF88
8	CSG5	42	CSGF9
9	CSG5M	43	CSGFGLO
10	CSG7168	44	CSGFL185
11	CSG814	45	CSGFL2210
12	CSG815	46	CSGFL38
13	CSGC128	47	CSGG00
14	CSGC73	48	CSGG1289
15	CSGC89	49	CSGG17
16	CSGF05	50	CSGG368
17	CSGF1	51	CSGG5
18	CSGF13	52	CSGG7
19	CSGF131	53	CSGG8
20	CSGF134	54	CSGG8171
21	CSGF16	55	CSGG88
22	CSGF17	56	CSGG9
23	CSGF2	57	CSGGF128
24	CSGF2506	58	CSGGF15
25	CSGF3	59	CSGGF55
26	CSGF30	60	CSGGLO
27	CSGF318	61	CSGL103
28	CSGF335	62	CSGL114
29	CSGF368	63	CSGL148
30	CSGF45	64	CSGL163
31	CSGF46	65	CSGL222
32	CSGF5	66	CSGL28
33	CSGF51	67	CSGL38
34	CSGF56	68	CSGLF1445
일사지 : [기국	69	CSGLG15


2" Crazy Tail Grubs (Packed 15)

INFO	RMATION	소비	자가 4,500원			
품번	품명및컬러	품번	품명및컬러			
1	CT3-2	11	CTFL1445-2			
2	CT81-2	12	CTFL2210-2			
3	CT814-2	13	CTFL38-2			
4	CTF128-2	14	CTFL95-2			
5	CTF335-2	15	CTFLG15-2			
6	CTF45-2	16	CTG13-2			
7	CTF45-2	17	CTG17-2			
8	CTF5-2	18	CTG5-2			
9	CTF6-2	19	CTFG98-2			
10	CTFL105-2	20	CTFL185-2			
원산지 :	원산지 : 미국					

2 1/8" Slider Double-Action Minnow (Packed 15)

INFO	INFORMATION		자가 4,500원
품번	품명및컬러	품번	품명및컬러
1	SM145	13	SMF88
2	SMF12	14	SMFGLO
3	SMF3	15	SMFL1445
4	SMF35	16	SMFL185
5	SMF368	17	SMFL38
6	SMF3-GLO	18	SMG74
7	SMF45	19	SMG89
8	SMF5	20	SMGF128
9	SMF6	21	SMGF15
10	SMF62	22	SMGF55
11	SMF65	23	SML103
12	SMF85	24	SML893
٠ اتا۱۱٥	під		

원산지 : 미국



3" Curly / Crazy Tail Grubs (Packed 10)

INFO	소비자가 5,000원				
품번	품번 품명및캠러		Ŧ	명및컬러	
1	CTC51-3	품번 4		CTF5-3	
2	CTF128-3	5		CTG3-3	
3	CTF35-3				

원산지 : 미국

3" Grubs - Bass / Stripe/Walleye (Packed 13)

INFO	RMATION	소비	자가 5,500원
품번	품명및컬러	품번	품명및컬러
1	SBC73	5	SBGG318
2	SBG3	6	SBGG368
3	SBGF35	7	SBGL163
4	SBGG17	8	SBGN129

원산지 : 미국

4" Solid,Glitter, Fire Tail,Laminates (Packed 10)

INFO	RMATION	소비	자가 4,500원
품번	품명및컬러	품번	품명및컬러
1	SCW48	5	SWG817
2	SW81	6	SWGF13
3	SWG14	7	SWGF81
4	SWG17		

원산지 : 미국

4" Grubs-Bass / Stripe / Walleye (Packed 10)

INFO	RMATION	소비	자가 5,500원		
품번	품명및컬러	품번	품명및컬러		
1	SBGG4-17	5	SBGF4-19		
2	SBG4-3	6	SBGF4-35		
3	SBG4-89	7	SBGF4-39		
워사지 : 미국					

5" Bass Worms (Packed 10)

INFO	RMATION	소비	자가 5,000원
품번	품명및컬러	품번	품명및컬러
1	SW58	5	SWG517
2	SWF55	6	SWGF517
3	SWG514		
위사지 ·	미구		







JSCP029 ALL MESH CAP BLACK

JSCP027 JS PATTERN SNAPBACK

All MESH CAP

SNAPBACK

BDXOD

Materials: Cotton 100% / Origin: South Korea 소비자가 24,000원







Material: brim - Cotton | Head - nylon, polyester / Origin: South Korea 소비자가 28,000원







Materials: Cotton 100% / Origin: South Korea 소비자가 37,000원



내부

좌측면

Materials: Cotton 100%/ Origin: South Korea 소비자가 35,000원







EGO S2 랜딩네트

- Handle that changable the length
- separation & combination of gripper and net part
- water float design

- Innovative handle design
- Untangled PVC coated (RCN rubber coating) Net







72056A/배스



72056-FINE MESH / 우럭, 다운샷





72012 / 카약



INFORMATION | Separate sales of "net" and "handle" from 2021

용도	아이템	제품명	그립길이	그립무게(g)	그물깊이	그물둘레	그물무게(g)	가격(원)
배스	망	72056A			20"(50.8cm)평평한바닥	22"(55.9cm) x 23"(58.4cm)	550	80,000
메스	핸들	18" HANDLE	18"(45.7cm)~36"(91.5cm)	531				75,000
우럭/다운샷	망	72056-FINE MESH			20"(50.8cm)평평한바닥	22"(55.9cm) x 23"(58.4cm)	510	80,000
구덕/ 니군갓	핸들	29" HANDLE	29"(73.7cm)~60"(152.5cm)	711				85,000
다운샷/서해	망	72086-FINE MESH			20"(50.8cm)평평한바닥	22"(55.9cm) x 23"(58.4cm)	510	80,000
니군갓/시에	핸들	48" HANDLE	48"(121.9cm)~108"(274.4cm)	1,081				105000
부시리/참돔	망	72056-LARGE MESH			20"(50.8cm)평평한바닥	22"(55.9cm) x 23"(58.4cm)	550	80,000
구시니/심금	핸들	29" HANDLE	29"(73.7cm)~60"(152.5cm)	711				85,000
카약	망	72012-KAYAK			16"(40.6cm)평평한바닥	17"(43.2cm) x 19"(48.3cm)	490	75,000
713	핸들	18" HANDLE	18"(45.7cm)~36"(91.5cm)	531				75000
지깅	망	72154-JIGGING			38"(96.5cm)	24"(61cm) x 27"(68.6cm)	540	90,000
16	핸들	29" HANDLE	29"(73.7cm)~60"(152.5cm)	177				85000

무게오차(+-10g)|Origin: America

PLIER

CNC processed aluminum alloy body

• Use: Hook-off, fishing line cutting split-ring open, Sinker compression, etc



Color	크기	무게	소비자가(원)
GUNMETAL/ORANGE	190 mm	115g	45,000

Origin: China

LIP GRIP | PLIER | LANDING NET

NET HOLDER | ROD BAND | ROD JACKET | TIP COVER | AUXILIARY GRIP

NET HOLDER

- Strong magnetic force
- a solid link
- Handmade production





INFORMATION

종류	소비자가(원)
로즈목	17,000
비취목	17,000

Origin: South Korea

ROD BAND

- Effectively carry a number of rods
- High-completion design, esthetic superiority Soft and highly elastic, protect the rod from injury
- Excellent draft with vivid color
- excellence quality made in korea





INFORMATION

길이	폭	소비자가(원)
35CM	40mm	11,000
Origin: South Korea		

ROD JACKET

- Easy to detach
- Excellent elasticity
- Easy to store when boatingExcellent wear resistance









INFORMATION

실용신안출원번호 제 2009-179호

종류	길이	폭	색상	가격(원)
스피닝용	1600 m/m	40 m/m	체크, 블루, 옐로우	10,000
베이트용	1600 m/m	40 m/m	체크, 블루, 옐로우	10,000

Origin: South Korea

911	=-1		70	· 1 - (C-)
스피닝용	1600 m/m	40 m/m	체크, 블루, 옐로우	10,000
베이트용	1600 m/m	40 m/m	체크, 블루, 옐로우	10,000

TIP COVER

- Soft cushion E.V.A material
- Safely protect top guides and tips from risk of damage
- variety of colors, good visibility, simple yet luxurious design
- Upgrade the joy of fishing

INFORMATION



특허출원번호 10-2009-43017

길이	외경	내경	재질	소비자가(원)
205 mm	15 mm	10 mm	연질EVA	5,000(27H 1set)
Origin: South Korea				

AUXILIARY GRIP

Auxiliary grip for BIXOD N J3, J2 slow jigging rod, removable EVA grip that prevents rod damage when mounting on

Soochi M1 'Small' looks like it will be fun enough to be filled with quietly exciting details from the Soochi M1 Road,





Origin: South Korea

EVA그립 2EA / 10cm 소비자가 7,000원 쏘치M1용 EVA그립 2EA 소비자가 6,000원
 EVA그립 2EA / 17cm
 소비자가
 8,000원
 기타제품용 EVA그립(용도에 맞게 절단하여 사용)

PREMIUM LANDING NET

크기

LIP GRIP

High-quality aluminum alloy bodies

Use to lift fish during landing

Anti-corrosion heat treatment processing

ergonomic design that maximizes grip feeling

- CURVE | RED ● HANDLE WOOD : 모하비커리
- FRAME :월넛 + 메이플 + 월넛
- Net Color : Red Wegiht: 130g

INFORMATION

GUNMETAL/ORANGE

Origin: China

Color

Size: 430(300) X 210mm ● Net Size : 망 깊이 400mm 이상

CURVE | BLACK

● HANDLE WOOD : 애쉬벌 ● FRAME : 메이플 + 월넛 + 메이플

NET material: 100% high density twist rope

- Net Color : Black
- Wegiht: 115g
- Size: 430(300) X 210mm ● Net Size : 망 깊이 400mm 이상

Because of the high density, the hook (needle) cannot penetrate, and even if it is caught, it is easy to pull out

STRAIGHT | KHAKI

- HANDLE WOOD : 애쉬벌 ● FRAME : 메이플 + 월넛 + 메이플
 - Net Color : Khaki
 - Wegiht: 125g
 - Size: 480(330) X 225mm ● Net Size : 망 깊이 400mm 이상

INFORMATION


ltem	사이즈(cm)	망깊이(cm)	무게(g)	HANDLE WOOD	FRAME	가격(원)
커브형-레드	43(30)x21	40 이상	130	모하비커리	월넛+메이플+월넛	270,000
커브형-블랙	43(30)x21	40 이상	115	애쉬벌	메이플+월넛+메이플	270,000
스트레이트형 - 카키	48(33)x22.5	40 이상	125	애쉬벌	메이플+월넛+메이플	270,000

Origin: South Korea

STREAM LANDING NET

- Good for fishing in Stream or reservoirs
- When wearing a Fishing Vest, it can be attached and detached using a magnet, which makes it easy to carry and use
- Suitable for active Lure fishing and fly fishing

INFORMATION



Origin: Chinese local factories



INFORMATION

단위(mm)	S	M	M	XL	가격(원)
가슴둘레	-	-	-	-	130,000
총기장	-	-	-	-	130,000

+;- 1cm의 오차가 있을 수 있습니다 | 생산자 : 제이에스컴퍼니 | 원산지 : 베트남

STREAM VEST PREMIUM



INFORMATION

단위(mm)	S	M	М	XL	가격(원)
가슴둘레	120	124	128	132	220,000
총기장	46	48	50	52	220,000

+;-1cm의 오차가 있을 수 있습니다 | 원산지 : 베트남

STREAM VEST POP





INFORMATION

단위(mm)	S	M	M	XL	가격(원)
기슴둘레	117	121	125	129	120,000
총기장	43	45	47	49	(펌킨컬러/130,000원)

+;- 1cm의 오차가 있을 수 있습니다 | 원산지 : 베트남

WADING BOOTS

- Excellent durability by bolting the tip of the toes and heels where a lot of load is focused
- Designed and manufactured with Wader for excellent fitting and beautiful styling

INFORMATION









Kor(mm)	가격(원)
240	95,000
250	95,000
260	95,000
270	95,000
280	95,000
290	95,000
300	95,000
	240 250 260 270 280 290

※무게: 970g(사이즈와 측정방법에 따라 차이가 있음 | ※네오플랜 버선에 두께에 따라 1~2차수 크게 선택하세요 | ※발 형태에 따라 실제 착용에 차이가 있을 수 있으니 구매 전 각 판매점에 문의 바랍니다 | 원산지 : 중국

AUTOMATIC INFLATABLE LIFE JACKET








Black color

Red color





Multi purpose

임플레이션 시트템

whistle connectedto the string

Multi purpose mesh

Air room : CO2 18g (auto / manual combination) Size: FREE / Waist 25~55"

Outer fabric : nylon 420D + PU coating(life waterproofing) Buoyancy: 85N or more (8.5kg / 24hr: Maintain 95%

YKK plastic buckles

Weight: 620g or so

24 hours 365 days wearable wearability

buoyancy for more than 24 hours))

INFORMATION


ı	INFORMATION	wate	er proof pockets	pocket		
	ltem	컬러	진애	부력	기능	가격(원)
	JS-LJ02(자동팽창식 구명조끼)	레드/오렌지/블랙	Free	85N이상(8.5kg/24hr: 24시간이상95% 부력유지	자동, 수동 겸용	170,000

Origin: South Korea















BB / 블랙(내부)



rock Shore Games
Remove the front pocket of the left and right t

t to double the activity, secure the necessary storage space for the necessary supplies or gear replacement during fishing, and secure a sufficient storage space at the rear

GameVest Optimizes the activity and safety required in

 Simple and neat design, using top-end fabrics, zippers, and webbing, and sturdy stitching of important parts. KC certified products

BG/블랙

INFORMATION

ltem	컬러	사이즈	착용가능 체중 및 최소부력	무게	가격(원)
JS-FV01(BB/고형식구명조끼)	블랙/블랙	Free	70kg/50N	990g 내외	170,000
JS-FV01(BG/고형식 구명조끼)	블략/그래이	Free	70kg/50N	990g 내외	170,000

원산지 : 중국











- 1 Easily mounted in an existing bag or life jacket
- 2 A webbing strap that can be fastened to the waist belt
- 3 Zipper that's easy to open and





- Material: Taporin (100% polyester) Double-sided PVC coating resistant to contamination
- A multipurpose pouch that can be mounted on a game vest, waist belt, backpack, etc.
- Cell phone, key, wallet, fishing props, etc. For storage

INFORMATION

ltem	컬러	사이즈(mm)	가격(원)
올 퍼포스 콤팩트 파우치	카키/블랙/레드/핑크	길이 165 x 너비 100 x 깊이 50	25,000

+,-1cm의 오차가 있을 수 있습니다 | 원산지 : 중국





It is a practical, sensuous and solid product that breaks the simple rod case frame, and can be manufactured in a variety of ways

Ste

Ordering can be made with a specific length and design other than ready-made products, and if you want to order, the minimum quantity is at least 10, so please don't make a mistake and refer to the below. We would appreciate it if you could contact the person in charge after deciding the shape, length, design, and color in advance for smooth order production. [Please refer to the ready-

based on JS Company's molds such as circles, triangles, squares, and pentagons, and can be sized and long to facilitate movement

ROD CASE

of all rods from slim cases to large travel cases.

made table for the thickness (size) of the case]

- Breaking the circular frame and enabling original and practical forms such as triangles, squares, and pentagons
- Shoulder straps and handles are available for long distance movement
- It is possible to attach a business card stand so that it can be easily identified when traveling in a group
- Existing embroidery and other specific embroidery work is possible
- Basic color and other colors are available, and you need to contact before selection



INFORMATION

모델명	크기(mm)	홀길이(cm)	홀너비(cm)	가격(원)
50삼각	지름55	206	PP	40,000
50사각	55 X 55	160	ABS	40,000
92삼각	지름 92	106	PP	45,000
92삼각	지름 92	216	PP	55,000
144삼각(쿠션)	지름 144	107	ABS	90,000
144삼각(쿠션)	지름 144	153	ABS	100,000
110사각(쿠션)	110 X 70	107	ABS	70,000
110사각(쿠션)	110 X 70	135	ABS	78,000
110시간(쿠셔)	110 X 70	216	ARS	85000

Origin: South Korea





Stealth Kayak entered the kayak market in earnest in 1998 and has grown up overcoming leaps and limitations for all kayakers' dreams.

Starting with the manufacture of high-performance racing kayaks, it is now growing into the best fishing and recreational kayaks manufacturer. We are introducing the latest designs using CAD and CNC and products that maximize the convenience of movement using lightweight and repairable graphite materials in Korea. ((Kayak, small boat for 1~2 people) Mr. Bruce Challenor, CEO of Stealth Kayak, is a Graphite production expert who has been involved in textile glass manufacturing for more than 45 years, and his first experience was manufacturing his surfboard and boat at the young age of 16, and he actually has won several challenges on the European stage. With his rich experience and understanding of the product, he is striving for the most perfect product on the water.


POWER FISHA 14 (STANDARD)

- A one-person boat designed to be powered by a paddle or engine
- Light and versatile, giving you fantastic fun at all ages



POWER FISHA 14 (FLAT DECK)

- A one-person boat designed to be powered by a paddle or engine
- Center seats with floor hatch can be detached and attached for user convenience
- Light and versatile, giving you fantastic fun at all ages



•Notation: Camo patterns were applied to DECK EVA PADs for shipments in 2020; black pads are presented free of charge if you do not want camo designs (replacement is your own burden)

POWER FISHA 16 (FOR 2 PEOPLE)

- A two-seater boat designed to be powered by a paddle or engine.
- Light and versatile, giving you fantastic fun at all ages



Notation: Camo patterns were applied to DECK EVA PADs for shipments in 2020; black pads are presented free of charge if you do not want camo designs (replacement is your own burden)

INFORMATION

모델	제품명	앵글러 최대무게	최대 적재무게	카약무게	넓이	길이	Ideal Motor	가격(원)
	POWER FISHA 14 (Standard)	165kg	450kg	44kg	109cm	427cm	4.9hp	4,600,000
POWER FISHA (파워 피샤)	POWER FISHA 14 (Flat Deck)	150kg	300kg	48-50kg	109cm	427cm	4.9hp	4,400,000
	POWER FISHA 16 (For 2 People)	150kg	550kg	58kg	129cm	476cm	15hp	5200000

%surf paddle inclusion

CONNECT with JSCOMPANY_133





FISHA 460

- A model that has improved Evolution 465
- Development focusing on stability rather than speed while maintaining the advantages of Evolution



FISHA 500

- A model that has improved Evolution 465
- Development focusing on stability rather than speed while maintaining the advantages of Evolution



INFORMATION

모델	제품명	앵글러 최대무게	최대 적재무게	카약무게	넓이	길이	가격(원)
FIGURA (FILLS)	FISHA 460	120kg	190kg	23.5kg	66cm	460cm	3400000
FISHA (피샤)	FISHA 500	140kg	195kg	25.5kg	67cm	500cm	3,600,000

SURF FISHA 470

• The best use for surfing the waves without much pressure on fishing and paddling



INFORMATION

모델	제품명	앵글러 최대무게	최대 적재무게	카약무게	넓이	길이	가격(원)
SURF FISHA (서프 피샤)	SURF FISHA 470	130kg	185kg	24kg	66cm	470cm	3,300,000

PRO FISHA 475

- The smallest kayak in the PRO FISHA series
- Designed with easier and lighter models to improve speed and performance



PRO FISHA 525

- Medium size kayak in the PRO FISHA series
- It focuses on stability and is also fast



PRO FISHA 575

- The largest kayak in the PRO FISHA series
- Suitable for fishing fast-moving deep-sea fish and designed to cover a long distance







PRO FISHA DUO 595



INFORMATION

모델	제품명	앵글러 최대무게	최대 적재무게	카약무게	넓이	길이	가격(원)
	PRO FISHA 475	95kg	155kg	24kg	60.5cm	475cm	3850000
	PRO FISHA 525	135kg	195kg	25kg	61am	525cm	4,100,000
PRO FISHA (프로 피샤)	PRO FISHA 525 (Carbon Kevar)	135kg	195kg	25kg	61am	525cm	6,000,000
	PRO FISHA 575	110kg	165kg	26kg	60.5cm	575cm	4,200,000
	PRO FISHA DUO 595	-	-	-	-	595cm	4,300,000





- SThe latest version of Stealth range is a cheaper rotomould kayak (PE solid kayak)
- Recommended for beginners by maximizing stability



INFORMATION

모델	제품명	앵글러 최대무게	최대 적재무게	카약무게	넓이	길이	가격(원)
FUSION KAYAK (퓨전 카약)	FUSION KAYAK 480	130kg	220kg	31kg	68cm	480cm	2,300,000



EVOLUTION 465

- $\ lacktriangledown$ It's good for mid- to long-distance and fast-paced fishing
- Model that satisfies both speed and stability



INFORMATION


모델	제품명	앵글러 최대무게	최대 적재무게	카약무게	넓이	길이	가격(원)
EVOLUTION (에볼루션)	EVOLUTION 465	120kg	190kg	27kg	66cm	465cm	3,100,000

CONNECT with JSCOMPANY PRODUCT CATALOG



KAYAK | ACCESSORY

Here are a variety of products from "Scotty," a Canadian kayak accessory brand.



No.140 Transducer arm post adapter

It provides convenience that you don't have to attach a sona by punching a hole in the kayak, so it's easy to detach and store separately after the kayaking.

소비자가 40,000원



No.141 Transducer Arm Gearhead

Scotty accessories such as road holders, camera mounts, and cup holders are easily and quickly installed, allowing you to adjust the angle you want with a ball mount, and firmly fix the product.

소비자가 52,000원



No.162 Transducer arm gearhead adapter

Scotty accessories such as road holders, camera mounts, and cup holders are easily and quickly installed, allowing you to adjust the angle vou want with a ball mount, and firmly fix the product.

소비자가 62,000원



Universal style fishfinder mount, Most fishfinder with 5 inches or more can be installed, Front, back, left, right angles can be

소비자가 62,000원



No.229 Power Lock Rod Holder

It can be mounted on kayaks and ships, provides strong tension among Scotty's rod holders, and safely mounts the rod by turning the lock on the front. (Side deck mount is not included)

소비자가 31,000원



No.230 Power Lock Rod Holder

It can be mounted on kayaks and ships, provides strong tension among Scotty's Rod holders, holds all reel styles, and rotates the lock on the front to safely process the rod. (The side deck mount is provided by default)

소비자가 40,000원



Three holders or mount are available

소비자가 75,000원

No. 257 Triple mount



No. 259 Rod holder extender

소비자가 24,000원

You can raise the holder's position by



No. 260 Fly rod holder

A device capable of mounting a fly rod

소비자가 37,000원




하드웨어(#241 별도판매)

No. 266 Float tube adapter

Required when mounting the #241 mount to the float tube. Quick and easy installation and removal.

소비자가 36,000원



No. 267 Fly rod holder/float tube mount

Combined with a fly rod holder and a mount-adjustable wrap around for float tubes, the fly rod holder can be used for float tubes or pontoon boats.

소비자가 70,000원



No.269 Swivel Fishfinder Mount.

as LOWRANCE and HUMMINGBIRD, fast attachment and angle adjustment,

소비자가 34,000원



No. 276 Anchor lock system

The Scotty Anchor Lock is designed for use with one hand. The anchor can be easily raised and lowered with rollers and

소비자가 55,000원



No. 279 Bait casting spinning rod holder

A device capable of additionally mounting a Bait rod (not provided with a mount)

소비자가 27,000원




마운트크기:24"X2" 치수 볼트 : 15/16" X 33/16"

No. 280 Bait spinning rod holder

Rod equipped with Bait Reel/spinning reel can be mounted on the cushion holder. With the rod mounted, you can freely adjust the mounting direction up, down, left, and right,


소비자가 36,000원



No.302 Stabilizer outrigger

With Scotty Kayak Sterizer, you can withstand more than 13kg of buoyancy and minimize kayak shaking to maintain a stable posture in fishing

소비자가 430,000원



No.311 Drink holder

Multipurpose cup holder (without mount and whistle)



Poly Marine Glue Stabond UK-148. HH-66(RH 접착제) 등과 같은 보트용 접착제를 사용하여

No.341 Inflatable mount pad

Inflatable kayak, fixed adhesive mount to allow use of Scotty roadholders on boats



크기:3/4"직경 치수볼트:23/16"X23/16"

available.

No.344 ROUND FLUSH DECK

All scotty's holders and extenders are



No. 349 RODMASTER II NO MOUNT

Scotty Rod Master2 Rodholder (No Mount)

소비자가 28,000원

소비자가 19,000원 소비자가 19,000원



소비자가 27,000원

Rodmaster II Interior Diameter: 1.85" Mount Dimensions: 4" x 2" x 2" Bolting Dimensions: 1 5/16" x 3 3/16"

No.350 RODMASTER II WITH SIDE DECK

It is a rod holder with enhanced strength and elasticity with nylon synthetic fibers and is provided with movable gimbal pins.

소비자가 37,000원



No.368 UNIVERSAL SOUNDERFISH FINDER MOUNT

It is compatible with all fishfinder, and has convenience and durability that does not require changing the mount separately when changing models.

소비자가 29,000원



Poly Marine Glue Stabond UK-148, HH-66(RH 접착제) 등과 같은 보트용 접착제를 사용하여 부착기능

No.415 SLIP DISCS

Fine adjustment for all scotty holders and mount/arm/holder.Fastening between the holder and the mount enables a desired angle and fine adjustment.

소비자가 8,000원



No.429 Gear head mounted extender

Scotty mounts and rod holders are compatible, designed with a two-bar joint. structure, adjusted the height and angle of the desired rod holder or bait board, and can be used efficiently in space.

소비자가 49,000원





More product information can be found at JS Company Mall (www.iscompanymall.net)

Here are a variety of products from "Scotty," a Canadian kayak accessory brand.



No.433 COAMING GUNNELCLAMP MOUNT

It is easy to adjust the angle, and since it is fixed using a clamp, it is fixed firmly and can be used stably. (Basically including gear head mounts)

소비자가 45,000원



No.438 GEAR-HEAD TRACK ADAPTER


Mounts that can be easily mounted without a kayak hole or screwing to use a track rail or scottie slide track on the hull,

소비자가 26,200원



No. 439BK-8 Scotty Slide Track(8inch) No. 439BK-8 Scotty Slide Track(16inch) No. 439BK-8 Scotty Slide Track(24inch)

(사이드 슼라이드 트랙 어댑터 및 로드 홀더는 미포함)



High-quality black tracks can be installed on kayaks, canoes, and small boats. The track is equipped with a 438 gear headtrack adapter and a rod holder for fishing

1시비소 '8	10,000원
16" 소비자가	15,000원
24" 소비자가	21.000원



No.444 COMPACT THREADED DECK MOUNT

It is easy to mount on kayaks by screw method, and all holders and extenders can be mounted. Close the cover to prevent foreign substances from entering

소비자가 19,000원



It can be operated by mounting fishfinder, cupholder, camera, and equipment, Convenient work such as hook or lure replacement.

소비자가 39000원



No.459 Rod holder extender

The position of the rod holder can be adiusted and expanded by 17 cm.

소비자가 28,000원



No.476 Rod holder mount set

Composed with side/deck mounts

8"소비자가 36,000원



No.479 Rocket Launcher Roadholder

Rocket Launcher Rod Holder (No mount provided)

소비자가 28,000원



No.590 Snap hook

It is made of plastic and can be used semipermanently without corrosion (bulk)



No.823 Sea light lamp

Safety lamp (2 miles out identification). Anti-corrosion, waterproof support.



Lamp/flagorange, location notification)

소비자가 87,000원 8"소비자가 130,000원



JSCOMPANY, OFFICIAL AGENCY IN KOREA

KOREAThe famous brand designated by JS Company as an official agency in Korea

If you have any products you need, please contact us at any time. We will always try to make you happy with the product and enjoy the joy of fishing.
































140 _ 2021, JSCOMPANY PRODUCT CATALOG

소비자가 2,500원



CAUTIONS WHEN HANDLING THE PRODUCT

precautions for handling products



ELECTRIC SHOCK CAUSED BY CONTACT

• Be careful of electric shock by contact at places such as high-tension lines, tracks, and iron bridges.

ELECTRIC SHOCK CAUSED BY LIGHTNING

 In an environment at risk of lightning, never catch it and immediatelyget away from the fishing rod and evacuate to a safe place.

CAUTION FOR SAFETY ACCIDENTS WHEN CASTING

- Take a look at the surroundings and be safe. Fishing needles can cause people to stab or get caught
 in objects, causing damage to rods.
- When casting in a state where the line is tangled (guide, reel, etc.), it causes damage.

WHEN THE LINE CAUGHT

o not shake the rods forcibly when the line is caught in the underwater obstacle. There is a risk of breaking
the rod or getting hurt by Gear flying. Pull the string as much as possible by hand and cut it off. At this time,
the hand can be cut on the line, so use gloves or towelsto protect your hand.

SEPARATION METHOD IN THE FIXATION

- When the connection is not separated, apply nonslipping preparations to bothsides of the connection, or put on a rubber sheet, etc., and hold both sides of thejoint and rotate in the opposite direction to release the connection. Never hold theguide and turn it around. If you give it a force at a time, your hand can be caughtin the connection of the rod and you can get hurt.
- For joint-type fishing rods, the interval is preset for each node whencombined; this is not a fault, so do not push it overly. If you push it morethan necessary, it will cause fixation and there is a risk of damage.

PRECAUTIONS FOR DAMAGE AND HANDLING

- Be careful when carrying or handling to avoid a strong impact on the Rod, such ashitting or dropping hard or angular objects.
- Don't raise your fishing rod too high or hold the middle of the fishing rod andpull it out; don't swing it in the air.
- If the rod is damaged during use, be careful that your hands may beinjured in the damaged area.

HOW TO WASH AND STORE AFTER USE

- After use, wash the surface dirt or salt with lukewarm water
- Remove moisture, then remove the moisture completely from the shade
- Foreign substances that are not well cleaned with water are effective if you wipethem with a soft sponge buried with kitchen detergent.
- If the wet rod is left closed in the car trunk or case, the painted part ispeeled off or the metal part is corroded





WATERPROOF

 Please be sure to wash your hands; excessive stimulation may causeproblems such as damage to the cloth, deterioration of waterprooffunction, and waterproof sealing when using the washing machine.

INCLUDING BUCKLE, ZIPPER ETC

Excessive irritation by the washing machine, dehydration, or use of a dryer cancause accessories to fall
off or damage to the fabric.

SEE CARE LABELS FOR EACH CLOTHING

• It is recommended to refer to the care label attached inside each clothingand wash it.

MANAGEMENT METHOD

- After washing, dry it sufficiently in a cool place out of direct sunlight and store it.
- When clothing is left wet, it can cause damage to the fabric, migration, andbleaching
- In the case of clothes with waterproof function, it can cause coating damage andwear of waterproof fabric when stored in a folded state for a long time.





WATCH OUT FOR VISION DISTORTION, HEADACHES, AND DIZZINESS

- Please be careful that it is caused by distortion of vision, headache, dizziness, etc.by curvature when installing a third party lens instead of an existing product.
- Sometimes the lens or frame is deformed or damaged by heat; do not store in acar or in a hot place in hot weather
- ▶ After use, rinse with the flowing water, wipe off the water with a soft cloth and store it.

Life Jacket



SOLID LIFE JACKET

- Please wear it correctly according to how to use the product manual. Failure to wear properly can lead to problems with functionality.
- Check wearable weight and minimum buoyancy to determine whether or not youare available and use it.
- When washing, follow the handling manual. Washing methods that go wrong cancause buoyancy decline.

INFLATABLE LIFE JACKET

- Before use, check the internal tube fabric and sewing fabric for defects, and the condition of the expansion
 operating kit before using
- $\, \bullet \,$ Please wear it correctly according to the contents of the manual.
- Please refer to the handling manual when washing and refrain from washing the whole part.
- Storage in a humid place may malfunction by the moisture detection sensor, sokeep it in a dry place as much as possible.





WHOLE PRODUCT UNIT PRICE TAG



배스								
제품명	규격	Section No.	소비자 가격	완제품				
	S6831 =N/I	#1 (Tip)	220,000	550,000				
BIXOD N B5	S682L-ML	#2 (Butt)	330,000	550,000				
RIXOD N R5	BC672M	#1 (Tip)	208,000	520,000				
BIXOD IA B3	DC072IVI	#2 (Butt)	312,000	320,000				
	BC692MH	#1 (Tip)	224,000	560,000				
	DC092IVII I	#2 (Butt)	336,000	300,000				
	S642UL	#1 (Tip)	132,000	330,000				
	30420L	#2 (Butt)	198,000	330,000				
	S662L	#1 (Tip)	144,000	360,000				
	3002L	#2 (Butt)	216,000	300,000				
	S672ML	#1 (Tip)	156,000	390,000				
	307 ZIVIL	#2 (Butt)	234,000	330,000				
BIXOD N B3	BC672M	#1 (Tip)	136,000	340,000				
DIXOD IV DS	DC072IVI	#2 (Butt)	204,000	540,000				
	BC682MH	#1 (Tip)	152,000	380,000				
	DCGGZIVII 1	#2 (Butt)	228,000	300,000				
	BC692L FIN.	#1 (Tip)	140,000	350,000				
		#2 (Butt)	210,000	555,000				
	BC702ML FIN.	#1 (Tip)	144,000	360,000				
	DOTOZIVIL I IIV.	#2 (Butt)	216,000	300,000				
	S652UL-L	#1 (Tip)	120,000	300,000				
	5002011	#2 (Butt)	180,000	555,000				
	S672L-ML	#1 (Tip)	128,000	320,000				
	30/2L IVIL	#2 (Butt)	192,000	320,000				
	BC672M	#1 (Tip)	120,000	300,000				
BIXOD N AIR	DC072IVI	#2 (Butt)	180,000	300,000				
DIAOD IT AIR	BC692MH	#1 (Tip)	124,000	310,000				
		#2 (Butt)	186,000	310,000				
	BC702H	#1 (Tip)	132,000	330,000				
		#2 (Butt)	198,000	330,000				
	BC702ML FIN.	#1 (Tip)	120,000	300,000				
		#2 (Butt)	180,000	300,000				
	S632UL-L	#1 (Tip)	104,000	260,000				
		#2 (Butt)	156,000	200,000				
	S672L-ML	#1 (Tip)	112,000	280,000				
		#2 (Butt)	168,000	/				
	BC662ML	#1 (Tip)	104,000	260,000				
		#2 (Butt)	156,000	/				
	1pc 규정	-	-	250,000				
		-	-					
BIXOD B2	BC672M	#1 (Tip)	112,000	280,000				
		#2 (Butt)	168,000					
	BC692MH	#1 (Tip)	116,000	290,000				
		#2 (Butt)	174,000					
	BC712H	#1 (Tip)	120,000	300,000				
		#2 (Butt)	180,000	555,000				
	BC742XH	#1 (Tip)	128,000	320,000				
		#2 (Butt)	192,000	525,000				
	BC762XXH	#1 (Tip)	198,000	330,000				
		#2 (Butt)	132,000	555,000				
	S672L	#1 (Tip)	84,000	210.000				
		#2 (Butt)	126,000	5,500				
	S692ML	#1 (Tip)	88,000	220,000				
		#2 (Butt)	132,000	,000				
BIXOD REALSWORD	BC692ML	#1 (Tip)	88,000	220,000				
NOD NEALSTOND	JCOJEIVIL	#2 (Butt)	132,000	220,000				
	BC702M	#1 (Tip)	92,000	230,000				
	DC/02IVI	#2 (Butt)	138,000	230,000				
		#1 (Tip)	96,000					
	BC722MH	<u> </u>		240,000				

		배스		
제품명	규격	Section No.	소비자 가격	완제품
	S652UL	#1 (Tip)	68,000	170,000
	30320L	#2 (Butt)	102,000	170,000
	cecal	#1 (Tip)	68,000	170.000
	S662L	#2 (Butt)	102,000	170,000
	DCCOOM	#1 (Tip)	72,000	100.000
	BC682M	#2 (Butt)	108,000	180,000
	D.C.C.O.O. #1.1	#1 (Tip)	76,000	400.00
	BC692MH	#2 (Butt)	114,000	190,000
		#1 (Tip)	80,000	
	BC712H	#2 (Butt)	120,000	200,000
		#1 (Tip)	72,000	
BIXOD B1	S692ML-X	#2 (Butt)	108,000	180,000
		#1 (Tip)	72,000	
	BC702M-X	#2 (Butt)	108,000	180,000
		#1 (Tip)	76,000	
	BC712MH-X			190,000
	<u> </u>	#2 (Butt)	114,000	
	BC722H-X	#1 (Tip)	80,000	200,000
		#2 (Butt)	120,000	
	BC652M-R	#1 (Tip)	68,000	170,000
		#2 (Butt)	102,000	
	BC6102MH-R	#1 (Tip)	76,000	190,000
		#2 (Butt)	114,000	-
	BC742H-R	#1 (Tip)	84,000	210,000
	507 1217 11	#2 (Butt)	126,000	2.0,00
	S642L	#1 (Tip)	72,000	180,000
		#2 (Butt)	108,000	
	S672ML	#1 (Tip)	76,000	190,000
		#2 (Butt)	114,000	
	BC632ML	#1 (Tip)	68,000	170,000
		#2 (Butt)	102,000	170,000
NIVY DI LIC	DCC72M	#1 (Tip)	72,000	180,000
NIXX PLUS	BC672M	#2 (Butt)	108,000	
	DCCON	#1 (Tip)	72,000	100.000
	BC682L	#2 (Butt)	108,000	180,000
	DCC021 #	#1 (Tip)	72,000	100.000
	BC682ML	#2 (Butt)	108,000	180,000
	DCC03* #: :	#1 (Tip)	80,000	2000-
	BC682MH	#2 (Butt)	120,000	200,000
	1	#1 (Tip)	54,000	
	S642UL	#2 (Butt)	81,000	135,000
		#1 (Tip)	58,000	
	S662L	#2 (Butt)	87,000	145,000
		#1 (Tip)	58,000	
	S672ML	#1 (Hp) #2 (Butt)	87,000	145,000
		#2 (Butt) #1 (Tip)	58,000	
	BF662L		87,000	145,000
	<u> </u>	#2 (Butt)		
NIXX DX	BF662ML	#1 (Tip)	58,000	145,000
		#2 (Butt)	87,000	
	BC672M	#1 (Tip)	60,000	150,000
		#2 (Butt)	90,000	
	BC682MH	#1 (Tip)	64,000	160,000
		#2 (Butt)	96,000	-,
	BC702H	#1 (Tip)	66,000	165,000
		#2 (Butt)	99,000	. 30,000
	DC712VII	#1 (Tip)	72,000	180,000
	BC712XH			

<u> </u>								
	규격	Section No.	소비자 가격					
	S632UL	#1 (Tip)	42,000	105,000				
	30320L	#2 (Butt)	63,000	103,000				
	S642L	#1 (Tip)	42,000	105,000				
	3042L	#2 (Butt)	63,000	103,000				
	S662ML	#1 (Tip)	42,000	105,000				
	3002IVIL	#2 (Butt)	63,000	103,000				
	BC652MR	#1 (Tip)	42,000	105,000				
NIXX POP 2	DC032IVIIX	#2 (Butt)	63,000	103,000				
NIXX FOF 2	BC672M	#1 (Tip)	42,000	105,000				
	DC0/ZIVI	#2 (Butt)	63,000	103,000				
	BC692MHF	#1 (Tip)	44,000	110,000				
	DC092IVII II	#2 (Butt)	66,000	110,000				
	BC712HF	#1 (Tip)	44,000	110,000				
	DC/12I II	#2 (Butt)	66,000	110,000				
	BC742XHF	#1 (Tip)	48,000	120,000				
	DC/42/(II	#2 (Butt)	72,000	120,000				
	S642L	#1 (Tip)	26,000	65.000				
	3042L	#2 (Butt)	39,000	03,000				
	S662ML	#1 (Tip)	26,000	65,000				
	3002IVIL	#2 (Butt)	39,000	03,000				
NIXX BOOSTER 2	BC662M	#1 (Tip)	26,000	65.000				
NIXX BOOSTER 2	DC002IVI	#2 (Butt)	39,000	03,000				
	BC682MH	#1 (Tip)	26,000	65,000				
	DC00ZIVII I	#2 (Butt)	39,000	03,000				
	BC702H	#1 (Tip)	26,000	65,000				
	DC/02IT	#2 (Butt)	39,000	03,000				

계류								
제품명	규격	Section No.	소비자 가격	완제품				
	S582L	#1 (Tip)	212,000	E30,000				
	3302L	#2 (Butt)	318,000	530,000				
	S662UL	#1 (Tip)	208,000	E30,000				
	3002UL	#2 (Butt)	312,000	520,000				
SSOCHI N M5	S672L	#1 (Tip)	220,000	EE0.000				
330CHI N IVIS	30/2L	#2 (Butt)	330,000	550,000				
	S702LF	#1 (Tip)	224,000	560,000				
	3/UZLF	#2 (Butt)	336,000	300,000				
	S632UL	#1 (Tip)	164,000	410.000				
	3032UL	#2 (Butt)	246,000	410,000				
	CCESI	#1 (Tip)	180,000	450,000				
	S652L	#2 (Butt)	270,000	450,000				
CCOCI II NI CI ACCIC	CE102LII	#1 (Tip)	168,000	420.000				
SSOCHI N CLASSIC	S5102UL	#2 (Butt)	252,000	420,000				
	S622L	#1 (Tip)	172,000	430,000				
		#2 (Butt)	258,000					
	MCE10LII	#1 (Tip)	156,000	200.000				
	MS512UL	#2 (Butt)	234,000	390,000				
	S592L	#1 (Tip)	136,000	340.000				
	3392L	#2 (Butt)	204,000	340,000				
	S622UL	#1 (Tip)	136,000	340,000				
SSOCHI N M3	3022UL	#2 (Butt)	204,000	340,000				
330CHI N IVIS	S662L	#1 (Tip)	140,000	350,000				
	3002L	#2 (Butt)	210,000	330,000				
	BC662L	#1 (Tip)	136,000	340,000				
	DC002L	#2 (Butt)	204,000	340,000				
	S602L	#1 (Tip)	128,000	220,000				
	3002L	#2 (Butt)	192,000	320,000				
	S632UL	#1 (Tip)	-					
SSOCHI N AIR	3032UL	#2 (Butt)	-					
33UCHI N AIK	S632L	#1 (Tip)	-					
	3032L	#2 (Butt)	-					
	CREDI	#1 (Tip)	-					
	S652L	#2 (Butt)	-					

-11 T.Pd		11177		01=11=
제품명	규격	Section No.	소비자 가격	완제품
	1pc 규정	-	-	250,000
		- #1 (Т:=)	100.000	
	S652UL	#1 (Tip)	100,000	250,000
SSOCHI M2		#2 (Butt)	150,000	
	S662L	#1 (Tip) #2 (Butt)	104,000	260,000
		#2 (Butt) #1 (Tip)	156,000 108,000	
	S662L-CST	#2 (Butt)	162,000	270,000
		#2 (Butt) #1 (Tip)	63,600	
	SM602L	#2 (Butt)	95,400	159,000
		#1 (Tip)	63,600	
	S642UL	#2 (Butt)	95,400	159,000
		#1 (Tip)	63,600	
SSOCHI M1	S662L	#2 (Butt)	95,400	159,000
		#1 (Tip)	63,600	
	BC632L	#2 (Butt)	95,400	159,000
	cccaaci "	#1 (Tip)	58,000	145.05
	SC522SUL	#2 (Butt)	87,000	145,000
	CCOOLILI	#1 (Tip)	40,000	100.000
SSOCHI POP 2	S632ULL	#2 (Butt)	60,000	100,000
	S662L	#1 (Tip)	40,000	100.000
	JUDZL	#2 (Butt)	60,000	100,000
	S702L	#1 (Tip)	40,000	100,000
	J/UZL	#2 (Butt)	60,000	100,000
SSOCHI BOOSTER 2	S642UL	#1 (Tip)	26,000	65,000
	304202	#2 (Butt)	39,000	05,000
	S662L	#1 (Tip)	26,000	65,000
	50022	#2 (Butt)	39,000	33,00
BIXOD N STREAM	S472XUL	#1 (Tip)	144,000	360,000 230,000
BIXODITSTILLAM	5472NOL	#2 (Butt)	216,000	
BIXOD STREAM	MOUNTAIN	#1 (Tip)	92,000	
	STREAM BF432	#2 (Butt)	138,000	
	SS602UL-F	#1 (Tip)	144,000	360,000
		#2 (Butt)	216,000	550,550
	SS622L-F	#1 (Tip)	144,000	360,000
SENSE TOURNAMENT		#2 (Butt)	216,000	
SPECIAL	SS622ML-F	#1 (Tip)	148,000	370,000
		#2 (Butt)	222,000	
	SS622M-F	#1 (Tip)	148,000	370,000
		#2 (Butt)	222,000	
	S632XUL	#1 (Tip)	128,000	320,000
	-	#2 (Butt)	192,000	
ASENSE LIMITED	S652SUL	#1 (Tip) #2 (Butt)	128,000 192,000	320,000
	-	#2 (Bull) #1 (Tip)	128,000	
	S622UL	#1 (TID) #2 (Butt)	192,000	320,000
		#2 (Butt) #1 (Tip)	64,000	
	S572XUL	#2 (Butt)	96,000	160,000
		#2 (Butt) #1 (Tip)	64,000	
	S622SUL	#2 (Butt)	96,000	160,000
ASENSE T1		#1 (Tip)	64,000	
	S632UL	#2 (Butt)	96,000	160,000
		#1 (Tip)	66,000	
	BC622UL	#2 (Butt)	99,000	165,000
	550051 !!	#1 (Tip)	27,600	
	S632SUL	#2 (Butt)	41,400	69,000
ASENSE POP 2		#1 (Tip)	27,600	
	S662UL	#2 (Butt)	41,400	69,000

CONNECT with JSCOMPANY PRODUCT CATALOG



WHOLE PRODUCT UNIT PRICE TAG



선상 / 우럭								
제품명	규격	Section No.	소비자 가격	완제품				
	RXT-210	#1 (Tip)	144,000	360,000				
CHARM LIVE RXT	KX1-210	#2 (Butt)	216,000	300,000				
CHARWILIVE RAT	RXT-230	#1 (Tip)	148,000	370,000				
	KA1-230	#2 (Butt)	222,000	370,000				
	RXE-210	#1 (Tip)	104,000	260,000				
CHARM LIVE RXE	KAE-210	#2 (Butt)	156,000	200,000				
CHARINI LIVE RAE	RXE-230	#1 (Tip)	108,000	270,000				
		#2 (Butt)	162,000	270,000				
	RXI-210	#1 (Tip)	60,000	150,000				
CHARM LIVE RXI	KXI-210	#2 (Butt)	90,000	130,000				
CHARINI LIVE RAI	RXI-230	#1 (Tip)	64,000	100,000				
	KXI-230	#2 (Butt)	96,000	160,000				
	RXB-200	#1 (Tip)	30,000	75.000				
CHARM LIVE RXB	KAB-200	#2 (Butt)	45,000	75,000				
CHANNI LIVE KAD	RXB-210	#1 (Tip)	30,000	75,000				
	IVID ZIO	#2 (Butt)	45,000	73,000				

	바다루	어 / 인쇼어		
제품명	규격	Section No.	소비자 가격	완제품
	7621	#1 (Tip)	176,000	440.000
	762L	#2 (Butt)	264,000	440,000
DIVOD N A 4	022141	#1 (Tip)	184,000	460,000
BIXOD N A4	822ML	#2 (Butt)	276,000	460,000
	OC JMI	#1 (Tip)	188,000	470.000
	862ML	#2 (Butt)	282,000	470,000
	S762L-ML	#1 (Tip)	144,000	360,000
	3/02L IVIL	#2 (Butt)	216,000	300,000
BIXOD N A3 (LUMA)	S802L-ML	#1 (Tip)	148,000	370,000
DIXOD IV AS (LOWA)	3002L IVIL	#2 (Butt)	222,000	370,000
	S862ML	#1 (Tip)	152,000	380,000
	JOUZIVIL	#2 (Butt)	228,000	360,000
	S762L-ML	#1 (Tip)	108,000	270.000
	3/02E IVIE	#2 (Butt)	162,000	270,000
	S7112ML-M	#1 (Tip)	112,000	280,000
	3/11ZIVIL IVI	#2 (Butt)	168,000	200,000
BIXOD A2	S862ML	#1 (Tip)	116,000	290,000
BINOD AZ	JOUZIVIL	#2 (Butt)	174,000	290,000
	S902M	#1 (Tip)	120,000	300,000
	3302111	#2 (Butt)	180,000	300,000
	S972MH-H	#1 (Tip)	124,000	310.000
		#2 (Butt)	186,000	310,000
	5782L	#1 (Tip)	66,000	165,000
	5862ML	#2 (Butt)	99,000	100,000
		#1 (Tip)	70,000	175,000
		#2 (Butt)	105,000	173,000
	S902ML	#1 (Tip)	74,000	185,000
NIXX INSHORE		#2 (Butt)	111,000	103,000
	S972ML	#1 (Tip)	78,000	195,000
	33721112	#2 (Butt)	117,000	
	S802H	#1 (Tip)	82,000	205,000
		#2 (Butt)	123,000	
	S1102M	#1 (Tip)	104,000	260,000
		#2 (Butt)	156,000	
	S802ML	#1 (Tip)	46,000	115,000
		#2 (Butt)	69,000	
	S862ML	#1 (Tip)	48,000	120,000
NIXX POP INSHORE		#2 (Butt)	72,000	, ,
	S902ML	#1 (Tip)	50,000	125,000
		#2 (Butt)	75,000	
	S962ML	#1 (Tip)	52,000	130,000
		#2 (Butt)	78,000	
	S802H	#1 (Tip)	50,000	125,000
		#2 (Butt)	75,000	123,000
	S1002H	#1 (Tip)	54,000	135,000
		#2 (Butt)	81,000	155,000

바다루어 / 인쇼어				
제품명	규격	Section No.	소비자 가격	완제품
	S802L	#1 (Tip)	26,000	65,000
	JOUZL	#2 (Butt)	39,000	03,000
CAN 30 INSHORE	S862ML	#1 (Tip)	28,000	70,000
CAN 30 INSHORE	3002IVIL	#2 (Butt)	42,000	70,000
	S902M	#1 (Tip)	30,000	75.000
	2207IAI	#2 (Butt)	45,000	73,000

바다루어 / 농어				
제품명	규격	Section No.	소비자 가격	완제품
	S872L	#1 (Tip)	184,000	460.000
	36/2L	#2 (Butt)	276,000	460,000
	S902L-ML	#1 (Tip)	192,000	480,000
BIXOD N S4	3902L-IVIL	#2 (Butt)	288,000	460,000
BIAOD N 34	S972ML	#1 (Tip)	204,000	510,000
	39/ZIVIL	#2 (Butt)	306,000	310,000
	S1002MH	#1 (Tip)	208,000	520,000
	SIUUZIVIH	#2 (Butt)	312,000	320,000
	S882L-ML	#1 (Tip)	144,000	360,000
	SOOZE IVIE	#2 (Butt)	216,000	300,000
	S922L-ML	#1 (Tip)	152,000	380,000
3922	3922L-IVIL	#2 (Butt)	228,000	
BIXOD N 53 5972ML-N	S972ML-M	#1 (Tip)	156,000	390,000
BIAOD N 33	3972IVIL-IVI	#2 (Butt)	234,000	
	S1102M-MH	#1 (Tip)	192,000	480,000
	31102101-10111	#2 (Butt)	288,000	460,000
	BC862ML	#1 (Tip)	140,000	350,000
	DC602IVIL	#2 (Butt)	210,000	330,000
	S862ML-M	#1 (Tip)	104,000	260,000
	JOUZIVIL IVI	#2 (Butt)	156,000	200,000
	S912L-ML	#1 (Tip)	108,000	270.000
	3912L-IVIL	#2 (Butt)	162,000	270,000
BIXOD S2	S882M	#1 (Tip)	108,000	270.000
	JOOZIVI	#2 (Butt)	162,000	270,000
	S972M-MH	#1 (Tip)	116,000	290,000
	3372IVI IVII I	#2 (Butt)	174,000	250,000
	BC882ML	#1 (Tip)	108,000	270,000
	DCGGZIVIL	#2 (Butt)	162,000	270,000

에깅				
제품명	규격	Section No.	소비자 가격	완제품
	C0121 A41	#1 (Tip)	180,000	450,000
	S812L-ML	#2 (Butt)	270,000	450,000
	S832ML	#1 (Tip)	180,000	450.000
BIXOD N EGING E4 Ver. 2	l	#2 (Butt)	270,000	430,000
DIAOD N EGING E4 Vel. 2	S852M	#1 (Tip)	184,000	460,000
	3632IVI	#2 (Butt)	276,000	400,000
	S892ML-M	#1 (Tip)	184,000	460,000
		#2 (Butt)	276,000	
	S812L-ML	#1 (Tip)	104,000	260,000
	3012L-IVIL	#2 (Butt)	156,000	
	S832ML	#1 (Tip)	108,000	270,000
	3632IVIL	#2 (Butt)	162,000	270,000
BIXOD E2 Ver. 2	S842M	#1 (Tip)	112,000	280,000
BIAOD EZ Vel. 2	3042101	#2 (Butt)	168,000	280,000
	S872MH	#1 (Tip)	116,000	290,000
	JO/ZIVII I	#2 (Butt)	174,000	250,000
	S672L-ML-CST	#1 (Tip)	108,000	270.000
	30/ZL-IVIL-CST	#2 (Butt)	162,000	270,000

에깅				
제품명	규격	Section No.	소비자 가격	완제품
	S812ML	#1 (Tip)	76,000	100.000
	301ZIVIL	#2 (Butt)	114,000	190,000
	S852ML	#1 (Tip)	80,000	200,000
	363ZIVIL	#2 (Butt)	120,000	200,000
NIXX EX	S892M	#1 (Tip)	84,000	210,000
NIANEA	309ZIVI	#2 (Butt)	126,000	210,000
	S692L-ML(CST)	#1 (Tip)	80,000	200,000
	3092L-WL(C31)	#2 (Butt)	120,000	200,000
	S742ML-M(CST)	#1 (Tip)	84,000	210,000
	S/42IVIL-IVI(CST)	#2 (Butt)	126,000	210,000
	S832M	#1 (Tip)	84,000	210,000
NIXX EX INK		#2 (Butt)	126,000	
NIXX EX INK	CO 4214 CCT	#1 (Tip)	88,000	220,000
	S842M-CST	#2 (Butt)	132,000	
	S832ML	#1 (Tip)	50,000	125,000
	303ZIVIL	#2 (Butt)	75,000	125,000
NIXX POP EGING	S862ML	#1 (Tip)	52,000	120,000
NIXX POP EGING	S86ZIVIL	#2 (Butt)	78,000	130,000
	S882M	#1 (Tip)	54,000	135,000
	300ZIVI	#2 (Butt)	81,000	133,000
	S802ML	#1 (Tip)	27,600	69,000
	30UZIVIL	#2 (Butt)	41,400	09,000
CAN 30 EGING	S852ML	#1 (Tip)	27,600	69.000
CAIN SU EUING	303ZIVIL	#2 (Butt)	41,400	09,000
	5902L	#1 (Tip)	27,600	69,000
	3502L	#2 (Butt)	41,400	09,000

바다루어 / 아징				
제품명	규격	Section No.	소비자 가격	완제품
	S572UL-CST	#1 (Tip)	128,000	320,000
BIXOD N AJ3	33/20L-C31	#2 (Butt)	192,000	320,000
BIAOD N AJ3	S622UL-CST	#1 (Tip)	132,000	330,000
	30220L-C31	#2 (Butt)	198,000	330,000
	S622SXUL-CST	#1 (Tip)	56,000	140,000
NIXX AJ1	30223AUL=C31	#2 (Butt)	84,000	140,000
	S682UL-T	#1 (Tip)	56,000	140,000
	3002UL=1	#2 (Butt)	84,000	

지깅				
	규격	Section No.	소비자 가격	완제품
	BC622XH	#1 (Tip)	276,000	460,000
	DC022AFI	#2 (Butt)	184,000	460,000
BIXOD N J4	BC612XXH	#1 (Tip)	282,000	470,000
DIAOD N J4	DC012AAFI	#2 (Butt)	188,000	470,000
	BC632XXXH	#1 (Tip)	288,000	480,000
	DC03ZXXXII	#2 (Butt)	192,000	460,000
BIXOD N J3	BC662XXHB	#1 (Tip)	237,000	395,000
DIVOD IA 12	DC002AAND	#2 (Butt)	158,000	
	642XXHB	#1 (Tip)	174,000	290,000
BIXOD J2	042///110	#2 (Butt)	116,000	
BIAOD JZ	642XXXHB	#1 (Tip)	174,000	200.000
	042////ПВ	#2 (Butt)	116,000	290,000
•	S762M/F	#1 (Tip)	156,000	260,000
	3/02IVI/F	#2 (Butt)	104,000	200,000
BIXOD SJ2	S802M/F	#1 (Tip)	168,000	280,000
	JOUZIVI/F	#2 (Butt)	112,000	200,000
	S902MH/E-F	#1 (Tip)	120,000	300,000
	390ZIVIT/E-F	#2 (Butt)	180,000	300,000

	Ī	파핑			
	규격	Section No.	소비자 가격	완제품	
	P862H	#1 (Tip)	294,000	490.000	
	1 00211	#2 (Butt)	196,000	490,000	
	P832XH	#1 (Tip)	300,000	500,000	
BIXOD N P4	F63ZAFI	#2 (Butt)	200,000	500,000	
	P802XXH	#1 (Tip)	306,000	510,000	
	POUZAAN	#2 (Butt)	204,000		
	P882XXXH	#1 (Tip)	324,000	540,000	
		#2 (Butt)	216,000		
	P842XH	#1 (Tip)	180,000	300.000	
	P042AП	#2 (Butt)	120,000	300,000	
	DOCALI	#1 (Tip)	180,000	300,000	
P862H P852XXH P932H	P002F1	#2 (Butt)	120,000	300,000	
	DOESVVII	#1 (Tip)	222,000	370,000	
	POJZAAH	#2 (Butt)	148,000	370,000	
	DO22H	#1 (Tip)	192,000	220,000	
	F 932F1	#2 (Butt) 128,00	128,000	320,000	

지품명 구경 Section No. 소비자 가격 완제품 BC642RSC #1 (Tip) 342,000 570,000 BC652RSC #1 (Tip) 342,000 570,000 BC652RSC #1 (Tip) 342,000 570,000 BC672RSC #1 (Tip) 342,000 570,000 BC672RSC #1 (Tip) 342,000 570,000 BC642JSC #1 (Tip) 348,000 570,000 BC642JSC #1 (Tip) 348,000 580,000 BC662JSC #1 (Tip) 226,000 780,000 BC662JSC #1 (Tip) 192,000 780,000 BC662JSC #1 (Tip) 288,000 780,000 BC662JSC #1 (Tip) 198,000 780,000 BC662JSC #1 (Tip)					
BC642RSC #1 (Tip) 342,000 570,000 BC652RSC #1 (Tip) 342,000 570,000 BC672RSC #1 (Tip) 342,000 570,000 #2 (Butt) 228,000 570,000 #3 (Butt) 232,000 580,000 #3 (Butt) 232,000 460,000 #4 (Butt) 188,000 470,000 #5 (Butt) 188,000 470,000 #6 (Be2/SC #1 (Tip) 228,000 480,000 #6 (Be2/SC #1 (Tip) 288,000 480,000 #6 (Be2/SC #1 (Tip) 288,000 480,000 #6 (Be2/SC #1 (Tip) 288,000 340,000 #6 (Be2/SC #1 (Tip) 288,000 330,000 #6 (Be2/SC #1 (Tip) 288,000 330,000 #6 (Be2/SC #1 (Tip) 216,000 350,000 #6 (Be2/SC #1 (Tip) 32,000 360,000 #6 (Be2/SC #1 (Tip) 32,000 320,000 #6 (Be2/SC #1 (Tip) 32,000 32,000 32,000 #6 (Be2/SC #1 (Tip) 32,000 32,000 32,000		선상 / 라	이트지깅		
### BLG42PSC #2 (Butt) 228,000 570,000 BC652PSC #1 (Tip) 342,000 570,000 #2 (Butt) 228,000 570,000 #2 (Butt) 232,000 580,000 #2 (Butt) 232,000 460,000 #2 (Butt) 184,000 460,000 #2 (Butt) 184,000 470,000 #2 (Butt) 188,000 470,000 #2 (Butt) 188,000 470,000 #2 (Butt) 188,000 470,000 #2 (Butt) 192,000 480,000 #2 (Butt) 192,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 144,000 360,000 #2 (Butt) 144,000 360,000 #2 (Butt) 182,000 220,000 #2 (Butt) 182,000 220,	제품명	규격	Section No.	소비자 가격	완제품
#2 (Butt) 228,000 570,000 570,000 BC652RSC #1 (Tip) 342,000 570,000 770,000 #2 (Butt) 228,000 570,000 770,000 #2 (Butt) 228,000 570,000 #2 (Butt) 232,000 580,000 #2 (Butt) 232,000 460,000 #2 (Butt) 184,000 460,000 #2 (Butt) 184,000 460,000 #2 (Butt) 184,000 470,000 #2 (Butt) 184,000 470,000 #2 (Butt) 184,000 470,000 #2 (Butt) 184,000 470,000 #2 (Butt) 184,000 480,000 #2 (Butt) 184,000 #2 (But		DCC 42DCC	#1 (Tip)	342,000	
CHARM N BLACK LABEL CHARM N C4 (변들 분리형) CHARM N C4 (변들 분리형) CHARM CXT (원들		BC642RSC	#2 (Butt)	228,000	5/0,000
#2 (Butt) 228,000		December	#1 (Tip)	342,000	F70.000
CHARM N BLACK LABEL - #2 (Butt) 228,000 570,000		BC652RSC	#2 (Butt)	228,000	5/0,000
#2 (Butt) 228,000 #1 (Tip) 348,000 #2 (Butt) 232,000 #2 (Butt) 232,000 #2 (Butt) 232,000 #2 (Butt) 232,000 #3 (Butt) 232,000 #4 (Butt) 184,000 #4 (Butt) 188,000 #4 (Bu		DCC72DCC	#1 (Tip)	342,000	F70.000
BLACK LABEL #2 (Butt) 348,000 580,000 #2 (Butt) 232,000 580,000 #3 (Butt) 232,000 580,000 #3 (Butt) 232,000 580,000 #4 (Butt) 232,000 580,000 #2 (Butt) 232,000 580,000 #2 (Butt) 232,000 580,000 #2 (Butt) 232,000 580,000 #3 (Butt) 232,000 580,000 #4 (Butt) 232,000 460,000 #4 (Butt) 184,000 470,000 #2 (Butt) 188,000 470,000 #3 (Butt) 288,000 470,000 #3 (Butt) 288,000 480,000 #3 (Butt) 192,000 480,000 #3 (Butt) 132,000 330,000 #3 (Butt) 132,000 330,000 #3 (Butt) 132,000 330,000 #3 (Butt) 140,000 350,000 #3 (Butt) 140,000 360,000 #4 (Butt) 132,000 200,000 #4 (Butt) 132,000 20		DC072R3C	#2 (Butt)	228,000	570,000
BC642JSC	CHARM N		#1 (Tip)		
#2 (Butt) 232,000 580,000 8C682JSC #1 (Tip) 348,000 580,000 8C662JSC #1 (Tip) 348,000 580,000 8C662JSC #1 (Tip) 348,000 580,000 8C662JSC #1 (Tip) 348,000 460,000 460,000 #2 (Butt) 184,000 460,000 470,000 #2 (Butt) 188,000 470,000 #2 (Butt) 188,000 470,000 #2 (Butt) 188,000 480,000 #2 (Butt) 192,000 490,000 #2 (Butt) 192,000 480,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 350,000 #2 (Butt) 140,000 350,000 #2 (Butt) 140,000 350,000 #2 (Butt) 140,000 42	BLACK LABEL		#2 (Butt)		
#2 (Butt) 232,000 580,000 580,000 BC682JSC #1 (Tip) 348,000 580,000 580,000 #2 (Butt) 232,000 580,000 580,000 #2 (Butt) 232,000 580,000 580,000 #2 (Butt) 232,000 460,000 #2 (Butt) 184,000 460,000 #2 (Butt) 184,000 460,000 #2 (Butt) 188,000 480,000 #2 (Butt) 188,000 480,000 #2 (Butt) 188,000 480,000 #2 (Butt) 192,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 140,000 350,000 #2 (Butt) 140,000 350,000 #2 (Butt) 140,000 350,000 #2 (Butt) 140,000 350,000 #2 (Butt) 182,000 220,000 #2 (Butt) 88,000 220,000 #2 (Butt) 84,000 220,000 #2 (Butt) 84,000 220,000 #2 (Butt) 84,000 220,000 #2 (Butt) 84,000 220,000		BCE43 ISC	#1 (Tip)	348,000	580,000
BC682JSC #2 (Butt) 232,000 580,000 BC662JSC #1 (Tip) 348,000 580,000 #2 (Butt) 232,000 580,000 #2 (Butt) 232,000 460,000 #2 (Butt) 184,000 460,000 #2 (Butt) 184,000 470,000 #2 (Butt) 188,000 480,000 #2 (Butt) 192,000 480,000 #2 (Butt) 132,000 340,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 350,000 #2 (Butt) 140,000 350,000 #2 (Butt) 140,000 350,000 #2 (Butt) 140,000 360,000 #2 (Butt) 132,000 220,000 #2 (Butt) 88,000 220,000 #2 (Butt) 80,000 220,000 #2 (Butt) 80,000 220,000 #2 (Butt) 80,000 220,000 #2 (Butt) 80,		DC042J3C	#2 (Butt)	232,000	360,000
#2 (Butt) 232,000 580,000 580,000 8C662JSC #1 (Tip) 348,000 580,000 460,000 460,000 460,000 460,000 460,000 460,000 460,000 460,000 460,000 460,000 460,000 460,000 460,000 460,000 460,000 470,000 8C682JSC #1 (Tip) 282,000 470,000 480,000 480,000 480,000 #2 (Butt) 288,000 480,000 480,000 8C662JSC #1 (Tip) 294,000 480,000 490,000 490,000 8C662JSC #1 (Tip) 288,000 480,000 480,000 8C662JSC #1 (Tip) 288,000 480,000 480,000 8C662JSC #1 (Tip) 288,000 480,000 480,000 480,000 8C662JSC #1 (Tip) 288,000 480,000 480,000 8C662JSC #1 (Tip) 288,000 480,000 480,000 8C662JSC #1 (Tip) 204,000 340,000 340,000 8C662JSC #1 (Tip) 198,000 330,000 340,000 8C662JSC #1 (Tip) 198,000 330,000 330,000 8C662JSC #1 (Tip) 198,000 330,000 350,000 8C662JSC #1 (Tip) 210,000 350,000 8C662JSC #1 (Tip) 210,000 350,000 8C652JSC #1 (Tip) 210,000 350,000 8C662JSC #1 (Tip) 210,000 350,000 8C652JSC #1 (Tip) 210,000 350,000 8C662JSC #1 (Tip) 32,000 320,000 320,000 8C662JSC #1 (Tip) 32,000 320,000 320,000 8C662JSC #1 (Tip) 32,000 320,000 8C662JSC #1 (Tip) 32,00		BC683 ISC	#1 (Tip)	348,000	580,000
#2 (Butt) 232,000 380,000 460,000 460,000 #2 (Butt) 184,000 460,000 460,000 #2 (Butt) 184,000 470,000 #2 (Butt) 184,000 470,000 #2 (Butt) 184,000 470,000 #2 (Butt) 184,000 480,000 #2 (Butt) 184,000 480,000 480,000 #2 (Butt) 192,000 480,000 #2 (Butt) 192,000 480,000 #2 (Butt) 192,000 480,000 #2 (Butt) 192,000 490,000 #2 (Butt) 192,000 480,000 #2 (Butt) 192,000 340,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 350,000 #2 (Butt) 140,000 42 (Butt) 188,000 220,000 #2 (Butt) 182,000 220,000 #2 (Butt) 184,000 240,000 #2 (Butt) 182,000 220,000 #2 (Butt) 184,000 240,000 #2 (Butt) 184,000 420,000 #2 (Butt) 184,000 420,000 #2 (Butt) 184,000 420,000 #2 (Butt) 184,000 4		DC002J3C	#2 (Butt)	232,000	360,000
#2 (Butt) 252,000 #1 (Tip) 276,000 460,000 #2 (Butt) 184,000 470,000 #2 (Butt) 184,000 470,000 #2 (Butt) 188,000 470,000 #2 (Butt) 188,000 480,000 #2 (Butt) 288,000 480,000 #2 (Butt) 192,000 480,000 #2 (Butt) 136,000 340,000 #2 (Butt) 136,000 340,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 350,000 #2 (Butt) 140,000 350,000 #2 (Butt) 140,000 360,000 #2 (Butt) 132,000 220,000		BCEES ISC	#1 (Tip)	348,000	580,000
#2 (Butt) 184,000 460,000 BC642RSC #1 (Tip) 282,000 470,000 BC642RSC #1 (Tip) 192,000 480,000 480,000 #2 (Butt) 192,000 480,000 480,000 #2 (Butt) 192,000 480,000 480,000 BC662JSC #1 (Tip) 294,000 490,000 490,000 BC662JSC #1 (Tip) 288,000 480,000 480,000 #2 (Butt) 192,000 340,000 #2 (Butt) 192,000 340,000 #2 (Butt) 192,000 340,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 350,000 #2 (Butt) 140,000 350,000 #2 (Butt) 144,000 350,000 #2 (Butt) 144,000 360,000 #2 (Butt) 144,000 42 (Butt) 88,000 42 (Bu		BC002J3C	#2 (Butt)	232,000	360,000
#2 (Butt) 184,000 470,000		DCCSSDCC	#1 (Tip)	276,000	460,000
#2 (Butt) 188,000 470,000 BC682JSC #1 (Tip) 192,000 480,000 #2 (Butt) 288,000 480,000 #2 (Butt) 192,000 480,000 #2 (Butt) 192,000 480,000 #2 (Butt) 192,000 490,000 490,000 #2 (Butt) 196,000 490,000 490,000 #2 (Butt) 196,000 480,000 480,000 #2 (Butt) 192,000 340,000 #2 (Butt) 136,000 340,000 #2 (Butt) 136,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 350,000 #2 (Butt) 140,000 #2 (Butt) 140,000 #2 (Butt) 140,000 #2 (Butt) 140,000 350,000 #2 (Butt) 144,000 42 (Butt) 132,000 42 (Butt) 144,000		BC032R3C	#2 (Butt)	184,000	460,000
#2 (Butt) 188,000 480,000 480,000 #1 (Tip) 192,000 480,000 480,000 #2 (Butt) 288,000 480,000 480,000 #1 (Tip) 288,000 480,000 480,000 #1 (Tip) 294,000 490,000 #2 (Butt) 192,000 480,000 #2 (Butt) 192,000 340,000 #2 (Butt) 192,000 340,000 #2 (Butt) 136,000 340,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 350,000 #2 (Butt) 132,000 350,000 #2 (Butt) 144,000 350,000 #2 (Butt) 144,000 360,000 #2 (Butt) 144,000 360,000 #2 (Butt) 144,000 360,000 #2 (Butt) 144,000 42 (Butt) 88,000 42 (Butt) 88,00		BCE/JDSC	#1 (Tip)	282,000	470.000
CHARM N C4 (변들 본리형) BC652RSC #1 (Tip) 288,000 480,000 480,000 #2 (Butt) 192,000 480,000 490,000 #2 (Butt) 192,000 490,000 #2 (Butt) 192,000 480,000 490,000 #2 (Butt) 192,000 480,000 480,000 #2 (Butt) 192,000 340,000 #2 (Butt) 132,000 340,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 350,000 #2 (Butt) 140,000 350,000 #2 (Butt) 140,000 350,000 #2 (Butt) 140,000 360,000 #2 (Butt) 144,000 360,000 #2 (Butt) 144,000 360,000 #2 (Butt) 144,000 220,000 #2 (Butt) 88,000 220,000 #2 (Butt) 88,000 220,000 #2 (Butt) 88,000 220,000 #2 (Butt) 132,000 220,000 #2 (Butt) 144,000 240,000 #2 (Butt) 144,000 240,000 #2 (Butt) 144,000 420,000 #2 (Butt) 14		DC042N3C	#2 (Butt)	188,000	4/0,000
#2 (Butt) 288,000 480,000 480,000 480,000 #1 (팬들 본리형) BC652RSC #1 (Tip) 294,000 490,000 490,000 #2 (Butt) 192,000 490,000 490,000 #2 (Butt) 196,000 480,000 480,000 #2 (Butt) 192,000 340,000 #2 (Butt) 192,000 340,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 140,000 350,000 #2 (Butt) 144,000 360,000 #2 (Butt) 144,000 360,000 #2 (Butt) 144,000 42 (Butt) 132,000 42 (BC683 ISC	#1 (Tip)	192,000	480 000
#2 (Butt) 192,000 480,000 490,000 BC662JSC #1 (Tip) 294,000 490,000 490,000 #2 (Butt) 196,000 490,000 490,000 #2 (Butt) 196,000 480,000 #2 (Butt) 192,000 480,000 #2 (Butt) 192,000 480,000 #1 (Tip) 288,000 480,000 340,000 #1 (Tip) 204,000 340,000 #2 (Butt) 136,000 340,000 #2 (Butt) 136,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 350,000 #2 (Butt) 132,000 350,000 #2 (Butt) 132,000 350,000 #2 (Butt) 132,000 350,000 #2 (Butt) 144,000 350,000 #2 (Butt) 144,000 360,000 #2 (Butt) 144,000 220,000 #2 (Butt) 88,000 220,000 #2 (Butt) 132,000 220,000 #2 (Butt) 132,000 220,000 #2 (Butt) 132,000 220,000 #2 (Butt) 132,000 240,000 PC682BSC #1 (Tip) 96,000 240,000 PC682BSC #1 (Tip) 132,000 220,000 PC682BSC #1 (Tip) 132,000 240,000 PC682BSC #1 (Tip) 132,000 PC682BSC #1 (Tip) 132,000 PC682BSC PC682BSC #1 (Tip) 132,000 PC682BSC PC682BSC #1 (Tip) 132,000 PC682BSC		DC08233C	#2 (Butt)	288,000	460,000
#2 (Butt) 192,000 490,000 490,000 H2 (Butt) 196,000 490,000 490,000 H2 (Butt) 196,000 480,000 480,000 H2 (Butt) 192,000 480,000 H2 (Butt) 192,000 480,000 H2 (Butt) 192,000 480,000 H2 (Butt) 192,000 340,000 H2 (Butt) 136,000 340,000 H2 (Butt) 132,000 330,000 H2 (Butt) 132,000 330,000 H2 (Butt) 132,000 330,000 H2 (Butt) 132,000 350,000 H2 (Butt) 132,000 350,000 H2 (Butt) 140,000 350,000 H2 (Butt) 140,000 360,000 H2 (Butt) 140,000 42 (Butt) 140,000 42 (Butt) 140,000 H2 (Butt) 140,0		BC652RSC	#1 (Tip)	288,000	480 000
#2 (Butt) 196,000 480,000 480,000 BC5112FS-R #1 (Tip) 288,000 480,000 480,000 #2 (Butt) 192,000 480,000 480,000 #2 (Butt) 192,000 340,000 340,000 #2 (Butt) 136,000 340,000 340,000 #2 (Butt) 136,000 330,000 330,000 #2 (Butt) 132,000 330,000 320,000 #2 (Butt) 132,000 330,000 320,000 #2 (Butt) 132,000 320,000 #2 (Butt) 132,000 320,000 #2 (Butt) 144,000 350,000 #2 (Butt) 144,000 360,000 #2 (Butt) 144,000 360,000 #2 (Butt) 144,000 42 (Butt) 88,000 220,000 #2 (Butt) 80,000 240,000 42 (Butt) 132,000 240,000 42 (Butt) 132,000 240,000 42 (Butt) 144,000 240,000 42 (Butt) 144,000 240,000 42 (Butt) 144,000 420,000 420,000 420,000 42 (Butt) 144,000 420,000 420,000 42 (Butt) 144,000 420	(핸들 분리형)		#2 (Butt)	192,000	460,000
#2 (Butt) 196,000 480,000 #2 (Butt) 192,000 340,000 #2 (Butt) 136,000 340,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 350,000 #2 (Butt) 132,000 350,000 #2 (Butt) 140,000 350,000 #1 (Tip) 210,000 #2 (Butt) 144,000 360,000 #2 (Butt) 144,000 360,000 #2 (Butt) 144,000 42 (Butt) 144,000 42 (Butt) 88,000 42 (Butt) 132,000 42 (Butt) 144,000 42 (Butt) 144,000 42 (Butt) 144,000 42 (Butt) 132,000 42 (Butt) 144,000 42 (Butt) 144,0		BCEES ISC	#1 (Tip)	294,000	490,000
#2 (Butt) 192,000 480,000 480,000 BC602MT #1 (Tip) 288,000 480,000 480,000 #1 (Tip) 204,000 340,000 340,000 #1 (Bib E 2 18) #1 (Tip) 198,000 330,000 #1 (Fip) 198,000 350,000 #1 (Tip) 198,000 350,000 #1 (Tip) 210,000 350,000 #1 (Tip) 210,000 350,000 #1 (Tip) 210,000 360,000 #1 (Tip) 210,000 360,000 #1 (Tip) 132,000 220,000 #2 (Butt) 88,000 220,000 #2 (Butt) 88,000 220,000 #2 (Butt) 88,000 220,000 #2 (Butt) 132,000 240,000 P1 (Tip) 96,000 240,000 P1 (Tip) 96,000 240,000 P1 (Tip) 132,000 220,000 P1 (Tip) 132,000 P1 (Tip) P1		DC002J3C	#2 (Butt)	196,000	450,000
#2 (Butt) 192,000 480,000 480,000 8C62JSC #1 (Tip) 288,000 480,000 480,000 480,000 480,000 480,000 340,000 340,000 6E62JSC #1 (Tip) 198,000 330,000 330,000 6E62JSC #1 (Tip) 198,000 330,000 330,000 6E62JSC #1 (Tip) 198,000 330,000 6E652RSC #1 (Tip) 210,000 350,000 6E652RSC #1 (Tip) 210,000 350,000 6E652RSC #1 (Tip) 210,000 360,000 6E652JSC #1 (Tip) 132,000 220,000 6E652JSC #1 (Tip) 132,000 220,000 6E662JSC #1 (Tip) 132,000 220,000 6E662JSC #1 (Tip) 132,000 220,000 6E662JSC #1 (Tip) 88,000 220,000 6E662JSC #1 (Tip) 88,000 220,000 6E662JSC #1 (Tip) 96,000 240,000 6E662JSC #1 (Tip) 96,000 240,000 6E662JSC #1 (Tip) 132,000 6E662JSC #1 (Tip) 132,0		DCE113EC_D	#1 (Tip)	288,000	480,000
#2 (Butt) 192,000 480,000 480,000 #1 (Tip) 204,000 340,000 340,000 #1 (Tip) 198,000 330,000 #1 (Tip) 198,000 300,000 #1 (Tip) 198,000 350,000 #1 (Tip) 210,000 350,000 #1 (Tip) 210,000 350,000 #1 (Tip) 210,000 350,000 #1 (Tip) 210,000 360,000 #1 (Tip) 132,000 220,000 #1 (Tip) 88,000 220,000 #1 (Tip) 88,000 220,000 #1 (Tip) 96,000 240,000 #1 (Tip) 96,000 240,000 #1 (Tip) 96,000 240,000 #1 (Tip) 132,000 220,000 #1 (Tip) 132,000 240,000 80,000 #1 (Tip) 132,000 240,000 #1 (Tip) 132,000 240,000 #1 (Tip) 132,000 240,000 #1 (Tip) 132,000 240,000 220,000 #1 (Tip) 132,000 240,000 220,000 #1 (Tip) 132,000 240,000 220,000 #1 (Tip) 132,000 240,000 240,000 80,0		BCJ112F3-K	#2 (Butt)	192,000	
#2 (Butt) 192,000 340,000 340,000 340,000 #2 (Butt) 136,000 330,000 330,000 #2 (Butt) 132,000 350,000 #2 (Butt) 140,000 350,000 #2 (Butt) 140,000 350,000 #2 (Butt) 144,000 360,000 #2 (Butt) 144,000 360,000 #2 (Butt) 144,000 360,000 #2 (Butt) 144,000 220,000 #2 (Butt) 88,000 220,000 #2 (Butt) 88,000 220,000 #2 (Butt) 132,000 220,000 #2 (Butt) 132,000 220,000 #2 (Butt) 132,000 220,000 #2 (Butt) 132,000 240,000 #2 (Butt) 144,000 440,000 #2 (Butt) 144,000 #2		BC602MT	#1 (Tip)	288,000	480,000
#2 (Butt) 136,000 340,000 (#1 (Tip) 198,000 330,000 (#5 (Butt) 132,000 350,000 (#5 (Butt) 140,000 350,000 (#5 (Butt) 140,000 350,000 (#5 (Butt) 144,000 (#5 (Butt) 144,0		DCOOZIVIT	#2 (Butt)	192,000	
#2 (Butt) 136,000 330,000 30,000 (변들 분리형) #1 (Tip) 198,000 330,000 330,000 #2 (Butt) 132,000 330,000 330,000 #1 (Tip) 198,000 330,000 330,000 #2 (Butt) 132,000 350,000 350,000 #2 (Butt) 140,000 350,000 #2 (Butt) 140,000 360,000 #2 (Butt) 144,000 360,000 #2 (Butt) 144,000 360,000 #2 (Butt) 88,000 220,000 #2 (Butt) 132,000 220,000 #2 (Butt) 132,000 220,000 #2 (Butt) 132,000 240,000 #2 (Butt) 132,000 220,000 #2 (Butt) 132,000 240,000 #2 (Butt) 132,000 420,000 #2 (Butt) 132,000 420,000 #2 (Butt) 144,000 420,000 #2 (Butt) 440,000 #2 (Butt) 440,000 440,000 #2 (Butt) 440,000 440,000 #2 (Butt)		RC652 ISC	#1 (Tip)	204,000	340,000
#2 (Butt) 132,000 330,000 (행들 분리형) BC682RSC #1 (Tip) 198,000 330,000 330,000 #2 (Butt) 132,000 330,000 #2 (Butt) 132,000 350,000 #2 (Butt) 140,000 350,000 #1 (Tip) 216,000 360,000 #1 (Tip) 132,000 360,000 #2 (Butt) 144,000 220,000 #2 (Butt) 88,000 220,000 #2 (Butt) 132,000 220,000 #2 (Butt) 132,000 240,000 #2 (Butt) 132,000 240,000 #2 (Butt) 144,000 240,000 #2 (Butt) 144,000 240,000 #2 (Butt) 144,000 240,000 #2 (Butt) 132,000 220,000 #2 (Butt) 132,000 240,000 #2 (Butt) 144,000 #2 (Butt)		DC03233C	#2 (Butt)	136,000	340,000
#2 (Butt) 132,000 30,000 (#1 (Tip) 198,000 30,000 (#1 (Tip) 198,000 30,000 (#2 (Butt) 132,000 30,000 (#2 (Butt) 132,000 350,000 (#1 (Tip) 210,000 350,000 (#2 (Butt) 140,000 350,000 (#2 (Butt) 144,000 360,000 (#2 (Butt) 144,000 360,000 (#2 (Butt) 144,000 360,000 (#2 (Butt) 188,000 220,000 (#2 (Butt) 188,000 220,000 (#2 (Butt) 188,000 220,000 (#2 (Butt) 182,000 220,000 (#2 (Butt) 132,000 220,000 (#2 (Butt) 132,000 220,000 (#2 (Butt) 132,000 240,000 (#2 (Butt) 132,000 240,000 (#2 (Butt) 144,000 240,000 (#2 (Butt) 132,000 (BC662 ISC	#1 (Tip)	198,000	330,000
#2 (Butt) 132,000 330,000 BC682RSC #2 (Butt) 132,000 350,000 #1 (Trip) 210,000 350,000 #1 (Trip) 216,000 360,000 #1 (Trip) 132,000 220,000 #1 (Trip) 132,000 220,000 #1 (Trip) 132,000 42 (Butt) 88,000 220,000 #1 (Trip) 132,000 42 (Butt) 88,000 220,000 #1 (Trip) 88,000 220,000 #1 (Trip) 88,000 42 (Butt) 132,000 240,000 #1 (Trip) 96,000 42 (Butt) 144,000 240,000 #1 (Trip) 132,000 220,000 42 (Butt) 132,000 240,000 42 (Butt) 132,000 240,000 42 (Butt) 132,000 240,000 42 (Butt) 132,000 220,000 42 (Butt) 132,000 240,000 42 (Butt) 132,000 240,000 42 (Butt) 132,000 220,000 42 (Butt) 132,000 240,000 42 (Butt) 132,000 240,000 42 (Butt) 132,000 240,000 42 (Butt) 132,000 420,000 420,000 420,000 42 (Butt) 132,000 420,000		DC00233C	#2 (Butt)	132,000	330,000
#2 (Butt) 132,000 350,000 350,000 #1 (Tip) 210,000 350,000 350,000 #2 (Butt) 144,000 360,000 360,000 42 (Butt) 144,000 360,000 42 (Butt) 144,000 360,000 42 (Butt) 88,000 220,000 #2 (Butt) 132,000 220,000 #2 (Butt) 132,000 240,000 #2 (Butt) 144,000 240,000 #2 (Butt) 144,000 240,000 86,682,850 #1 (Tip) 132,000 220,000 220,000		BC683BSC	#1 (Tip)	198,000	330 000
BC6102L RSC	(핸들 분리형)	DC002N3C	#2 (Butt)	132,000	330,000
#2 (Butt) 140,000 BC652RSC #1 (Tip) 216,000 360,000 #2 (Butt) 144,000 220,000 #2 (Butt) 132,000 220,000 #2 (Butt) 88,000 220,000 #2 (Butt) 88,000 220,000 #2 (Butt) 88,000 220,000 #2 (Butt) 132,000 220,000 #2 (Butt) 132,000 220,000 #2 (Butt) 132,000 240,000 #2 (Butt) 144,000 240,000 #2 (Butt) 144,000 240,000 #3 (Butt) 144,000 240,000 #4 (Tip) 132,000 220,000		BC6103L BSC	#1 (Tip)	210,000	350,000
BC652RSC		DC0102L1GC	#2 (Butt)	140,000	330,000
#2 (Butt) 144,000		BC652RSC	H	216,000	360.000
#2 (Butt) 88,000 220,000 BC652JSC #1 (Tip) 132,000 220,000 #2 (Butt) 88,000 220,000 #1 (Tip) 88,000 220,000 #2 (Butt) 132,000 220,000 #2 (Butt) 132,000 240,000 #1 (Tip) 96,000 440,000 #2 (Butt) 144,000 240,000 #1 (Tip) 132,000 220,000 220,000 #1 (Tip) 132,000 220,000 #1 (Tip) 132,000 220,000		20032100	#2 (Butt)	144,000	500,000
#2 (Butt) 88,000 220,000 220,000 H1 (Tip) 88,000 220,000 BC652JSC #1 (Tip) 88,000 220,000 220,000 H2 (Butt) 132,000 20,000 H2 (Butt) 132,000 240,000 H2 (Butt) 144,000 240,000 H2 (Butt) 132,000 220,000 H2 (Butt)		S642.ISS			220.000
#2 (Butt) 88,000 220,000 BC662JSC #1 (Tip) 88,000 220,000 #2 (Butt) 132,000 240,000 #1 (Tip) 96,000 44,000 PC682BSC #1 (Tip) 132,000 220,000 220,000			#2 (Butt)		
#2 (Butt) 88,000 220,000 BC662JSC #1 (Tip) 88,000 220,000 220,000 #2 (Butt) 132,000 240,000 47 (Butt) 144,000 240,000 BC682RSC #1 (Tip) 132,000 220,000 220,000 220,000	CHARM CWR	BC652JSC	-		220.000
#2 (Butt) 132,000 220,000 BC672JSC(센터컷) #1 (Tip) 96,000 240,000 #2 (Butt) 134,000 220,000				88,000	
#2 (Butt) 132,000 BC672JSC(센터式) #1 (Tip) 96,000 #2 (Butt) 144,000 240,000 BC682RSC #1 (Tip) 132,000 220,000		BC662JSC		88,000	220 000
BC6/2JSC(他村文) #2 (Butt) 144,000 240,000 BC682RSC #1 (Tip) 132,000 220,000		2230232	#2 (Butt)	132,000	220,000
#2 (Buft) 144,000 BC682RSC #1 (Tip) 132,000 220,000		BC672 ISC(세터커)			240,000
BC682RSC 220,000		DC0/23C(E-170)	#2 (Butt)	144,000	240,000
#2 (Butt) 88.000		BC682RSC	#1 (Tip)	132,000	220 000
1 , , , , , , , , , , , , , , , , , , ,		DCUOZNOC	#2 (Butt)	88,000	220,000



WHOLE PRODUCT UNIT PRICE TAG



선상 / 라이트지깅				
제품명	규격	Section No.	소비자 가격	완제품
		#1 (Tip)	150,000	
	BC552ML(갑오징어)	#2 (Butt)	100,000	250,000
		#1 (Tip)	150,000	
	BC642RSC	#2 (Butt)	100,000	250,000
		#1 (Tip)	156,000	
	BC652RSC	#2 (Butt)	100,000	250,000
		#1 (Tip)	156,000	
CHARM AIR	BC662JSC	#2 (Butt)	104,000	260,000
		#1 (Tip)	174,000	
	BC632JSC	#2 (Butt)	104,000	260,000
		#1 (Tip)	162,000	
	BC672FS-R	#2 (Butt)	116,000	290,000
		#1 (Tip)	110,000	
	BC682ST-R	#2 (Butt)	108,000	270,000
	2550014	#1 (Tip)	150,000	
	BC582M	#2 (Butt)	100,000	250,000
		#1 (Tip)	156,000	
	BC602M	#2 (Butt)	104,000	260,000
		#1 (Tip)	104,000	
	S682M	#2 (Butt)	156,000	260,000
CHARM AIR		#1 (Tip)	108,000	
IKAMETAL	BC632ML	#2 (Butt)	162,000	270,000
		#1 (Tip)	112,000	
	BC682M-MH	#2 (Butt)	168,000	280,000
CHARM AIR	D.C.(201	#1 (Tip)	162,000	0=
외수질	BC672MH	#2 (Butt)	108,000	270,000
		#1 (Tip)	168,000	
CHARM AIR	BC682MH	#2 (Butt)	112,000	280,000
OCTOPUS	D.C.C.O.V.I.	#1 (Tip)	168,000	
	BC662XH	#2 (Butt)	112,000	280,000
	DCC2214	#1 (Tip)	162,000	270.000
CHARM AIR	BC632M	#2 (Butt)	108,000	270,000
HAIRTAIL (갈치지깅)	DCC02MU	#1 (Tip)	168,000	200,000
	BC682MH	#2 (Butt)	112,000	280,000
	S752L-ML	#1 (Tip)	-	
	3/32L-IVIL	#2 (Butt)	-	
CHARM AIR	S702M	#1 (Tip)	-	
TENYA	5,02.11	#2 (Butt)	-	
	BC682M	#1 (Tip)	-	
		#2 (Butt)	-	
	BC632JSC	#1 (Tip)	96,000	160,000
		#2 (Butt)	64,000	
	BC662JSC	#1 (Tip)	102,000	170,000
		#2 (Butt)	68,000	-
NIXX OCEAN Ver.2	BC622MH	#1 (Tip)	102,000	170,000
		#2 (Butt)	68,000	
	BC602ST	#1 (Tip)	102,000	170,000
		#2 (Butt)	68,000	
	BC622ST	#1 (Tip)	102,000	170,000
		#2 (Butt)	68,000	
	BC632JSC	#1 (Tip) #2 (Butt)	48,000 72,000	120,000
		#2 (Butt) #1 (Tip)	72,000	
	BC662JSC		48,000 72,000	120,000
NIXX POP OCEAN Ver.3		#2 (Butt) #1 (Tip)	48,000	
	BC642RSC	#1 (11p) #2 (Butt)	72,000	120,000
		#2 (Bult) #1 (Tip)	52,000	
	BC652M-MH	#1 (Hp) #2 (Butt)	78,000	130,000
		#2 (Datt) #1 (Tip)	38,000	
	BC502M	#1 (Hp) #2 (Butt)	57,000	95,000
		#1 (Tip)	40,000	
	BC582M	#2 (Butt)	60,000	100,000
NIXX POP INK	DC50014/5	#1 (Tip)	42,000	405
	BC502M(SPIRAL)	#2 (Butt)	63,000	105,000
	DCEO3M/CDIDAL)	#1 (Tip)	46,000	115.000
	BC582M(SPIRAL)	#2 (Butt)	69,000	115,000

선상 / 라이트지깅				
제품명	규격	Section No.	소비자 가격	완제품
	BC622RSC	#1 (Tip)	26,000	65,000
	DC022K3C	#2 (Butt)	39,000	03,000
	BC632JSC	#1 (Tip)	26,000	GE OO
	DC032J3C	#2 (Butt)	39,000	65,000
	BC642 JSC	#1 (Tip)	26,000	65,000
CAN 30 OCEAN	BC642JSC	#2 (Butt)	39,000	
CAN 30 OCEAN	BC522M	#1 (Tip)	26,000	65,000
	BCSZZIVI	#2 (Butt)	39,000	
	DCE 42M	#1 (Tip)	26,000	65.00
	BC542M	#2 (Butt)	39,000	65,000
	DCC22MII	#1 (Tip)	30,000	75.00
	BC622MH	#2 (Butt)	45,000	75,000

바다루어 / 락피쉬				
제품명	규격	Section No.	소비자 가격	완제품
	C7221 II	#1 (Tip)	160,000	400,000
	S732UL	#2 (Butt)	240,000	400,000
	CZCOLII	#1 (Tip)	164,000	410.000
DIVOD N.D.4	S752UL	#2 (Butt)	246,000	410,000
BIXOD N R4	C702I	#1 (Tip)	168,000	420.000
	S782L	#2 (Butt)	252,000	420,000
	C0221	#1 (Tip)	172,000	420.000
	S832L	#2 (Butt)	258,000	430,000
	C7221 II	#1 (Tip)	132,000	220.000
	S732UL	#2 (Butt)	198,000	330,000
	S752UL	#1 (Tip)	136,000	240.000
DIVOD N D2		#2 (Butt)	204,000	340,000
BIXOD N R3	CZESLII (CCT)	#1 (Tip)	140,000	250,000
	S752UL(CST)	#2 (Butt)	210,000	350,000
	C702I	#1 (Tip)	140,000	250,000
	S782L	#2 (Butt)	210,000	350,000
	6722111	#1 (Tip)	100,000	250,000
	S732UL	#2 (Butt)	150,000	
	CZCOLII	#1 (Tip)	104,000	260,000
	S752UL	#2 (Butt)	156,000	
DIVOD DA Va	CZESLII CCT	#1 (Tip)	108,000	270,000
BIXOD R2 Ver.2	S752UL-CST	#2 (Butt)	162,000	
	67021 !!	#1 (Tip)	108,000	270,000
	S792UL	#2 (Butt)	162,000	
	50221	#1 (Tip)	112,000	
	S832L	#2 (Butt)	168,000	280,000
	C7221 II	#1 (Tip)	64,000	100,000
	S732UL	#2 (Butt)	96,000	160,000
NIVY DOCKED	C7C2LII	#1 (Tip)	68,000	170.000
NIXX ROCKER	S762UL	#2 (Butt)	102,000	170,000
	coon	#1 (Tip)	72,000	100.000
	S832L	#2 (Butt)	108,000	180,000
	C7221 II	#1 (Tip)	38,000	05.000
NIVV DOD DOCKED	S732UL	#2 (Butt)	57,000	95,000
NIXX POP ROCKER	C7C2LII	#1 (Tip)	40,000	100.000
	S762UL	#2 (Butt)	60,000	100,000
	C7221 II	#1 (Tip)	26,000	65.000
CAN 30 DOCKED	S722UL	#2 (Butt)	39,000	65,000
CAN 30 ROCKER	C7431	#1 (Tip)	26,000	
	S742L	#2 (Butt)	39.000	65,000

다절번							
제품명	규격	Section No.	소비자 가격	완제품			
		#1 (Tip)	115,000				
	H5 360-410	#2	161,000	460,000			
	1.5.500 410	#3 (Butt)	184,000	.55,550			
			161,000				
		#1 (Tip)	100,000				
	H5 420-470	#2	100,000	500,000			
		#3	125,000	•			
		#4 (Butt)	175,000				
	115.450	#1 (Tip)	112,000	560,000			
	H5 450 (SPIRAL)	#2	112,000				
	(SI II V L)	#4 (Butt)	140,000 196,000				
CHARM LIVE H5		#4 (Datt)	120,000				
CHARTETTETTS		#2	120,000				
	H5 500-550	#3	150,000	600,000			
		#4 (Butt)	210,000				
		#1 (Tip)	61,000				
		#2	91,500				
	H5 500-550 (SPIRAL)	#3	125,000	610,000			
	(SFIKAL)	#4	152,000				
		#5 (Butt)	183,000				
		#1 (Tip)	69,000				
	H5 580-630	#2	103,000				
	(SPIRAL)	#3	138,000	690,000			
		#4	112,500				
		#5 (Butt)	207,500				
	Extension(9	1	ļ				
	l	#1 (Tip)	-				
	H2 300-350 (SPIRAL)	#2	-				
	(SPIKAL)	#3	-				
		#4 (Butt)	-				
	112 420 470	#1 (Tip)	-				
	H2 420-470 (SPIRAL)	#2	_				
	(3. 11 0 12)	#3 #4 (Butt)	_				
		#4 (Butt) #1 (Tip)	_				
	H2 450-500	#1 (TIP)	-				
	(SPIRAL)	#3	-				
		#4 (Butt)	-				
CHARM LIVE H2		#1 (Tip)	-				
	H2 480-530	#2	-				
	(SPIRAL)	#3	-				
		#4 (Butt)	-				
		#1 (Tip)	-				
	H2 500-550	#2	-				
	(SPIRAL)	#3	-				
		#4 (Butt)	-				
		#1 (Tip)	-				
	H2 530-580	#2	-				
	(SPIRAL)	#3	-				
		#4 (Butt)	-				
	Extension(9		C4000				
		#1 (Tip)	64,000	320,000			
BIXOD E2 Ver. 2	S854ML-M	#2	64,000				
		#3	80,000				
	+	#4 (Butt)	122,000				
	DCCC 4DCC	#1 (Tip)	98,000				
CHARM N C4	BC664RSC (TRAVEL)	#2	98,000	490,000			
	(114/4/22)	#3 #4 (Butt)	122,500 171,500				
			1/1,500				

	Lľ	일면			
제품명	규격	Section No.	소비자 가격	완제품	
		#1 (Tip)	60,000		
	1279-4	#2	60,000	300,000	
		#3 #4 (Butt)	75,000 105,000		
		#4 (Butt) #1 (Tip)	66,000		
	202.4	#2	66,000		
	382-4	#3	82,500	330,000	
		#4 (Butt)	115,500		
		#1 (Tip)	72,000	360,000 370,000	
	490-4	#2	72,000		
D LOOP N		#3 #4 (Butt)	90,000		
		#1 (Tip)	74,000		
	693-4	#2	74,000		
		#3	92,500		
		#4 (Butt)	129,500		
		#1 (Tip) #2	78,000	390,000	
	3100-4	#3	78,000 97,500		
		#4 (Butt)	136,500		
		#1 (Tip)	104,000		
	DOUBLE HANDLE	#2	104,000	E30 000	
	7132-4	#3	130,000	520,000	
		#4 (Butt)	182,000		
	CMITCH	#1 (Tip)	88,000		
	SWITCH 4110-4	#2	88,000 110,000	440,000	
		#4 (Butt)	154.000		
		#1 (Tip)	88,000	440,000	
D LOOP N SWITCH	SWITCH	#2	88,000		
D LOOP N SWITCH	6110-4	#3	110,000		
		#4 (Butt)	154,000		
	CMITCH	#1 (Tip)	88,000		
	SWITCH 8110-4	#2	88,000 110,000	440,000	
	0.10	#4 (Butt)	154,000		
	278-3	#1 (Tip)	47,500	190,000	
		#2	66,500		
		#3 (Butt)	76,000		
	388-3	#1 (Tip)	47,500	190,000	
		#2 #2 (Bu#1)	66,500		
		#3 (Butt) #1 (Tip)	76,000 42,000	210,000	
	400.4	#2	42,000		
	490-4	#3	52,500		
		#4 (Butt)	73,500		
		#1 (Tip)	42,000		
	690-4	#2	42,000		
D LOOP 2		#3 #4 (Butt)	52,500 73,500		
		#1 (Tip)	44,000		
	800.4	#2	44,000		
	890-4	#3	55,000		
		#4 (Butt)	77,000		
		#1 (Tip)	44,000	220,000	
	3100-4	#2	44,000 55,000		
		#4 (Butt)	77,000		
		#1 (Tip)	44,000	220,000	
	F100 4	#2	44,000		
	5100-4	#3	55,000	220,00	
		#4 (Butt)	77,000		
	SWITCH 5/6110-4	#1 (Tip)	58,000	290,000	
		#2	58,000 72,500		
	3/0110 4	#3 #4 (Butt)	101,500		
D LOOP 2 SWITCH		#1 (Tip)	58,000	290,000 95,000	
	SWITCH	#2	58,000		
	7/8110-4	#3	72,500		
		#4 (Butt)	101,500		
		#1 (Tip)	19,000		
	3480-4	#2	19,000		
D LOOP POP 2		#3 #4 (Butt)	23,750		
	-	#4 (Butt) #1 (Tip)	33,250 19,000		
		#1 (11p) #2	19,000		
				95,000	
	5690-4	#3	23,750	93,000	

CONNECT with JSCOMPANY_151 CONNECT with JSCOMPANY_151



AFTER SERVICE REGULATIONS

Product (Rod) after-sales service regulations



GROUNDS FOR DAMAGE COMPENSATION



JSCOMPANY FISHING RODS ARE COMPENSATED ACCORDING TO THE COMPENSATION STANDARDS FOR EACH PRODUCT BELOW.

1절 낚시대 ① One time within the warranty period, 25% of the cost to the consumer, exchange for a new product

② After the warranty period, the customer pays 50% for one time, exchange for a new product

2절 낚시대

② Tip part after the warranty period: 40% of the cost of the consumer, exchange for a new product Butt part: 60% of the consumer price exchange for a new product

* Exception: Products under KRW 95,000: Customers exchange 20% of tips and 30% of butts once within the warranty period % However, it is limited to the relevant section and in case of multiple sections, it is applied according to the company regulations.

지강(Butt 분리형) 낚시대 ① One free replacement within the warranty period (limited to the relevant section)

② Tip part after the warranty period: 60% of the cost of the consumer, exchange for a new product Butt part: 40% of the cost of the consumer, exchange for a new product

Exception: Products under KRW 95,000: One time within the warranty period, the customer bears 30% of the tip, 20% of the butt, exchange for a new product

절번	1	2	3	4	5	6	7
2절 3절 4절 5절 6절	40%	60%					
3절	25%		40%				
4절	20%	20%	25%				
5절	10%		20%		30%		
6절	10%	10%		20%	30%		
<i>7</i> 절	7%		10%	12%		17%	30%



THE WARRANTY PERIOD IS WITHIN ONE YEAR FROM THE DATE OF PURCHASE, AND ANY ADDITIONAL A/S WILL BE CHARGED..



THE FOLLOWING CASES ARE EXCLUDED FROM WARRANTY PROCESSING.

- A/S due to loss of damage number and loss of fishing rod
- Defects in the product due to arbitrary modification or repair
- In case the product is defective due to consumer negligence (damage caused by activities other than fishing)
- In case of damage to the product due to natural disaster or product defect due to a corresponding disaster



PLEASE DO NOT BE MISTAKEN AS THE ROUND-TRIP TRANSPORTATION COST INCURRED DURING A/S IS THE RESPONSIBILITY OF THE CONSUMER.

O Address: 22, Samjak-ro 144beon-gil, Bucheon-si, Gyeonggi-do (85-1 Nae-dong Ojeong-gu, Bucheon-si, Gyeonggi-do)



PRODUCT SPEC INFORMATION

How to watch the **Rod Spec of JScompany**

